



HD-P Elevation

High Depth Punch Range
300x600 mm

OBL Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Website of the Year
for www.orientbell.com
(India's construction & design industry)



Integrated Brand Campaign of the Year
for "Chote Bathroom ke Bade Upay"
(India's construction & design industry)




Best Omnichannel retail Model
Winners Future of Retail Summit & Awards 2020



Customer Retail Journey Innovation
Winners Future of Retail Summit & Awards 2020



CEO with HR Orientation
ZEE BUSINESS
National Human Capital Leadership Congress & Awards





300X600mm HD-P Elevation

EHM BAMBOO DUAL WOOD BEIGE	12-13
EHM BAMBOO DUAL WOOD CREMA	12-13
EHM BAMBOO NATURAL WOOD BROWN	12-13
EHM CASTLE BEIGE	02-03
EHM CASTLE CREMA	02-03
EHM CASTLE GREY	02-03
EHM CASTLE MULTI BROWN	02-03
EHM LEDGESTONE BROWN	10-11
EHM LEDGESTONE GREY	10-11
EHM SLUMP BLOCK BROWN	06-07
EHM STONE BRICK BEIGE	04-05
EHM STONE BRICK BROWN	04-05
EHM STONE BRICK COTTO	04-05
EHM SLUMP BLOCK COTTO	06-07
EHM SLUMP BLOCK CREMA	06-07
EHM SLUMP BLOCK MULTI	06-07
EHM STACKED STONE COTTO	08-09
EHM STACKED STONE GREY	08-09
EHM STACKED STONE GREY MULTI	08-09
EHM STACKED STONE WHITE	08-09
EHM STACKED STONE RUST BEIGE	08-09
EHM WOOD NATURAL BROWN	14-15
EHM WOOD NATURAL CREMA	14-15

INDEX

A modern storefront with a stone wall, a black bench, and a striped light fixture. The storefront has a large window and a door, both with black frames. The word "SHOP" is written in white above the window. A green banner with the text "ROCKS, STONES & BRICKS" is overlaid on the image. A black bench is on the left, and a striped light fixture is on the wall to the left of the door. A white sign on a black stand is on the right.

SHOP

ROCKS, STONES & BRICKS

HD-P ELEVATION


300X600 mm



Preview Shown: EHM CASTLE GREY_300X600 mm HD-P



EHM CASTLE MULTI BROWN



EHM CASTLE BEIGE



EHM CASTLE GREY



EHM CASTLE CREMA



HD-P ELEVATION

300X600 mm



Preview Shown: EHM STONE BRICK BROWN_300X600 mm HD-P




EHM STONE BRICK BROWN



EHM STONE BRICK BEIGE



EHM STONE BRICK COTTO







EHM SLUMP BLOCK CREMA



EHM SLUMP BLOCK BROWN



EHM SLUMP BLOCK COTTO



EHM SLUMP BLOCK MULTI



HD-P ELEVATION

300X600 mm



Preview Shown:EHM STACKED STONE COTTO_300X600 mm HD-P



EHM STACKED STONE WHITE




EHM STACKED STONE RUST BEIGE



EHM STACKED STONE GREY



EHM STACKED STONE GREY MULTI



EHM STACKED STONE COTTO



HD-P ELEVATION

300X600 mm



Preview Shown: EHM LEDGESTONE GREY_300X600 mm HD-P



EHM LEDGESTONE BROWN



EHM LEDGESTONE GREY





WOODS



HD-P ELEVATION

300X600 mm



Preview Shown: EHM BAMBOO DUAL WOOD CREMA_300X600 mm HD-P




EHM BAMBOO DUAL WOOD CREMA



EHM BAMBOO DUAL WOOD BEIGE



EHM BAMBOO NATURAL WOOD BROWN



HD-P ELEVATION

300X600 mm



Preview Shown: EHM WOOD NATURAL BROWN_300X600 mm HD-P



EHM WOOD NATURAL BROWN



EHM WOOD NATURAL CREMA



TECHNICAL SPECIFICATIONS


HD-P Elevation Tiles

Packing Details


Size	No. of Tiles Per Carton	Covered Area Per Carton
(In mm.)		Coverage Area (m2)
300X600 mm	5	0.9

As per Indian Standard (IS 15622:2017)


Characteristics	Standard Test Method	Requirement as per IS 15622:2017 3<E≤6 (GROUP B IIa)		OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1)	Un-rectified	Rectified	
Deviation in Size (length & Width)		± 0.4 %	± 0.1 %	± 0.1 %
Deviation in thickness		± 5.0 %		± 0.4 %
Straightness of sides		± 0.3 %	± 0.1 %	± 0.1 %
Rectangularity		± 0.3 %	± 0.1 %	± 0.1 %
Surface Flatness		± 0.5 %		± 0.2 %
Surface Quality		Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile		Conform
Physical Properties				
Water absorption %	IS 13630 Part 2	Average 3 < E ≤6 %, Individual 6.2% Max.		3-6%
Modulus of rupture N/mm ²	IS 13630 Part 6	Average 22, individual 20, Min.		Min 35 N/mm ²
Breaking Strength N	IS 13630 Part 6	600 Min for thickness <7.5mm, 1000 Minimum for Thickness ≥7.5 mm		Min 1100 N
Moisture Expansion	IS 13630 Part 3	0.03 Max		Conforms
Scratch hardness (Moh's Scale)	IS 13630 Part 13	4 Min		Min 5
Resistance to surface abration of glaze tiles Class I to V (Applicable for floor applications aonly)	IS 13630 Part 11	Class II Min		Class III Min
Linear thermal expansion Co-efficient	IS 13630 Part 4	9x10 ⁻⁶ max		Conforms
Thermal Shock Resistance	IS 13630 Part 5	10 Cycle Min		Conforms
Crazing Resistance	IS 13630 Part 9	4 Cycles at 7.5 Bar, Min		Conforms
Impact Resistance	IS 13630 Part 14	0.55 , Min		Min 0.60
Frost Resistance	IS 13630 Part 10	Required if agreed to between manufacturer and purchaser		Passed
Chemical Properties				
Resistance to Staining of Glazed Tiles	IS:13630 Part 8	Class 1 Min		Class 1
Resistance to Household Chemicals		Class AA,Min		Class AA
Resistance to Acids and Alkalís (Except HF)		Require If Agreed		Class AA



A Network of
2500+
 Channel Partners

 Franchise Owned Boutiques

 Channel Partners

 Company Owned Boutiques

 Plants

ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019,
 Tel.: +91 172 4624 342

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue,
 Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083,
 Tel.: +91 44 4213 8687

COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya Road, New Junction, (Opposite
 Holiday Inn Hotel) Ernakulam By Pass Road, Cochin-682 031
 Tel.: +91 97457 68058

COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram,
 Coimbatore-641 002,
 Tel.: +91 89799 41666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS Road,
 Dehradun-248 001,
 Tel.: +91 97197 01064

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027,
 Tel.: +91 33 4068 4046/7

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badhshah Nagar Railway
 Station, Lucknow-226 006,
 Tel.: +91 99847 86404

NEW DELHI

M-47, GK-II, M Block, New Delhi-110 048,
 Tel.: +91 11 4068 7468/69

PUNE

Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710, Final Plot No. 401/1,
 Shankarasheth Road, Gultekdi, Swargate, Pune-411 037
 Tel.: +91 73910 72247

VADODRA DISPLAY CENTRE

78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute,
 Old Padra Road, Vadodara-390007, Gujarat
 Tel.: +91 98254 14113



Making Tile Selection Easier



Find tiles similar to a reference image



Try floor tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render*

www.orientbell.com

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi-110046, India
Tel: +91-11-47119100, Fax: +91 -11-2852 1273

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India
Tel: +91-5735-222-203 / 24, +91-8191004575/ 76
Fax: +91 -5735 222 642

CUSTOMER CARE:

customercare@orientbell.com
Missed Call : 87507 11111
Whatsapp : 87507 33333

CIN: L14101UP1977PLC021546

Please join us on social media

