



PAVER & PARKING TILES

400x400mm/300x300mm

OBL Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Website of the Year-Jan 2020
for www.orientbell.com
(India's construction & design industry)



Brand of the Year-Jan 2021
(Flooring Idea-Tiles & Ceramic)



Best Infrastructure Brands
(2021)



Best Omnichannel Retail Model
Winners Future of Retail Summit & Awards 2020



Customer Retail Journey Innovation
Winners Future of Retail Summit & Awards 2020



CEO with HR Orientation
ZEE BUSINESS
National Human Capital Leadership Congress & Awards

About OBL

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs & development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.



- The ISO 9001:2015 accreditation for our quality control management systems reflects the quest for manufacturing international standard products.
- In 2015 our Sikandarabad plant was awarded with prestigious ISI certification for its products.
- In May 2000, OBL was awarded ISO 14001 certification by the internationally recognised BSI Management Systems, UK.
- Our manufacturing units are ISO 14001:2015 certified, the most complete and global expression for an environment friendly industrial company.
- We have been awarded OHSAS 18001 Certification for Health & Safety Standards. No waste water is ever discharged from our factory.
- We were also awarded with "Certificate Of Merit" in 'National Energy Conservation Award' 2016 organised by Ministry of Power for saving Power and Fuel consumption.

INDEX

400x400mm | PAVERS

HRP ARCH STONE MULTI	06
HRP COBBLE STONE MULTI	04
HRP COBBLE STONE NATURAL	05
HRP COBBLE SPANISH MOSAIC	04
HRP COBBLE STONE RAKED GREY	01
HRP COBBLE STONE SLATE	01
HRP CUBE MULTI	06
HRP PLANK MULTI	08
HRP PLANK RUSTIC BEIGE	03
HRP PLANK WOOD WENGE	07
HRP ROCK NATURAL	05
HRP STONE HEXAGON BROWN MULTI	07
HRP STONE HEXAGON SLATE DK	02
HRP SHELL STONE GREY	02
HRP SHELL STONE MULTI	06
HRP STONE SLATE DK	02
HRP SQUARES GEOMETRIC SLATE	01
HRP SQUARES GEOMETRIC WOOD	04
HRP SQUARES INDUS SEAL	05
HRP TRIANGLE STRIP BROWN	03
HRP WAVELOCK COTTO	03
HRP WAVELOCK GRIGIO CREMA	07
HRP WAVELOCK MULTI	08

300x300mm | PAVERS

GARDENA GRIS	11
HP BASKET WEAVE GREY PLUS	12
HP BASKET WEAVE PATH BLUE	13
HP BASKET WEAVE SQUARE BEIGE	19
HP BUTTON IVORY	20
HP BUTTON TERRACOTTA	21
HP CAPSULE IVORY	20
HP CAPSULE TERRACOTTA	20
HEXA CAMEL	18
HEXA DOVE	19
HEXA EARTHY	24
HULK GRIS	11
HEXA HAZEL	18
HP HULK TERRACOTTA	21
HP HULK IVORY	21
HEXA IRON	24
HULK MULTI	23
HEXA NERO	10
HP PEBBLE FRAME BROWN	19
HP PEBBLE FRAME MULTI	25
HP PEBBLE FRAME WOOD GRASS	12

HP PLAIN IVORY	22
HP PLAIN TERRACOTTA	22
HEXA SAND	18
HEXA SHADOW	09
HEXA SKY	24
HULK SANDUNE	15
HP WAVO BEIGE	26
HP WAVO BLUE	26
HP WAVO GREY MULTI	26
KASO COFFEE	10
KASO COTTO	17
KASO EARTH	12
KASO GRIS	10
KASO MULTI	25
NEBULA CAFE	14
NEBULA GRIS	09
NEBULA MULTI	14
NEBULA SANDUNE	14
ODP STONEX BROWN	16
ODP STONEX MULTI	23
RIBBED BROWN	25
RIBBED COTTO	16
RIBBED GRIS	09
RIBBED IVORY	15
RIBBED MULTI	23
STRIP COTTO	16
SUBWAY ANTIQUE COPPER	17
SUBWAY BROWN	17
SUBWAY GRIS	11
SUBWAY SANDUNE	15




Listed on BSE (530365) for 20+ years.
And also on NSE (ORIENTBELL).




Preview Shown: HRP COBBLE STONE RAKED GREY



400x400mm |
HRP SQUARES GEOMETRIC SLATE



400x400mm |
HRP COBBLE STONE RAKED GREY



400x400mm |
HRP COBBLE STONE SLATE




Preview Shown: HRP SHELL STONE GREY




400x400mm |
HRP STONE SLATE DK




400x400mm |
HRP SHELL STONE GREY



400x400mm |
HRP STONE HEXAGON SLATE DK



Preview Shown: HRP TRIANGLE STRIP BROWN



400x400mm |
 HRP PLANK RUSTIC BEIGE



400x400mm |
 HRP TRIANGLE STRIP BROWN



400x400mm |
 HRP WAVELOCK COTTO



Preview Shown: HRP COBBLE STONE MULTI



400x400mm |
HRP COBBLE SPANISH MOSAIC



400x400mm |
HRP COBBLE STONE MULTI



400x400mm |
HRP SQUARES GEOMETRIC
WOOD



Preview Shown: HRP ROCK NATURAL



400x400mm |
HRP ROCK NATURAL



400x400mm |
HRP COBBLE STONE NATURAL



400x400mm |
HRP SQUARES INDUS SEAL




Preview Shown: HRP SHELL STONE MULTI



400x400mm I
HRP SHELL STONE MULTI



400x400mm I
HRP ARCH STONE MULTI



400x400mm I
HRP CUBE MULTI



Preview Shown: HRP STONE HEXAGON BROWN MULTI



400x400mm |
HRP STONE HEXAGON
BROWN MULTI



400x400mm |
HRP PLANK WOOD WENGE



400x400mm |
HRP WAVELOCK GRIGIO CREMA



Preview Shown: HRP WAVELOCK MULTI



400x400mm |
HRP WAVELOCK MULTI




400x400mm |
HRP PLANK MULTI



PAVER & PARKING TILES
300x300mm




Preview Shown: NEBULA GRIS




G5
F4
R4

300x300mm |
NEBULA GRIS



F1
R1

300x300mm |
HEXA SHADOW




G5
F2
R2

300x300mm |
RIBBED GRIS




Preview Shown: KASO COFFEE




G5
F1
R1

300x300mm |
KASO GRIS



G5
F1
R1

300x300mm |
KASO COFFEE




F1
R1

300x300mm |
HEXA NERO



Preview Shown: SUBWAY GRIS

DLX | P



G5
F2
R2

300x300mm |
SUBWAY GRIS

A | P



G5
F1
R1

300x300mm |
HULK GRIS

A | P




G5
F1
R1


300x300mm |
GARDENA GRIS




Preview Shown: HP BASKET WEAVE GREY PLUS



300x300mm |
HP BASKET WEAVE
GREY PLUS




300x300mm |
HP PEBBLE FRAME WOOD
GRASS



300x300mm |
KASO EARTH

G5
F1
R1



300x300mm |
HP BASKET WEAVE
PATH BLUE




Preview Shown: NEBULA MULTI




300x300mm |
NEBULA MULTI

G5
F4
R4



300x300mm |
NEBULA SANDUNE

G5
F4
R4




300x300mm |
NEBULA CAFE

G5
F4
R4




Preview Shown: RIBBED IVORY



G5
F2
R2

300x300mm |
RIBBED IVORY




G5
F1
R1

300x300mm |
HULK SANDUNE




G5
F2
R2

300x300mm |
SUBWAY SANDUNE




300x300mm |
STRIP COTTO

G5
F1
R1




300x300mm |
RIBBED COTTO

G5
F2
R2



300x300mm |
ODP STONEX BROWN

G5
F1
R1



Preview Shown: KASO COTTO




G5
F2
R2

300x300mm |
SUBWAY BROWN



G5
F2
R2

300x300mm |
SUBWAY ANTIQUE COPPER




G5
F1
R1

300x300mm |
KASO COTTO




Preview Shown: HEXA CARAMEL




F1
R1

300x300mm |
HEXA HAZEL



F1
R1

300x300mm |
HEXA CARAMEL




F1
R1

300x300mm |
HEXA SANDUNE




Preview Shown: HP PEBBLE FRAME BROWN



300x300mm |
HP BASKET WEAVE
SQUARE BEIGE



300x300mm |
HP PEBBLE FRAME BROWN




300x300mm |
HEXA DOVE


F1
R1




Preview Shown: HP BUTTON IVORY & HP BUTTON TERRACOTTA



300x300mm |
HP CAPSULE IVORY




300x300mm |
HP CAPSULE TERRACOTTA




300x300mm |
HP BUTTON IVORY




Preview Shown: HP HULK IVORY & HP HULK TERRACOTTA



300x300mm |
HP BUTTON TERRACOTTA




300x300mm |
HP HULK IVORY




300x300mm |
HP HULK TERRACOTTA



Preview Shown: HP PLAIN IVORY & HP PLAIN TERRACOTTA




300x300mm |
HP PLAIN IVORY



300x300mm |
HP PLAIN TERRACOTTA




Preview Shown: HULK MULTI




300x300mm |
HULK MULTI

G5
F1
R1



300x300mm |
RIBBED MULTI

G5
F2
R2




300x300mm |
ODP STONEX MULTI

G5
F1
R1




Preview Shown: HEXA SKY




F1
R1

300x300mm |
HEXA SKY



F1
R1

300x300mm |
HEXA IRON




F1
R1

300x300mm |
HEXA EARTHY




Preview Shown: KASO MULTI



G5
F1
R1

300x300mm |
KASO MULTI



G5
F2
R2

300x300mm |
RIBBED BROWN



F1
R1


300x300mm |
HP PEBBLE FRAME MULTI



Preview Shown: HP WAVO BEIGE



300x300mm |
HP WAVO GREY MULTI






300x300mm |
HP WAVO BLUE






300x300mm |
HP WAVO BEIGE

Make different patterns by rotating the tiles






Use of spacer recommended for such patterns.

Make different patterns by rotating the tiles



Use of spacer recommended for such patterns.

Make different patterns by rotating the tiles



Use of spacer recommended for such patterns.

TECHNICAL SPECIFICATIONS

Rhino Pavers

Packing Details

Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. ft.)
400X400	5	0.8	8.61

Characteristics	Standard As Per IS 15622:2017 Group B IIa	OBL Actual Value	Test Method
Dimensions and Surface Quality:			
Deviation in Size (Length & Width)	± 0.1 %	± 0.1 %	IS 13630 Part 1
Deviation in Thickness	± 5.0 %	± 4.0 %	IS 13630 Part 1
Straightness of Sides	± 0.1 %	± 0.1 %	IS 13630 Part 1
Rectangularity	± 0.1 %	± 0.1 %	IS 13630 Part 1
Surface Flatness	± 0.5 %	± 0.4 %	IS 13630 Part 1
Surface Quality	Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Conforms	IS 13630 Part 1
Physical Properties:			
Water absorption %	Average 3.0 < E ≤6.0%, individual 6.2% Max.	4.5% Max	IS 13630 Part 2
Modulus of rupture N/mm ²	Average 22, individual 20 Min.	40.0 Max	IS 13630 Part 6
Breaking Strength N	600 Min for thickness <7.5mm, 1000 Minimum for Thickness ≥7.5 mm	Avg 2350	IS 13630 Part 6
Moisture Expansion	0.02 Max	0.02 Max	IS 13630 Part 3
Scratch hardness (Moh's Scale)	5 Min	7 - 8 depends upon Design/surface	IS 13630 Part 13
Resistance to surface abrasion of glaze tiles Class I to V (Applicable for floor applications aonly)	Class II Min	Class IV to V	IS 13630 Part 11
Linear thermal expansion Co-efficient	7x10-6 max	Conforms	IS 13630 Part 4
Thermal Shock Resistance	10 Cycle Min	Passed	IS 13630 Part 5
Crazing Resistance	4 Cycles at 7.5 Bar, Min	Passed	IS 13630 Part 9
Impact Resistance	0.55 , Min	>0.55	IS 13630 Part 14
Coefficient of Friction	Manufacturer to declare value where required	R12	
Frost Resistance	Required if agreed to between manufacturer and purchaser	Conforms	IS 13630 Part 10
Bulk density g/cc	2.0 , Min	>2.1	IS 13630 Part 2
Chemical Properties:			
Resistance to staining of glazed tiles	Class 1, Min	Class -1	IS 13630 Part 8
Resistance to House hold chemical except (HF and its compounds)	Class AA, Min	Class AA, Min	IS 13630 Part 8
Resistance to acids and alkalis except (HF and its compounds)	Class AA, Min	Class AA, Min	IS 13630 Part 8

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

TECHNICAL SPECIFICATIONS


Paver & Parking Tiles

Packing Details			
Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
300x300	10	0.9	9.68

As per ISO 13006:2012 (Group B Ia) and as IS 15627:2017 (Group B Ib)				
Characteristics	Testing Methods	Standard as Per IS 15622:2017 3 < E ≤ 6%(Group B II a)		OBL Norms
Dimension & Surface Quality				
Deviation in Length & Width	IS 13630 (Part 1):2006	Unrectified	Rectified	± 0.10 %
		± 0.4 %	± 0.1 %	
± 5.0 %		±4.0%		
± 0.3 %		± 0.1 %	± 0.10 %	
± 0.3 %		± 0.1 %	± 0.10 % 😊😊	
± 0.5 %		± 0.2 % 😊😊		
Min. 95 % tiles should be free from visible defects		Conforms 😊😊		
Physical Properties				
Water Absorption	IS 13630 (Part 2):2006	Avg 0.08<E ≤ 3, Individual 3.3, Max		Av < 3%
Modulus of Rupture in N/mm ²	IS 13630 (Part 6):2006	Avg 30, Individual 27, Min		>35 😊😊
Breaking Strength in N		< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1500 Min 😊😊
Moisture Expansion in mm/m	IS 13630 (Part 6):2006	0.02, Max		Conforms
Scratch Hardness of Surface (Mohs)	IS 13630 (Part 3):2006	5, Min		5-8 depends on surface 😊😊
Resistance to Surface Abrasion of glazed tiles (Class I to V)	IS 13630 (Part 13):2006	Class II, Min		3-5 as per design/surface 😊😊
Co efficient of Linear thermal expansion from ambient temperature to 100°C	IS 13630 (Part 4):2006	7x10 ⁻⁶ K ⁻¹ ,Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	10 Cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	4 Cycles @ 7.5 Bar, Min		Passed
Frost Resistance	IS 13630 (Part 10):2006	Required		Resistance
Impact Resistance-co efficient of restitution	IS 13630 (Part 14):2006	0.55, Min		Conforms
Chemical Properties				
Stain Resistance	IS 13630 (Part 8):2006	Class I, Min		Min. Class-1
Resistance to household chemicals		Class AA, Min		Min. Class-AA
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)		Required, If agreed		Required, if agreed

NOTE: Certain amount of Size and Shade Variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.



A Network of
2500+
Channel Partners

- Franchise Owned Boutiques
- Channel Partners
- b Company Owned Boutiques
- 🏠 Plants

ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019,
Tel.: +91 172 4624 342

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue,
Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083,
Tel.: +91 44 4213 8687

COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya Road, New Junction,
(Opposite Holiday Inn Hotel) Ernakulam By Pass Road, Cochin-682 031
Tel.: +91 97457 68058

COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram,
Coimbatore-641 002,
Tel.: +91 89799 41666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS Road,
Dehradun-248 001,
Tel.: +91 97197 01064

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027,
Tel.: +91 33 4068 4046/7

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badhshah Nagar Railway
Station, Lucknow-226 006,
Tel.: +91 99847 86404

NEW DELHI

M-47, GK-II, M Block, New Delhi-110 048,
Tel.: +91 11 4068 7468/69

PUNE

Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710, Final Plot No. 401/1,
Shankarasheth Road, Gultekdi, Swargate, Pune-411 037
Tel.: +91 73910 72247

VADODRA DISPLAY CENTRE

78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute,
Old Padra Road, Vadodara-390007, Gujarat
Tel.: +91 98254 14113



Making Tile Selection Easier



Find tiles similar to a reference image



Try floor tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render*

www.orientbell.com

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi-110046, India
Tel: +91-11-47119100, Fax: +91 -11-2852 1273

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India
Tel: +91-5735-222-203 / 24, +91-8191004575/ 76
Fax: +91 -5735 222 642

CUSTOMER CARE:

customercare@orientbell.com
Missed Call : 87507 11111
Whatsapp : 87507 33333

CIN: L14101UP1977PLC021546

Please join us on social media

