

CATALOGUE
2023

borientbell
tiles

HSK MASTER FLOOR

www.orientbell.com



About OBL

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs & development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.

- The ISO 9001:2015 accreditation for our quality control management systems reflects the quest for manufacturing international standard products.
- In 2015 our Sikandarabad plant was awarded with prestigious ISI certification for its products.
- In May 2000, OBL was awarded ISO 14001 certification by the internationally recognised BSI Management Systems, UK.
- Our manufacturing units are ISO 14001:2015 certified, the most complete and global expression for an environment friendly industrial company.
- We have been awarded OHSAS 18001 Certification for Health & Safety Standards. No waste water is ever discharged from our factory.
- We were also awarded with "Certificate Of Merit" in 'National Energy Conservation Award' 2016 organised by Ministry of Power for saving Power and Fuel consumption.

OBL Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Brand of The Year 2023
(Flooring Idea-Tiles & Ceramic)



Website of The Year 2022
for www.orientbell.com
(India's construction & design industry)



The Economic Times
"Best Building Materials & Fittings" Brands



Brand of The Year 2021
(Flooring Idea-Tiles & Ceramic)



Customer Retail Journey Innovation
Winners Future of Retail Summit & Awards 2020



CEO with HR Orientation
ZEE BUSINESS
National Human Capital Leadership Congress & Awards

INDEX

600x1200mm | FT

BHF CEDAR WOOD BEIGE FT	14
BHF CHIPS MULTI FT	15
BHF CRYSTAL ONYX VANILLA FT	07
BHF GEOMETRIC QUARZITE HL FT	13
BHF GRAINY LIMESTONE CAMEL FT	13
BHF GRAINY LIMESTONE TAUPE FT	13
BHF GRUNGE BEIGE FT	12
BHF GRUNGE MOSAIC HL FT	12
BHF GRUNGE PEANUT FT	12
BHF HICKORY WALNUT WOOD FT	14
BHF QUARTZITE CREAMA FT	13
BHF SANDSTONE BEAVER FT	11
BHF SANDSTONE BEIGE FT	11
BHF SANDSTONE GREY FT	08
BHF SANDSTONE MOROCAN GREY HL FT	08
BHF SANDSTONE MYOLICA MULTI HL FT	11
BHF SANDSTONE PLATINUM FT	08
BHF SANDY BRICK MUSHROOM HL FT	10
BHF SANDY GREY FT	08
BHF SANDY MUSHROOM DK FT	10
BHF SANDY MUSHROOM LT FT	10
BHF SANDY SILVER FT	08
BHF SANDY TRIANGLE GREY HL FT	08
BHF STATUARIO GLACIER FT	07
BHF STRIPS OAK WOOD MULTI FT	14
BHF VENEER WOOD CREAMA FT	14

600x600mm | FT

BDC WOOD SQUARE BEIGE FT	25
BDM FRANJO IVORY FT	23
BDW ALASKA WOOD NATURAL FT	27
BDW ALDER BROWN FT	27
BDW HOOVER BROWN FT	27
BDW RUBRA STRIP MULTI FT	27
BDW TEXAS BROWN FT	27
BDW WALNUT WOOD FT	25
BHF BEAD SQUARE WOOD FT	25
BHF CEMENT SILVER	19
BHF CEPPPO STONE BEIGE MULTI FT	28
BHF CEPPPO STONE BLUE FT	28
BHF CLOUDY 3D GREY HL FT	18
BHF CLOUDY BEIGE FT	22
BHF CLOUDY COTTO FT	22

BHF CLOUDY MARENGO FT	18
BHF CLOUDY ORNAMENTAL COTTO HL FT	22
BHF DESERT MARBLE BEIGE FT	21
BHF DESERT MARBLE COFFEE FT	21
BHF DESERT MARBLE CREAMA FT	21
BHF DESERT MARBLE PETAL BEIGE HL FT	21
BHF DROPLETS GHOST WHITE FT	17
BHF FOGGY GREY DK FT	19
BHF FOGGY GREY LT FT	19
BHF GEOMETRIC SHAPES WOOD FT	25
BHF GEOMETRIC SLATE ASH HL FT	18
BHF GRANITE GREY	19
BHF HERRINGBONE BRICKS COTTO FT	22
BHF MAKSI DOT GREY	19
BHF MAKSI DOT SILVER	19
BHF ONYX CRYSTAL FT	17
BHF ONYX WHITE FT	17
BHF PLAIN WHITE	17
BHF RIO WOOD FT	27
BHF RUG BROWN	23
BHF RUSTIC SILVER	19
BHF SAND CREAMA	23
BHF SLATE ASH FT	18
BHF SLATE ASH FT	19
BHF SMOKY BEIGE FT	20
BHF SMOKY CREAMA FT	20
BHF SMOKY TAUPE DK	19
BHF SMOKY TAUPE LT	19
BHF SMOKY ZENTANGLE BEIGE HL FT	20
BHF TRAVERTINE BEIGE	24
BHF TRAVERTINE BROWN	24
BHF WALNUT SQUARES 3D WOOD FT	25
CEDAR WOOD CREAMA FT	27
FEDARO BROWN FT	24
FEDARO GREY FT	19
FEDARO IVORY FT	23
HF CLOUDY COIN FT	18

395x395mm | Ceramic

MILO	31
ODM CLOUDY COPPER	31
ODM DENMARK COFFEE	31
ODM DENMARK CREMA	31
ODM GALAXY BLACK	30

ODM GENOVA BEIGE	31
ODM HOOVER BROWN	31
ODM IROKO RW WOOD	31
ODM MADURA IVORY	31
ODM NAPOLI BROWN	31
ODM PAVONA BEIGE	31
ODM PLAIN IVORY	31
ODM TANNER COTTO	31
ODM VESTA BROWN	31
ODM VESTA SLATE	30

300x300mm | Ceramic

BDM EC BRAZIL BRICK	35
BDM EC BRAZIL WOOD	36
BDM EC CARPETO GRIS	33
BFM EC CLOUDY COPPER	36
BDM EC CRUZE IVORY	35
BFM EC DENIME CAFE	35
BDM EC FUJI NATURAL	35
BFM EC GAQARD MAGENTA	38
BDM EC GLITTER BEIGE	35
BDM EC GLITTER BROWN	35
BDM EC GOLDEN TEAK	35
BDM EC HOGGAR BROWN	35
BDM EC MOSAIC BLUE	37
BDM EC MOSAIC BROWN	37
BDM EC NATA IVORY	37
BFM EC NERO BLACK	34
BFM EC PLAIN GREY	33
BFM EC PLAIN IVORY	35
BFM EC PLAIN WHITE	33
BFM EC PORTICO TAN	36
BFM EC QTZ BRIGHT BLUE	34
BFM EC QUARTZO CREAM	35
BFM EC QUARTZO GREEN	38
BFM EC QUARTZO GREY	33
BFM EC QUARTZO IVORY	35
BFM EC QUARTZO PINK	38
BDM EC RIVER PEBBLE MULTI	35
BFM EC SAND BROWN	35
BFM EC SORRENTO BLUE	34
BFM EC TERRA BROWN	36

300x300mm | ANTI-SKID

BDM ANTI-SKID EC DIAMOND CARRARA	40
BDM ANTI-SKID EC DIAMOND MULTI	42
BDM ANTI-SKID EC FUSION BROWN	42
BDM ANTI-SKID EC FUSION COFFEE	42
BDM ANTI-SKID EC FUSION IVORY	42
BDM ANTI-SKID EC KITE MULTI	42
BDM ANTI-SKID EC TRIANGLE MULTI	42
BDM ANTI-SKID EC 3D BOX BROWN	42
BFM ANTI-SKID EC COFFEE BROWN	42
BFM ANTI-SKID EC BLUE	41
BFM ANTI-SKID EC BROWN	42
BFM ANTI-SKID EC GREEN	43
BFM ANTI-SKID EC IVORY	42
BFM ANTI-SKID EC PINK	43
BFM ANTI-SKID EC PISTA	43
BFM ANTI-SKID EC SILVER	40
BFM ANTI-SKID EC SLATE	40
BFM ANTI-SKID EC WENGÉ	42
HFM ANTI-SKID EC GREEN DK	43
HFM ANTI-SKID EC KENTE BLUE DK	41
HFM ANTI-SKID EC MILLER BLUE DK	41
HFM ANTI-SKID EC PENTA GREY DK	40
HFM ANTI-SKID EC SEA WATER	41
HFM ANTI-SKID EC STRIPES PINK DK	43
HFM ANTI-SKID EC STRIPES PURPLE DK	43

400x400mm | PAVERS

HRP ARCH STONE MULTI	47
HRP COBBLE STONE MULTI	46
HRP COBBLE STONE NATURAL	46
HRP COBBLE SPANISH MOSAIC	46
HRP COBBLE STONE RAKED GREY	45
HRP COBBLE STONE SLATE	45
HRP CUBE MULTI	47
HRP PLANK MULTI	47
HRP PLANK RUSTIC BEIGE	47
HRP PLANK WOOD WENGÉ	47
HRP ROCK NATURAL	46
HRP STONE HEXAGON BROWN MULTI	47
HRP STONE HEXAGON SLATE DK	45
HRP SHELL STONE GREY	45
HRP SHELL STONE MULTI	47
HRP STONE SLATE DK	45
HRP SQUARES GEOMETRIC SLATE	45
HRP SQUARES INDUS SEAL	46
HRP TRIANGLE STRIP BROWN	46
HRP WAVELOCK GRIGIO CREMA	47
HRP WAVELOCK MULTI	47

300x300mm | PAVERS


GARDENA GRIS	48
HEXA CAMEL	51
HEXA DOVE	51
HEXA EARTHY	53
HEXA HAZEL	51
HEXA IRON	53
HEXA NERO	48
HEXA SHADOW	48
HEXA SKY	53
HP BASKET WEAVE GREY PLUS	48
HP BASKET WEAVE PATH BLUE	49
HP BASKET WEAVE SQUARE BEIGE	50
HP BUTTON IVORY	52
HP BUTTON TERRACOTTA	52
HP CAPSULE IVORY	52
HP CAPSULE TERRACOTTA	52
HP HULK IVORY	52
HP HULK TERRACOTTA	52
HP PEBBLE FRAME MULTI	53
HP PEBBLE FRAME WOOD GRASS	51
HP WAVO BEIGE	50
HP WAVO BLUE	49
HP WAVO GREY MULTI	53
HULK GRIS	48
HULK MULTI	53
HULK SANDUNE	50
KASO COFFEE	48
KASO COTTO	50
KASO EARTH	48
KASO GRIS	48
KASO MULTI	53
NEBULA CAFÉ	50
NEBULA GRIS	48
NEBULA MULTI	50
NEBULA SANDUNE	50
ODP STONEX BROWN	50
ODP STONEX MULTI	53
RIBBED BROWN	53
RIBBED COTTO	50
RIBBED GRIS	48
RIBBED IVORY	50
RIBBED MULTI	53
STRIP COTTO	50
SUBWAY ANTIQUE COPPER	50
SUBWAY BROWN	50
SUBWAY GRIS	48
SUBWAY SANDUNE	50

300x300mm | Step Tiles

HLP LEVEL CHARCOAL GREY	55
HLP LEVEL GRANITE BLACK	55
HLP LEVEL GRANITE GREY	55
HLP LEVEL NEBULA BEIGE	57
HLP LEVEL NEBULA BROWN	57
HLP LEVEL OAK WOOD	57
HSP STEP CHARCOAL GREY	55
HSP STEP GRANITE BLACK	55
HSP STEP GRANITE GREY	55
HSP STEP NEBULA BEIGE	57
HSP STEP NEBULA BROWN	57
HSP STEP OAK WOOD	57
NEBULA MULTI	56
NEBULA SANDUNE	56
STEP MOSAIC CHIPS	56

300x300mm | Cool Tiles

HULK COOL WHITE	58
PAV COOL TILE WHITE	58



**Listed on BSE (530365) for 20+ years.
And also on NSE (ORIENTBELL).**

 SEMI-VITREOUS
Scratch Free Tiles



30-ton truck going over tiles laid at Orientbell's Hoskote manufacturing plant.



600x1200mm



SEMI-VITREOUS
Scratch Free Tiles




WHITE

SEMI-VITREOUS

600x1200mm

Matte Finish

Forever Tiles



G5
R3
F4

BHF STATUARIO GLACIER FT



G5
R3
F4

BHF CRYSTAL ONYX VANILLA FT

Preview Shown: BHF CRYSTAL ONYX VANILLA FT

- **GREY**
- **SEMI-VITREOUS**
- 600x1200mm
- Matte Finish
- Forever Tiles



G5
R3
F4

BHF SANDSTONE PLATINUM FT




G5
R3
F4

BHF SANDY SILVER FT



G5
R1
F1

BHF SANDSTONE MOROCAN GREY HL FT




G5
R1
F1

BHF SANDY TRIANGLE GREY HL FT



G5
R3
F4

BHF SANDSTONE GREY FT



G5
R3
F4

BHF SANDY GREY FT



Preview Shown: BHF SANDY TRIANGLE GREY HL FT, BHF SANDY GREY FT & BHF SANDY SILVER FT

- **BEIGE & BROWN**

- **SEMI-VITREOUS**


- 600x1200mm

- Matte Finish

- Forever Tiles




Preview Shown: BHF SANDY MUSHROOM LT FT



BHF SANDY MUSHROOM DK FT

G5
R3
F4



BHF SANDY BRICK MUSHROOM HL FT

G5
R1
F1



BHF SANDY MUSHROOM LT FT

G5
R3
F4


BEIGE & BROWN —

SEMI-VITREOUS —

600x1200mm —


Matte Finish —

Forever Tiles —




G5
R3
F4

BHF SANDSTONE BEAVER FT



G5
R1
F1

BHF SANDSTONE MYOLICA MULTI HL FT



G5
R3
F4

BHF SANDSTONE BEIGE FT



Preview Shown: BHF SANDSTONE MYOLICA MULTI HL FT , BHF SANDSTONE BEIGE FT & BHF SANDSTONE BEAVER FT

- **BEIGE & BROWN**

- **SEMI-VITREOUS**

- 600x1200mm

- Matte Finish

- Forever Tiles



G5
R3
F4

BHF GRUNGE PEANUT FT



G5
R1
F1

BHF GRUNGE MOSAIC HL FT



G5
R3
F4

BHF GRUNGE BEIGE FT



Preview Shown: BHF GRUNGE PEANUT FT BHF GRUNGE MOSAIC HL FT & BHF GRUNGE BEIGE FT

BEIGE & BROWN —

SEMI-VITREOUS —

600x1200mm —

Matte Finish —

Forever Tiles —



G5
R3
F4

BHF GRAINY LIMESTONE CAMEL FT




G5
R3
F4

BHF GRAINY LIMESTONE TAUPE FT



G5
R1
F1

BHF GEOMETRIC QUARZITE HL FT



G5
R3
F4

BHF QUARTZITE CREAMA FT



Preview Shown: BHF GEOMETRIC QUARZITE HL FT & BHF QUARTZITE CREAMA FT

- **BEIGE & BROWN**

- **SEMI-VITREOUS**

- 600x1200mm

- Matte Finish

- Forever Tiles



BHF VENEER WOOD CREAMA FT

G5
R3
F4



BHF CEDAR WOOD BEIGE FT

G5
R3
F4




Preview Shown: BHF HICKORY WALNUT WOOD FT



BHF STRIPS OAK WOOD MULTI FT

G5
R3
F1



BHF HICKORY WALNUT WOOD FT

G5
R3
F4



Preview Shown: BHF CHIPS MULTI FT


MULTI

SEMI-VITREOUS

600x1200mm

Matte Finish

Forever Tiles



BHF CHIPS MULTI FT

G5

R3


F4



600x600mm




SEMI-VITREOUS
Scratch Free Tiles



BHF ONYX WHITE FT

G5
R3
F4



BHF PLAIN WHITE

G5
F1
R1


WHITE

SEMI-VITREOUS

600x600mm


Matte Finish

Forever Tiles



BHF ONYX CRYSTAL FT

G5
R3
R4




BHF DROPLETS GHOST WHITE FT

G5
R3
F4



Preview Shown: BHF ONYX CRYSTAL

- **GREY**
- **SEMI-VITREOUS**
- 600x600mm
- Matte Finish
- Forever Tiles




BHF SLATE ASH FT

G5
F4
R3



BHF GEOMETRIC SLATE ASH HL FT

G5
F1
R1




BHF CLOUDY COIN FT

G5
F4
R3



BHF CLOUDY 3D GREY HL FT

G5
F1
R1



BHF CLOUDY MARENGO FT

G5
F4
R3



Preview Shown: BHF SAND CREAMA, BHF CLOUDY MARENGO FT & BHF CLOUDY 3D GREY HL FT


GREY

SEMI-VITREOUS

600x600mm

Matte Finish

Forever Tiles



G5
F3
R2

BHF RUSTIC SILVER



G5
F3
R3

BHF MAKSI DOT SILVER



G5
F3
R3

BHF CEMENT SILVER



G5
F3
R3

BHF SMOKY TAUPE LT



G5
F4
R3

FEDARO GREY FT




G5
F3
R3

BHF MAKSI DOT GREY



G5
F3
R3

BHF SMOKY TAUPE DK




G5
F4
R3

BHF FOGGY GREY LT FT



G5
F4
R3

BHF GRANITE GREY



G5
F4
R3

BHF FOGGY GREY DK FT


NEW

NEW

BEIGE & BROWN

SEMI-VITREOUS

- 600x600mm
- Matte Finish
- Forever Tiles



BHF SMOKY CREAMA FT

G5
F4
R3



BHF SMOKY ZENTANGLE BEIGE HL FT

G5
F1
R1



BHF SMOKY BEIGE FT

G5
F4
R3





BHF DESERT MARBLE CREAMA FT

G5
F4
R3



BHF DESERT MARBLE BEIGE FT

G5
F4
R3



BHF DESERT MARBLE COFFEE FT

G5
F4
R3

BEIGE & BROWN —

SEMI-VITREOUS —

600x600mm —

Matte Finish —

Forever Tiles —



BHF DESERT MARBLE PETAL BEIGE HL FT

G5
F1
R1



Preview Shown: BHF DESERT MARBLE CREAMA FT, BHF DESERT MARBLE BEIGE FT & BHF DESERT MARBLE PETAL BEIGE HL FT

● BEIGE & BROWN

● SEMI-VITREOUS

- 600x600mm
- Matte Finish
- Forever Tiles



BHF CLOUDY BEIGE FT



BHF CLOUDY ORNAMENTAL COTTO HL FT



BHF CLOUDY COTTO FT



BHF HERRINGBONE BRICKS COTTO FT



Preview Shown: BHF HERRINGBONE BRICKS COTTO FT, BHF CLOUDY COTTO FT & BHF CLOUDY BEIGE FT

BEIGE & BROWN

SEMI-VITREOUS

600x600mm


Matte Finish

Forever Tiles



G5
F4
R3

FEDARO IVORY FT



G5
F3
R3

BHF SAND CREAMA



G5
F3
R3

BHF SAND BEIGE



G5
F4
R3

BDM FRANJO IVORY FT



G5
F3
R2

BHF RUG BROWN



Preview Shown: BHF SAND BEIGE & BHF SAND CREAMA

— **BEIGE & BROWN**

— **SEMI-VITREOUS**

- 600x600mm
- Matte Finish
- Forever Tiles



G5
F3
R3

BHF TRAVERTINE BEIGE



G5
F3
R3

BHF TRAVERTINE BROWN



G5
F4
R3

FEDARO BROWN FT





BEIGE & BROWN

SEMI-VITREOUS

600x600mm

Matte Finish

Forever Tiles



G5
F1
R1

BHF GEOMETRIC SHAPES WOOD FT



G5
F1
R1

BHF WALNUT SQUARES 3D WOOD FT




G5
F1
R1

BDC WOOD SQUARE BEIGE FT



G5
F3
R3

BDW WALNUT WOOD FT



G5
F1
R1

BHF BEAD SQUARE WOOD FT



Preview Shown: BHF HARDWOOD STRIPS MULTI FT

NEW



G5
F4
R3

BHF CEDAR WOOD CREAMA FT



G5
F2
R2

BHF RIO WOOD FT



G5
F4
R4

BDW HOOVER BROWN FT

BEIGE & BROWN

SEMI-VITREOUS

600x600mm

Matte Finish

Forever Tiles



G5
F2
R2

BDW RUBRA STRIP MULTI FT



G5
F4
R4

BDW MAGIC WOOD BROWN FT



G5
F2
R2

BDW KOA PLANK BROWN FT



G5
F4
R3

BHF HARDWOOD STRIPS MULTI FT




G5
F2
R2

BDW RUBRA STRIP BROWN FT



G5
F1
R1

BDW ALDER BROWN FT



BDW TEXAS BROWN FT



G5
F4
R4

BDW ALASKA WOOD NATURAL FT

- **MULTI**
- **SEMI-VITREOUS**
- 600x600mm
- Matte Finish
- Forever Tiles



G5
F4
R3

BHF CEPPPO STONE BEIGE MULTI FT



G5
F4
R3

BHF CEPPPO STONE BLUE FT



Preview Shown: BHF CEPPPO STONE BEIGE MULTI FT



395x395mm

CERAMIC
FLOOR TILES

● GREY & BLACK

- 395x395mm
- Matte Finish
- Ceramic Floor Tiles



G4
F4
R4

ODM VESTA SLATE



G4
F2
R2

ODM GALAXY BLACK



BEIGE & BROWN —

395x395mm —

Matte Finish —

Ceramic Floor Tiles —




G4
F1
R1

ODM PLAIN IVORY




G4
F1
R1

MILO



G4
F1
R1

ODM MADURA IVORY



G4
F1
R1

ODM PAVONA BEIGE



G4
F4
R4

ODM DENMARK CREMA




G4
F4
R4

ODM VESTA BROWN



G4
F4
R4

ODM HOOVER BROWN



G4
F2
R2

ODM IROKO RW WOOD




G4
F1
R1

ODM GENOVA BEIGE



G4
F4
R4

ODM DENMARK COFFEE



G4
F4
R4

ODM CLOUDY COPPER



G4
F4
R4

ODM TANNER COTTO



G4
F1
R1

ODM NAPOLI BROWN



300x300mm

Edge^{cut}

CERAMIC FLOOR TILES




WHITE & GREY

300x300mm EC

Matte Finish

Ceramic Floor Tiles



G4
F1
R1

BFM EC PLAIN WHITE



G4
F4
R4

BDM EC CARPETO GRIS



G4
F2
R2

BFM EC QUARTZO GREY



G4
F1
R1

BFM EC PLAIN GREY

— **BLACK & BLUE**

- 300x300mm EC
- Matte Finish
- Ceramic Floor Tiles



G4
F1
R1

BFM EC NERO BLACK



G4
F2
R2

BFM EC QTZ BRIGHT BLUE



G4
F1
R1

BFM EC SORRENTO BLUE



BEIGE & BROWN —

300x300mm EC —


Matte Finish —

Ceramic Floor Tiles —



G4
F2
R2

BFM EC QUARTZO CREAM




G4
F2
R2

BFM EC QUARTZO IVORY



G4
F1
R1

BFM EC PLAIN IVORY



G5
F4
R4

BFM EC GLITTER BEIGE



G4
F4
R4

BFM EC CRUZE IVORY



G4
F4
R4

BFM EC HOGGAR BROWN



G4
F4
R4

BFM EC DENIME CAFE




G5
F4
R4

BFM EC GLITTER BROWN




G4
F2
R2

BFM EC SAND BROWN




G4
F4
R4

BDM EC FUJI NATURAL



G4
F1
R1

BDM EC GOLDEN TEAK



G4
F1
R1

BDM EC BRAZIL BRICK




G4
F1
R1

BDM EC RIVER PEBBLE MULTI


● **BEIGE & BROWN**

- 300x300mm EC
- Matte Finish
- Ceramic Floor Tiles




G4
F4
R4

BFM EC CLOUDY COPPER




G4
F2
R2

BFM EC PORTICO TAN



G4
F1
R1

BFM EC TERRA BROWN



G4
F1
R1

BDM EC BRAZIL WOOD



Preview Shown: BFM EC CLOUDY COPPER



Preview Shown: BDM EC NATA IVORY

MOSAIC

300x300mm EC


Matte Finish

Ceramic Floor Tiles




G4
F1
R1

BDM EC NATA IVORY



G4
F1
R1

BDM EC MOSAIC BROWN



G4
F1
R1

BDM EC MOSAIC BLUE


— PINK & GREEN

- 300x300mm EC
- Matte Finish
- Ceramic Floor Tiles



G4
F2
R2

BFM EC QUARTZO PINK



G4
F2
R2

BFM EC GAQARD MAGENTA



G4
F2
R2

BFM EC QUARTZO GREEN





300x300mm

Edge^{cut}

ANTI-SKID FLOOR TILES

● **WHITE & GREY**

- 300x300mm EC
- Matte Finish
- Anti-Skid Floor Tiles



G4
F1
R1

BDM ANTI-SKID EC DIAMOND CARRARA




Preview Shown: BDM ANTI-SKID EC DIAMOND CARRARA



G4
F2
R2

BFM ANTI-SKID EC SILVER



G4
F2
R2

BFM ANTI-SKID EC SLATE




HFM ANTI-SKID EC PENTA
GREY DK




Preview Shown: BFM ANTI-SKID EC BLUE

BLUE —
 300x300mm EC —
 Matte Finish —
 Anti-Skid Floor Tiles —




G4
 F2
 R2

BFM ANTI-SKID EC BLUE




G4
 F1
 R1

HFM ANTI-SKID EC MILLER
 BLUE DK



G4
 F1
 R1

HFM ANTI-SKID EC KENTE
 BLUE DK



G4
 F1
 R1

HFM ANTI-SKID EC SEA
 WATER

● **BEIGE & BROWN**

● 300x300mm EC

● Matte Finish

● Anti-Skid Floor Tiles



G4
F2
R2

BFM ANTI-SKID EC IVORY



G4
F4
R4

BDM ANTI-SKID EC FUSION
IVORY



G4
F4
R4

BDM ANTI-SKID EC FUSION
BROWN



G4
F4
R4

BDM ANTI-SKID EC FUSION
COFFEE



G4
F2
R2

BFM ANTI-SKID EC WENGE




G4
F2
R2

BFM ANTI-SKID EC BROWN




G4
F2
R2

BFM ANTI-SKID EC COFFEE
BROWN



G4
F1
R1

BDM ANTI-SKID EC 3D BOX
BROWN



G4
F1
R1

BDM ANTI-SKID EC DIAMOND
MULTI



G4
F1
R1

BDM ANTI-SKID EC TRIANGLE MULTI



G4
F1
R1

BDM ANTI-SKID EC KITE MULTI

PINK, PURPLE & GREEN —

300x300mm EC —

Matte Finish —


Anti-Skid Floor Tiles —

Preview Shown: BFM ANTI-SKID EC PINK




G4
F2
R2

BFM ANTI-SKID EC PINK



G4
F2
R2

HFM ANTI-SKID EC STRIPES
PINK DK




G4
F2
R2

BFM ANTI SKID EC GREEN




G4
F1
R1

HFM ANTI-SKID EC GREEN DK



G4
F2
R2

BFM ANTI-SKID EC PISTA




G4
F2
R2

HFM ANTI-SKID EC STRIPES
PURPLE DK



400x400mm | 300x300mm

SEMI-VITREOUS PARKING TILES



Preview Shown: HRP COBBLE STONE SLATE


- GREY**
- SEMI-VITREOUS**
- 400x400mm
- Matte Finish
- Parking Tiles



HRP COBBLE STONE RAKED GREY




HRP SQUARES GEOMETRIC SLATE



HRP COBBLE STONE SLATE



HRP SHELL STONE GREY



HRP STONE SLATE DK



HRP STONE HEXAGON SLATE DK

- **BEIGE & BROWN**

- **SEMI-VITREOUS**

- 400x400mm

- Matte Finish

- Parking Tiles




HRP ROCK NATURAL




Preview Shown: HRP COBBLE STONE MULTI



HRP COBBLE SPANISH MOSAIC



HRP TRIANGLE STRIP BROWN



HRP COBBLE STONE NATURAL



HRP COBBLE STONE MULTI



HRP SQUARES INDUS SEAL

MULTI —●

SEMI-VITREOUS —●

400x400mm —●

Matte Finish —●


Parking Tiles —●



HRP SHELL STONE MULTI



HRP ARCH STONE MULTI



HRP WAVELOCK MULTI



HRP PLANK MULTI



HRP CUBE MULTI



HRP WAVELOCK GRIGIO CREMA



HRP STONE HEXAGON
BROWN MULTI



HRP PLANK WOOD WENGE



Preview Shown: HRP ARCH STONE MULTI

- **GREY**
- **SEMI-VITREOUS**
- 300x300mm
- Matte Finish
- Parking Tiles



KASO EARTH

G5
F1
R1



KASO GRIS

G5
F1
R1




KASO COFFEE

G5
F1
R1




HULK GRIS

G5
F1
R1



HEXA SHADOW

F1
R1



HEXA NERO

F1
R1



NEBULA GRIS

G5
F4
R4




GARDENA GRIS

G5
F1
R1



RIBBED GRIS

G5
F2
R2



HP BASKET WEAVE GREY PLUS

F1
R1



SUBWAY GRIS

G5
F2
R2




BLUE

SEMI-VITREOUS

300x300mm

Matte Finish


Parking Tiles



F1

R1

HP WAVO BLUE



F1

R1

HP BASKET WEAVE PATH BLUE

Preview Shown: HP BASKET WEAVE PATH BLUE

— **BEIGE & BROWN**

— **SEMI-VITREOUS**

— 300x300mm

— Matte Finish

— Parking Tiles



NEBULA MULTI

G5
F4
R4



NEBULA SANDUNE

G5
F4
R4



HULK SANDUNE

G5
F1
R1



SUBWAY SANDUNE

G5
F2
R2



RIBBED IVORY

G5
F2
R2



STRIP COTTO

G5
F1
R1




ODP STONEX BROWN

G5
F1
R1



RIBBED COTTO

G5
F2
R2



HP WAVO BEIGE

F1
R1



SUBWAY BROWN

G5
F2
R2




SUBWAY ANTIQUE COPPER

G5
F2
R2




NEBULA CAFE

G5
F4
R4



KASO COTTO

G5
F1
R1



HP BASKET WEAVE SQUARE BEIGE

F1
R1




BEIGE & BROWN

SEMI-VITREOUS

300x300mm


Matte Finish

Parking Tiles




F1
R1

HEXA HAZEL



F1
R1

HEXA CARAMEL



F1
R1

HEXA DOVE



F1
R1

HP PEBBLE FRAME WOOD GRASS

Preview Shown: HP PEBBLE FRAME WOOD GRASS


— IVORY & TERRACOTTA

— SEMI-VITREOUS

— 300x300mm


— Matte Finish

— Parking Tiles



F1
R1

HP BUTTON IVORY




F1
R1

HP BUTTON TERRACOTTA




F1
R1

HP CAPSULE IVORY




F1
R1

HP CAPSULE TERRACOTTA



F1
R1

HP HULK IVORY



F1
R1

HP HULK TERRACOTTA



Preview Shown: HP BUTTON IVORY & HP BUTTON TERRACOTTA

MULTI

SEMI-VITREOUS

300x300mm

Matte Finish

Parking Tiles




G5
F1
R1

HULK MULTI




G5
F2
R2

RIBBED MULTI




F1
R1

HEXA SKY



F1
R1

HEXA IRON



F1
R1

HEXA EARTHY



G5
F1
R1

KASO MULTI



F1
R1

HP WAVO GREY MULTI




G5
F2
R2

RIBBED BROWN



G5
F1
R1

ODP STONEX MULTI




F1
R1

HP PEBBLE FRAME MULTI



Preview Shown: HP WAVO GREY MULTI



300x300mm

SEMI-VITREOUS
STEP TILES



GREY

SEMI-VITREOUS

300x300mm

Matte Finish


Step Tiles



HLP LEVEL GRANITE GREY



HLP LEVEL CHARCOAL GREY




HLP LEVEL GRANITE BLACK



HSP STEP GRANITE GREY



HSP STEP CHARCOAL GREY



HSP STEP GRANITE BLACK

Preview Shown: HLP LEVEL CHARCOAL GREY & HSP STEP CHARCOAL GREY

- **BEIGE & BROWN**

- **SEMI-VITREOUS**

- 300x300mm

- Matte Finish


- Step Tiles




NEBULA MULTI




NEBULA SANDUNE




HSP STEP MOSAIC CHIPS



FACE 1



FACE 2



FACE 3



Preview Shown: NEBULA MULTI & STEP MOSAIC CHIPS



BEIGE & BROWN

SEMI-VITREOUS

300x300mm

Matte Finish

Step Tiles



HLP LEVEL NEBULA BEIGE



HLP LEVEL NEBULA BROWN



HLP LEVEL OAK WOOD



HSP STEP NEBULA BEIGE




HSP STEP NEBULA BROWN



HSP STEP OAK WOOD

Preview Shown: HLP LEVEL OAK WOOD & HSP STEP OAK WOOD

- **COOL TILE**
- **SEMI-VITREOUS**
- 300x300mm
- Matte Finish
- Cool Tile




G5
F1
R1

300x300mm |
PAV COOL TILE WHITE



Preview Shown: HULK COOL WHITE

ORIENTBELL Cool Tiles have an amazing Solar Reflective Index (SRI) value of 98. They reflect the solar heat back into the environment which helps bring the temperature down, reducing cooling requirement.



G5
F1
R1

300x300mm |
HULK COOL WHITE

PRODUCT BENEFITS



Comfortable Interiors

Summer responsive roof and walls
reduce the room temperature



Energy Saving

Less requirement of AC, cooler & fans
due to cooler interiors



Environment Care

IGBC (Indian Green Building Council)
& GRIHA certified



Additional Advantage

Slip resistant

ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019,
Tel.: +91 172 4624 342

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue,
Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083,
Tel.: +91 44 4213 8687

COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya Road, New Junction,
(Opposite Holiday Inn Hotel) Ernakulam By Pass Road, Cochin-682 031
Tel.: +91 97457 68058

COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram,
Coimbatore-641 002,
Tel.: +91 89799 41666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS Road,
Dehradun-248 001,
Tel.: +91 97197 01064

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027,
Tel.: +91 33 4068 4046/7

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badshah Nagar Railway
Station, Lucknow-226 006,
Tel.: +91 99847 86404

NEW DELHI

M-47, GK-II, M Block, New Delhi-110 048,
Tel.: +91 11 4068 7468/69

PUNE

Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710,
Final Plot No. 401/1, Shankarasheth Road,
Gultekdi, Swargate, Pune-411 037
Tel.: +91 73910 72247

VADODRA DISPLAY CENTRE


78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute,
Old Padra Road, Vadodra-390 007, Gujarat
Tel.: +91 98254 14113

A Network of

2500+

Channel Partners

-  Franchise Owned Boutiques
-  Channel Partners
-  Company Owned Boutiques
-  Plants



TECHNICAL SPECIFICATIONS

Semi-Vitreous Forever Tiles



Packing Details			
Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
600x1200	2	1.44	15.5
600x600	4	1.44	15.5

Characteristics	Standard as Per IS 15622:2017 Group BIIa	OBL Norms	Testing Methods
Dimension & Surface Quality			
Deviation in Length & Width	± 0.1 %	±0.05%	IS 13630 Part 1
Deviation in Thickness	± 5.0 %	±3.0%	
Straightness of Sides	± 0.1 %	±0.1%	
Rectangularity	± 0.1 %	±0.1%	
Surface Flatness	± 0.5 %	± 0.2 %	
Surface Quality	Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Conforms	
Physical Properties			
Water Absorption %	3-6%	3-6%	IS 13630 Part 2
Modulus of Rupture in N/mm ²	Avg 22, Individual 27 Min	Min 28 N	IS 13630 Part 6
Breaking Strength N	600 Min for thickness < 7.5mm, 1000 Min for thickness ≥ 7.5 mm	1000 N Min	
Moisture Expansion	0.02, Max	0.02 Max	IS 13630 Part 3
Scratch Hardness (Moh's Scale)	5, Min	8	IS 13630 Part 13
Resistance to Surface Abrasion of glazed tiles Class I to V (Applicable for floor applications only)	Class II, Min	Class IV	IS 13630 Part 11
Linear thermal expansion Co-efficient	9x10 ⁻⁶ , Max	Conforms	IS 13630 Part 4
Thermal Shock Resistance	10 Cycles, Min	Passed	IS 13630 Part 5
Crazing Resistance	4 Cycles at 7.5 Bar, Min	Passed	IS 13630 Part 9
Impact Resistance	0.55, Min	0.6	IS 13630 Part 14
Frost Resistance	Required if agreed to between manufacturer and purchaser	Resistant	IS 13630 Part 10
Bulk density g/cc	2.0, Min	2.0, Min	IS 13630 Part 2
Chemical Properties			
Stain Resistance Glazed tiles	Class I, Min	Class -I	IS 13630 Part 8
Resistance to household chemicals	Class AA, Min	Class AA	
Resistance to acids and alkalis	Class AA, Min	Class AA	

TECHNICAL SPECIFICATIONS

Ceramic Tiles

Packing Details			
Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
395x395	6	0.94	10.08
300x300 Edge Cut	10	0.87	9.36
300x300 Edge Cut (Anti Skid)	10	0.87	9.36

As Per Indian Standards (IS 15622:2017) Group B IIa				
Characteristics	Testing Methods	Required as per IS 15622:2017 3 < E ≤ 6 % (Group B II a)		OBL Norms
Dimension & Surface Quality		Unrectified	Rectified	
Deviation in Length & Width	IS 13630 Part 1/ ISO 10545-2	± 0.4 %	± 0.1 %	Conforms
Deviation in Thickness		± 5.0 %		±4.0%
Straightness of Sides		± 0.3 %	± 0.1 %	Conforms
Rectangularity		± 0.3 %	± 0.1 %	Conforms
Surface Flatness		± 0.5 %		± 0.3 % 😊😊
Surface Quality		Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties				
Water Absorption	IS 13630 Part 2/ ISO 10545-3	Avg 3 < E ≤ 6, Individual Max,6.2		5-6%
Modulus of Rupture in [N/mm ²]	IS 13630 Part 6/ ISO 10545-4	Avg 22, Individual 20, Min		>28 😊😊
Breaking Strength in N		< 7.5 mm thickness: 600, Min ≥ 7.5 mm thickness: 1000, Min		>1000/>600 😊😊
Moisture Expansion in mm/m	IS 13630 Part 3	0.03, Max		0.02
Scratch Hardness of Surface (Mohs)	IS 13630 Part 13	4, Min		Min 5
Resistance to Surface Abrasion of glazed tiles (Class I to V)	IS 13630 Part 11/ ISO 10545-7	Class II, Min		PEI Class 3-5 (depending on surface)
Co-efficient of Linear Thermal Expansion from ambient temperature to 100°C	IS 13630 Part 4/ ISO 10545-8	9x10 ⁻⁶ K ⁻¹ ,Max		Conforms
Thermal Shock Resistance	IS 13630 Part 5	10 cycles, Min		Passed
Crazing Resistance	IS 13630 Part 9/ ISO 10545-9	4 Cycles@7.5 bar, Min		Passed 😊
Frost Resistance	IS 13630 Part 10	Required, if agreed		NA
Impact resistance- Coefficient of restitution	IS 13630 Part 14	0.55, Min		Conforms
Chemical Properties				
Stain Resistance	IS 13630 Part 8/ ISO 10545-13 and ISO 10545-14	Class I, Min		Conforms
Resistance to household chemicals		Class AA, Min		Conforms
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)		Required, if agreed		Min Class AA

NOTE: Certain amount of Size and Shade Variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

TECHNICAL SPECIFICATIONS

Semi-Vitreous Parking Tiles

Packing Details			
Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
400x400	5	0.8	8.61

Characteristics	Standard as Per IS 15622:2017 Group B Ib	OBL Actual Value	Testing Methods
Dimension & Surface Quality			
Deviation in Length & Width	± 0.1 %	±0.1%	IS 13630 Part 1
Deviation in Thickness	± 5.0 %	±4.0%	
Straightness of Sides	± 0.1 %	±0.1%	
Rectangularity	± 0.1 %	±0.1%	
Surface Flatness	± 0.5 %	± 0.4 %	
Surface Quality	Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Conforms	
Physical Properties			
Water Absorption %	Average $3.0 < E \leq 6.0\%$, individual 6.2% Max.	4.5% Max	IS 13630 Part 2
Modulus of Rupture in N/mm ²	Avg 22, Individual 20 Min	40.0 Max	IS 13630 Part 6
Breaking Strength N	600 Min for thickness < 7.5mm, 1000 Min for thickness ≥ 7.5 mm	Avg 2350	
Moisture Expansion	0.02 Max	0.02 Max	IS 13630 Part 3
Scratch Hardness (Moh's Scale)	5 Min	7 - 8 depends upon Design/surface	IS 13630 Part 13
Resistance to Surface Abrasion of glazed tiles Class I to V (Applicable for floor applications only)	Class II Min	Class IV to V	IS 13630 Part 11
Linear thermal expansion Co-efficient	7x10-6 max	Conforms	IS 13630 Part 4
Thermal Shock Resistance	10 Cycles, Min	Passed	IS 13630 Part 5
Crazing Resistance	4 Cycles at 7.5 Bar, Min	Passed	IS 13630 Part 9
Impact Resistance	0.55, Min	>0.55	IS 13630 Part 14
Coefficient of Friction	Manufacturer to declare value where required	R12	
Frost Resistance	Required if agreed to between manufacturer and purchaser	Conforms	IS 13630 Part 10
Bulk density g/cc	2.0, Min	>2.1	IS 13630 Part 2
Chemical Properties			
Stain Resistance Glazed tiles	Class I, Min	Class -1	IS 13630 Part 8
Resistance to household chemicals	Class AA, Min	Class AA	
Resistance to acids and alkalis	Class AA, Min	Class AA	

TECHNICAL SPECIFICATIONS

Semi-Vitreous Parking Tiles

Packing Details

Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
300x300 (Cool Tile Pavers/Pavers/ Step Pavers)	10	0.9	9.68

As per ISO 13006:2012 (Group B Ia) and as IS 15627:2017 (Group B Ib)

Characteristics	Testing Methods	Required as per IS 15622:2017 0.08 < E ≤ 3 % (Group B Ib)		OBL Values
Dimension & Surface Quality		Unrectified	Rectified	
Deviation in Length & Width	IS 13630 (Part 1):2006	± 0.4 %	± 0.1 %	± 0.10 %
Deviation in Thickness		± 5.0 %		± 4.0 %
Straightness of Sides		± 0.3 %	± 0.1 %	± 0.10 %
Rectangularity		± 0.3 %	± 0.1 %	± 0.10 %
Surface Flatness		± 0.5 %		± 0.2 %
Surface Quality		Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties				
Water Absorption	IS 13630 (Part 2):2006	Avg 0.08<E ≤ 3, Individual 3.3, Max		Av < 3%
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Avg 30, Individual 27, Min		> 35
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1500 Min
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	0.02, Max		Conforms
Scratch Hardness of Surface (Mohs)	IS 13630 (Part 13):2006	5, Min		5-8 depends on surface
Resistance to Surface Abrasion of glazed tiles (Class I to V)	IS 13630 (Part 11):2006	Class II, Min		3-5 as per design/surface
Co-efficient of Linear Thermal Expansion from ambient temperature to 100°C	IS 13630 (Part 4):2006	7x10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	4 Cycles@7.5 bar, Min		Passed
Frost Resistance	IS 13630 (Part 10):2006	Required		Resistance
Impact resistance- Coefficient of restitution	IS 13630 (Part 14):2006	0.55, Min		Conforms
Chemical Properties				
Stain Resistance	IS 13630 (Part 8):2006	Class I, Min		Min. Class-1
Resistance to household chemicals		Class AA, Min		Min. Class-AA
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)		Required, if agreed		Required, if agreed

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.



Making Tile Selection Easier



Find tiles similar to a reference image



Tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render*

www.orientbell.com

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi-110046, India
Tel: +91-11-47119100, Fax: +91 -11-2852 1273

CIN: L14101UP1977PLC021546

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India
Tel: +91-5735-222-203 / 24, +91-8191004575/ 76
Fax: +91 -5735 222 642

CUSTOMER CARE:

customercare@orientbell.com
Missed Call : 87507 11111
Whatsapp : 87507 33333

Please join us on social media

