



HSK MASTER FLOOR

CATALOGUE 2022

www.orientbell.com



About OBL

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs & development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.

- The ISO 9001:2015 accreditation for our quality control management systems reflects the quest for manufacturing international standard products.
- In 2015 our Sikandarabad plant was awarded with prestigious ISI certification for its products.
- In May 2000, OBL was awarded ISO 14001 certification by the internationally recognised BSI Management Systems, UK.
- Our manufacturing units are ISO 14001:2015 certified, the most complete and global expression for an environment friendly industrial company.
- We have been awarded OHSAS 18001 Certification for Health & Safety Standards. No waste water is ever discharged from our factory.
- We were also awarded with "Certificate Of Merit" in 'National Energy Conservation Award' 2016 organised by Ministry of Power for saving Power and Fuel consumption.

OBL Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Website of the Year-Jan 2020
for www.orientbell.com
(India's construction & design industry)



Brand of the Year-Jan 2021
(Flooring Idea-Tiles & Ceramic)



Best Infrastructure Brands
(2021)



Best Omnichannel Retail Model
Winners Future of Retail Summit & Awards 2020



Customer Retail Journey Innovation
Winners Future of Retail Summit & Awards 2020



CEO with HR Orientation
ZEE BUSINESS
National Human Capital
Leadership Congress & Awards

INDEX

600x600mm | FT+GFT

GFT BDW ALASKA WOOD NATURAL FT	12
GFT BDW ALDER BROWN FT	12
GFT BDM FRANJO IVORY FT	08
GFT BDW HOOVER BROWN FT	10
GFT BDW KOA PLANK BROWN FT	10
GFT BDW MAGIC WOOD BROWN FT	10
GFT BDW RUBRA STRIP BROWN FT	12
GFT BDW RUBRA STRIP MULTI FT	12
GFT BDW TEXA BROWN FT	12
GFT BDW WALNUT WOOD FT	11
GFT BDC WOOD SQUARE BEIGE FT	11
GFT BHF BEAD SQUARE WOOD FT	11
GFT BHF GEOMETRIC SHAPES WOOD FT	11
GFT BHF RIO WOOD FT	10
GFT BHF CEMENT SILVER	06
GFT BHF GRANITE GREY	07
GFT BHF MAKSI DOT SILVER	06
GFT BHF MAKSI DOT GREY	06
GFT BHF PLAIN WHITE	05
GFT BHF RUG BROWN	08
GFT BHF RUSTIC SILVER	06
GFT BHF SAND BEIGE	08
GFT BHF SAND CREAMA	08
GFT BHF SMOKY TAUPE LT	07
GFT BHF SMOKY TAUPE DK	07
GFT BHF TRAVERTINE BEIGE	09
GFT BHF TRAVERTINE BROWN	09
GFT FEDARO BROWN FT	09
GFT FEDARO GREY FT	07
GFT FEDARO IVORY FT	08

395x395mm | Ceramic

MILO	16
ODM CLOUDY COPPER	18
ODM DENMARK COFFEE	17
ODM DENMARK CREMA	16
ODM GALAXY BLACK	15
ODM GENOVA BEIGE	17
ODM HOOVER BROWN	17
ODM IROKO RW WOOD	17
ODM MADURA IVORY	16
ODM NAPOLI BROWN	17
ODM PAVONA BEIGE	16
ODM PLAIN IVORY	16
ODM TANNER COTTO	18
ODM VESTA BROWN	18
ODM VESTA SLATE	14

300x300mm | Ceramic

BDM EC BRAZIL BRICK	23
BDM EC BRAZIL WOOD	24
BDM EC CARPETO GRIS	21

BFM EC CLOUDY COPPER	24
BDM EC CRUZE IVORY	23
BFM EC DENIME CAFE	23
BDM EC FUJI NATURAL	23
BFM EC GAQARD MAGENTA	26
BDM EC GLITTER BEIGE	23
BDM EC GLITTER BROWN	23
BDM EC GOLDEN TEAK	23
BDM EC HOGGAR BROWN	23
BDM EC MOSAIC BLUE	25
BDM EC MOSAIC BROWN	25
BDM EC NATA IVORY	25
BFM EC NERO BLACK	21
BFM EC PLAIN GREY	21
BFM EC PLAIN IVORY	23
BFM EC PLAIN WHITE	20
BFM EC PORTICO TAN	24
BFM EC QTZ BRIGHT BLUE	22
BFM EC QUARTZO CREAM	23
BFM EC QUARTZO GREEN	26
BFM EC QUARTZO GREY	21
BFM EC QUARTZO IVORY	23
BFM EC QUARTZO PINK	26
BDM EC RIVER PEBBLE MULTI	23
BFM EC SAND BROWN	23
BFM EC SORRENTO BLUE	22
BFM EC TERRA BROWN	24

300x300mm | ANTI-SKID

BDM ANTI-SKID EC DIAMOND CARRARA	28
BDM ANTI-SKID EC DIAMOND MULTI	33
BDM ANTI-SKID EC FUSION BROWN	32
BDM ANTI-SKID EC FUSION COFFEE	32
BDM ANTI-SKID EC FUSION IVORY	32
BDM ANTI-SKID EC KITE MULTI	33
BDM ANTI-SKID EC TRIANGLE MULTI	33
BDM ANTI-SKID EC 3D BOX BROWN	32
BFM ANTI-SKID EC COFFEE BROWN	32
BFM ANTI-SKID EC BLUE	31
BFM ANTI-SKID EC BROWN	32
BFM ANTI-SKID EC GREEN	35
BFM ANTI-SKID EC IVORY	32
BFM ANTI-SKID EC PINK	34
BFM ANTI-SKID EC PISTA	35
BFM ANTI-SKID EC SILVER	29
BFM ANTI-SKID EC SLATE	29
BFM ANTI-SKID EC WENGE	32
HFM ANTI-SKID EC GREEN DK	35
HFM ANTI-SKID EC KENTE BLUE DK	30
HFM ANTI-SKID EC MILLER BLUE DK	31
HFM ANTI-SKID EC PENTA GREY DK	29
HFM ANTI-SKID EC SEA WATER	31
HFM ANTI-SKID EC STRIPES PINK DK	34
HFM ANTI-SKID EC STRIPES PURPLE DK	34

400x400mm | PAVERS

HRP ARCH STONE MULT	40
HRP COBBLE STONE MULTI	39
HRP COBBLE STONE NATURAL	39
HRP COBBLE SPANISH MOSAIC	38
HRP COBBLE STONE RAKED GREY	37
HRP COBBLE STONE SLATE	37
HRP CUBE MULTI	40
HRP PLANK MULTI	41
HRP PLANK WOOD WENGE	41
HRP ROCK NATURAL	39
HRP STONE HEXAGON BROWN MULTI	41
HRP STONE HEXAGON SLATE DK HRP	37
SHELL STONE GREY	37
HRP SHELL STONE MULTI	40
HRP STONE SLATE DK	37
HRP SQUARES GEOMETRIC SLATE	37
HRP SQUARES INDUS SEAL	39
HRP TRIANGLE STRIP BROWN	38
HRP WAVELOCK GRIGIO CREMA HRP	40
WAVELOCK MULTI	41

300x300mm | PAVERS

GARDENA GRIS	43
HEXA CAMEL	48
HEXA DOVE	48
HEXA EARTHY	49
HEXA HAZEL	48
HEXA IRON	49
HEXA NERO	43
HEXA SHADOW	43
HEXA SKY	49
HP BASKET WEAVE GREY PLUS	43
HP BASKET WEAVE PATH BLUE	44
HP BASKET WEAVE SQUARE BEIGE	47
HP BUTTON IVORY	44
HP BUTTON TERRACOTTA	44
HP CAPSULE IVORY	44
HP CAPSULE TERRACOTTA	44
HP HULK IVORY	44
HP HULK TERRACOTTA	44
HP PEBBLE FRAME MULTI	49
HP PEBBLE FRAME WOOD	48
HP WAVO BEIGE	47
HP WAVO BLUE	44
HP WAVO GREY MULTI	49
HULK GRIS	43
HULK MULTI	49
HULK SANDUNE	47
KASO COFFEE	42
KASO COTTO	47
KASO EARTH	42
KASO GRIS	42
KASO MULTI	49
NEBULA CAFE	47


NEBULA GRIS	42
NEBULA MULTI	47
NEBULA SANDUNE	47
ODP STONEX BROWN	47
ODP STONEX MULTI	49
RIBBED BROWN	49
RIBBED COTTO	47
RIBBED GRIS	42
RIBBED IVORY	47
RIBBED MULTI	49
STRIP COTTO	47
SUBWAY ANTIQUE COPPER	47
SUBWAY BROWN	47
SUBWAY GRIS	43
SUBWAY SANDUNE	47

300x300mm | Step Tiles

HLP LEVEL CHARCOAL GRY	51
HLP LEVEL GRANITE BLACK	52
HLP LEVEL GRANITE GREY	52
HLP LEVEL NEBULA BEIGE	55
HLP LEVEL NEBULA BROWN	55
HLP LEVEL OAK WOOD	53
HSP STEP CHARCOAL GRY	51
HSP STEP GRANITE BLACK	52
HSP STEP GRANITE GREY	52
HSP STEP NEBULA BEIGE	55
HSP STEP NEBULA BROWN	55
HSP STEP OAK WOOD	53
NEBULA MULTI	54
NEBULA SANDUNE	54
STEP MOSAIC CHIPS	54

300x300mm | Cool Tiles

HULK COOL WHITE	57
PAV COOL TILE WHITE	57



Listed on BSE (530365) for 20+ years.
And also on NSE (ORIENTBELL).




600x600mm

GERM FREE FOREVER TILES

GREY

- 600x600mm
- Matte Finish Plain
- GFT + FT Tiles
- Plant:HSK



600x600mm |
GFT BHF PLAIN WHITE


G5
F1
R1

Preview Shown: GFT BHF PLAIN WHITE



GREY

- 600x600mm
- Matte Finish Cement
- GFT + FT Tiles
- Plant:HSK




G5
F3
R2

600x600mm |
GFT BHF RUSTIC SILVER



G5
F3
R3

600x600mm |
GFT BHF MAKSI DOT SILVER



DLX P

G5
F3
R3

600x600mm |
GFT BHF CEMENT SILVER



EXL P

G5
F3
R3

600x600mm |
GFT BHF MAKSI DOT GREY



Preview Shown: GFT BHF MAKSI DOT SILVER & GFT BHF MAKSI DOT GREY

GREY

600x600mm
Matte Finish Cement
GFT + FT Tiles
Plant:HSK



G5
F3
R3

600x600mm |
GFT BHF SMOKY TAUPE DK



G5
F3
R3

600x600mm |
GFT BHF SMOKY TAUPE LT

R



G5
F4
R3

600x600mm |
GFT FEDARO GREY FT



G5
F4
R3


600x600mm |
GFT BHF GRANITE GREY



Preview Shown: GFT BHF SMOKY TAUPE DK & GFT BHF SMOKY TAUPE LT


BEIGE & BROWN

- 600x600mm
- Matte Finish Cement
- GFT + FT Tiles
- Plant:HSK



G5
F3
R3

600x600mm |
GFT BHF SAND BEIGE



G5
F3
R3

600x600mm |
GFT BHF SAND CREAMA



G5
F4
R3

600x600mm |
GFT FEDARO IVORY FT



G5
F4
R3

600x600mm |
GFT BDM FRANJO IVORY FT



G5
F3
R2

600x600mm |
GFT BHF RUG BROWN





Preview Shown: GFT BHF TRAVERTINE BROWN & GFT BHF TRAVERTINE BEIGE

BEIGE & BROWN

600x600mm
Matte Finish Marble
GFT + FT Tiles
Plant:HSK



G5
F3
R3

600x600mm |
GFT BHF TRAVERTINE BEIGE

EXL



G5
F4
R3

600x600mm |
GFT FEDARO BROWN FT



G5
F3
R3

600x600mm |
GFT BHF TRAVERTINE BROWN

BEIGE & BROWN

- 600x600mm
- Matte Finish Wood
- GFT + FT Tiles
- Plant: HSK



G5
F2
R2

600x600mm |
GFT BHF RIO WOOD FT

DLX | P



G5
F4
R4

600x600mm |
GFT BDW HOOVER BROWN FT

DLX | P



G5
F4
R4

600x600mm |
GFT BDW MAGIC WOOD BROWN FT

EXL | P



G5
F2
R2

600x600mm |
GFT BDW KOA PLANK BROWN FT





Preview Shown: GFT BDW WALNUT WOOD FT

BEIGE & BROWN

600x600mm
Matte Finish Wood
GFT + FT Tiles
Plant:HSK



G5
F1
R1

600x600mm |
GFT BHF GEOMETRIC SHAPES WOOD FT


EXL



G5
F1
R1

600x600mm |
GFT BDC WOOD SQUARE BEIGE FT

EXL



G5
F3
R3

600x600mm |
GFT BDW WALNUT WOOD FT



G5
F1
R1


600x600mm |
GFT BHF BEAD SQUARE WOOD FT

BEIGE & BROWN

- 600x600mm
- Matte Finish Wood
- GFT + FT Tiles
- Plant: HSK



EXL P



G5
F2
R2

600x600mm |
GFT BDW RUBRA STRIP MULTI FT


EXL P



G5
F2
R2

600x600mm |
GFT BDW RUBRA STRIP BROWN FT

EXL



G5
F1
R1

600x600mm |
GFT BDW ALDER BROWN FT

EXL P



600x600mm |
GFT BDW TEXAS BROWN FT

EXL P




G5
F4
R4

600x600mm |
GFT BDW ALASKA WOOD NATURAL FT



Preview Shown: GFT BDW ALDER BROWN FT



395x395mm

CERAMIC FLOOR TILES

GREY

- 395x395mm
- Matte Finish Cement
- Ceramic Tiles
- Plant:HSK

EXL | P



G4
F4
R4

395x395mm | ODM VESTA SLATE





BLACK

395x395mm
Matte Finish Texture
Ceramic Tiles
Plant:HSK

DLX




G4
F2
R2

395x395mm |
ODM GALAXY BLACK

Preview Shown: ODM GALAXY BLACK

BEIGE & BROWN

— 395x395mm
— Matte Finish
— Ceramic Tiles
— Plant:HSK




395x395mm |
ODM PLAIN IVORY

G4
F1
R1



395x395mm |
ODM MADURA IVORY

G4
F1
R1




395x395mm | MILO

G4
F1
R1



395x395mm |
ODM PAVONA BEIGE

G4
F1
R1



395x395mm |
ODM DENMARK CREMA

G4
F4
R4



Preview Shown: ODM MADURA IVORY & ODM DENMARK COFFEE



Preview Shown: ODM HOOVER BROWN

BEIGE & BROWN

395x395mm
Matte Finish
Ceramic Tiles
Plant:HSK

DLX P



395x395mm |
ODM HOOVER BROWN

G4
F4
R4

EXL



395x395mm |
ODM IROKO RW WOOD

G4
F2
R2


R



395x395mm |
ODM GENOVA BEIGE

G4
F1
R1

R



395x395mm |
ODM DENMARK COFFEE

G4
F4
R4

R



395x395mm |
ODM NAPOLI BROWN

G4
F1
R1

BEIGE & BROWN

- 395x395mm
- Matte Finish
- Ceramic Tiles
- Plant:HSK

EXL P



G4
F4
R4

395x395mm |
ODM VESTA BROWN

R



G4
F4
R4

395x395mm |
ODM CLOUDY COPPER

EXL P



G4
F4
R4

395x395mm |
ODM TANNER COTTO



Edge^{cut}



300x300mm


CERAMIC FLOOR TILES

WHITE

- 300x300mm EC
- Matte Finish
- Ceramic Tiles
- Plant:HSK

Edge^{cut}

A



300x300mm |
BFM EC PLAIN WHITE

G4
F1
R1





Preview Shown: BFM EC QUARTZO GREY


GREY & BLACK

300x300mm EC
Matte Finish
Ceramic Tiles
Plant:HSK

Edge^{cut}



300x300mm |
BFM EC PLAIN GREY



300x300mm |
BFM EC NERO BLACK



300x300mm |
BFM EC CARPETO GRIS



300x300mm |
BFM EC QUARTZO GREY

BLUE

- 300x300mm EC
- Matte Finish
- Ceramic Tiles
- Plant: HSK

Edge^{cut}

A



300x300mm |
BFM EC QTZ BRIGHT BLUE

G4
F2
R2

R



300x300mm |
BFM EC SORRENTO BLUE


G4
F1
R1



BEIGE & BROWN


300x300mm EC
Matte Finish
Ceramic Tiles
Plant:HSK

Edge^{cut}




G4
F2
R2

300x300mm |
BFM EC QUARTZO CREAM



G4
F2
R2

300x300mm |
BFM EC QUARTZO IVORY



G4
F1
R1

300x300mm |
BFM EC PLAIN IVORY



G5
F4
R4

300x300mm |
BDM EC GLITTER BEIGE



G4
F4
R4

300x300mm |
BDM EC CRUZE IVORY



G4
F4
R4

300x300mm |
BDM EC HOGGAR BROWN




G4
F4
R4

300x300mm |
BFM EC DENIM CAFE




G5
F4
R4

300x300mm |
BDM EC GLITTER BROWN




G4
F2
R2

300x300mm |
BFM EC SAND BROWN



G4
F4
R4

300x300mm |
BDM EC FUJI NATURAL




G4
F1
R1

300x300mm |
BDM EC GOLDEN TEAK



G4
F1
R1

300x300mm |
BDM EC BRAZIL BRICK




G4
F1
R1

300x300mm |
BDM EC RIVER PEBBLE MULTI

BEIGE & BROWN


- 300x300mm EC
- Matte Finish
- Ceramic Tiles
- Plant:HSK

Edge^{cut}



300x300mm |
BFM EC CLOUDY COPPER

G4
F4
R4




300x300mm |
BFM EC PORTICO TAN

G4
F2
R2



300x300mm |
BFM EC TERRA BROWN

G4
F1
R1



300X300 MM |
BDM EC BRAZIL WOOD

G4
F1
R1



Preview Shown: BFM EC CLOUDY COPPER




MOSAIC

300x300mm EC
Matte Finish
Ceramic Tiles
Plant:HSK


Edge^{cut}



300x300mm |
BDM EC NATA IVORY



300x300mm |
BDM EC MOSAIC BROWN




300x300mm |
BDM EC MOSAIC BLUE

Preview Shown: BDM EC NATA IVORY

PINK & GREEN

- 300x300mm EC
- Matte Finish
- Ceramic Tiles
- Plant:HSK

Edge^{cut}



300x300mm |
BFM EC QUARTZO PINK

G4
F2
R2



300x300mm |
BFM EC GAQARD MAGENTA

G4
F2
R2



300x300mm |
BFM EC QUARTZO GREEN

G4
F2
R2



Edge^{cut}

ANTI SKID TILES

300x300mm



WHITE

- 300x300mm EC
- Matte Finish Anti Skid
- Ceramic Tiles
- Plant:HSK

Edge^{cut}



G4
F1
R1

300x300mm |
BDM ANTI-SKID EC DIAMOND
CARRARA



GREY

300x300mm EC
Matte Finish Anti Skid
Ceramic Tiles
Plant:HSK

A P



G4
F2
R2


300x300mm |
BFM ANTI SKID EC SILVER

A P



G4
F2
R2

300x300mm |
BFM ANTI SKID EC SLATE



300x300mm |
HFM ANTI-SKID EC PENTA
GREY DK


Edge^{cut}

Preview Shown: BFM ANTI SKID EC SILVER

BLUE

- 300x300mm EC
- Matte Finish Anti Skid
- Ceramic Tiles
- Plant:HSK

Edge^{cut}
ge



G4
F1
R1

300x300mm |
HFM ANTI-SKID EC MILLER
BLUE DK

30



Preview Shown: HFM ANTI-SKID EC MILLER BLUE DK



Preview Shown: BFM ANTI SKID EC BLUE

BLUE

300x300mm EC
Matte Finish Anti Skid
Ceramic Tiles
Plant:HSK


Edge^{cut}

A | P




G4
F2
R2

300x300mm |
BFM ANTI SKID EC BLUE



G4
F1
R1

300x300mm |
HFM ANTI-SKID EC KENTE
BLUE DK




G4
F1
R1

300x300mm |
HFM ANTI-SKID EC SEA
WATER

BEIGE & BROWN

- 300x300mm EC
- Matte Finish Anti Skid
- Ceramic Tiles
- Plant:HSK

Edge^{cut}




300x300mm I
BFM ANTI SKID EC IVORY

G4
F2
R2



300x300mm I
BDM ANTI SKID EC FUSION
IVORY

G4
F4
R4



300x300mm I
BDM ANTI SKID EC FUSION
BROWN

G4
F4
R4




300x300mm I
BDM ANTI SKID EC FUSION
COFFEE

G4
F4
R4




300x300mm I
BFM ANTI SKID EC WENGE

G4
F2
R2




300x300mm I
BFM ANTI SKID EC BROWN

G4
F2
R2



300x300mm I
BFM ANTI SKID EC COFFEE
BROWN

G4
F2
R2



300x300mm I
BDM ANTI-SKID EC 3D BOX
BROWN

G4
F1
R1





Preview Shown: BDM ANTI-SKID EC TRIANGLE MULTI

MULTI

300x300mm EC
Matte Finish Anti Skid
Ceramic Tiles
Plant:HSK

Edge^{cut}



G4
F1
R1

300x300mm I
BDM ANTI-SKID EC DIAMOND
MULTI



G4
F1
R1

300x300mm I
BDM ANTI-SKID EC TRIANGLE MULTI



G4
F1
R1


300x300mm I
BDM ANTI-SKID EC KITE MULTI

PINK & PURPLE

- 300x300mm EC
- Matte Finish Anti Skid
- Ceramic Tiles
- Plant:HSK

Edge^{cut}

A P




G4
F2
R2

300x300mm |
BFM ANTI SKID EC PINK




Preview Shown: BFM ANTI SKID EC PINK



G4
F2
R2

300x300mm |
HFM ANTI-SKID EC STRIPES
PINK DK



G4
F2
R2

300x300mm |
HFM ANTI-SKID EC STRIPES
PURPLE DK



GREEN

300x300mm EC
Matte Finish Anti Skid
Ceramic Tiles
Plant:HSK

Edge^{cut}


A P



G4
F2
R2

300x300mm |
BFM ANTI SKID EC PISTA

A P



G4
F2
R2

300x300mm |
BFM ANTI SKID EC GREEN

G4
F1
R1



300x300mm |
HFM ANTI-SKID EC GREEN DK



RHINO PAVERS | 400x400mm

PAVERS | 300x300mm


ULTIMATE STRENGTH & PERFORMANCE



Preview Shown: HRP COBBLE STONE RAKED GREY

GREY


400x400mm
Matte Finish
Pavers
Plant:HSK



400x400mm I
HRP COBBLE STONE RAKED GREY



400x400mm I
HRP SQUARES GEOMETRIC SLATE




400x400mm I
HRP COBBLE STONE SLATE



400x400mm I
HRP SHELL STONE GREY



400x400mm I
HRP STONE SLATE DK



400x400mm I
HRP STONE HEXAGON SLATE DK

BEIGE & BROWN


- 400x400mm
- Matte Finish
- Pavers
- Plant: HSK



400x400mm |
HRP COBBLE SPANISH MOSAIC



400x400mm |
HRP TRIANGLE STRIP BROWN



Preview Shown: HRP TRIANGLE STRIP BROWN



Preview Shown: HRP COBBLE STONE MULTI

BEIGE & BROWN


400x400mm
Matte Finish
Pavers
Plant: HSK



400x400mm |
HRP ROCK NATURAL



400x400mm |
HRP COBBLE STONE NATURAL



400x400mm |
HRP COBBLE STONE MULTI



400x400mm |
HRP SQUARES INDUS SEAL

MULTI

- 400x400mm
- Matte Finish
- Pavers
- Plant:HSK



400x400mm |
HRP SHELL STONE MULTI



400x400mm |
HRP ARCH STONE MULTI



400x400mm |
HRP CUBE MULTI



400x400mm |
HRP WAVELOCK GRIGIO CREMA



Preview Shown: HRP SHELL STONE MULTI



Preview Shown: HRP STONE HEXAGON BROWN MULTI

MULTI

400x400mm
Matte Finish
Pavers
Plant:HSK



400x400mm I
HRP STONE HEXAGON
BROWN MULTI



400x400mm I
HRP PLANK WOOD WENGE



400x400mm I
HRP WAVELOCK MULTI




400x400mm I
HRP PLANK MULTI

GREY

- 300x300mm
- Matte Finish
- Pavers
- Plant:HSK

A P



G5
F4
R4

300x300mm |
NEBULA GRIS



Preview Shown: KASO EARTH


A P



G5
F1
R1

300x300mm |
KASO EARTH

A P



G5
F1
R1

300x300mm |
KASO GRIS


A P



G5
F1
R1

300x300mm |
KASO COFFEE

A P



G5
F2
R2


300x300mm |
RIBBED GRIS



Preview Shown: SUBWAY GRIS


GREY

300x300mm
Matte Finish
Pavers
Plant:HSK




F1
R1

300x300mm |
HEXA SHADOW



F1
R1

300x300mm |
HP BASKET WEAVE GREY PLUS




F1
R1

300x300mm |
HEXA NERO




G5
F2
R2

300x300mm |
SUBWAY GRIS



G5
F1
R1

300x300mm |
HULK GRIS




G5
F1
R1

300x300mm |
GARDENA GRIS


BLUE

300x300mm
Matte Finish
Pavers
Plant: HSK



F1
R1

300x300mm |
HP WAVO BLUE



F1
R1

300x300mm |
HP BASKET WEAVE PATH BLUE



Preview Shown: HP BASKET WEAVE PATH BLUE

IVORY & TERRACOTTA

300x300mm

Matte Finish


Pavers

Plant: HSK



F1
R1

300x300mm |
HP BUTTON IVORY




F1
R1

300x300mm |
HP BUTTON TERRACOTTA



F1
R1

300x300mm |
HP CAPSULE IVORY




F1
R1

300x300mm |
HP CAPSULE TERRACOTTA



F1
R1

300x300mm |
HP HULK IVORY



F1
R1

300x300mm |
HP HULK TERRACOTTA



Preview Shown: HP BUTTON IVORY & HP BUTTON TERRACOTTA



BEIGE & BROWN

300x300mm
Matte Finish
Pavers
Plant:HSK

A P



G5
F4
R4

300x300mm |
NEBULA MULTI

A P



G5
F4
R4

300x300mm |
NEBULA SANDUNE

A P



G5
F1
R1

300x300mm |
HULK SANDUNE



G5
F2
R2

300x300mm |
SUBWAY SANDUNE

A P



G5
F2
R2

300x300mm |
RIBBED IVORY

A P



G5
F1
R1

300x300mm |
STRIP COTTO


P



G5
F1
R1


300x300mm |
ODP STONEX BROWN

A P



G5
F2
R2

300x300mm |
RIBBED COTTO



F1
R1

300x300mm |
HP WAVO BEIGE



G5
F2
R2

300x300mm |
SUBWAY BROWN



G5
F2
R2

300x300mm |
SUBWAY ANTIQUE COPPER


A P



G5
F4
R4


300x300mm |
NEBULA CAFE

A P



G5
F1
R1

300x300mm |
KASO COTTO




F1
R1

300x300mm |
HP BASKET WEAVE SQUARE BEIGE


BEIGE & BROWN

- 300x300mm
- Matte Finish
- Pavers
- Plant:HSK




F1
R1

300x300mm |
HEXA HAZEL




F1
R1

300x300mm |
HEXA CARAMEL



F1
R1

300x300mm |
HEXA DOVE



F1
R1

300x300mm |
HP PEBBLE FRAME WOOD GRASS




Preview Shown: HP PEBBLE FRAME WOOD GRASS

MULTI


300x300mm
Matte Finish
Pavers
Plant: HSK




300x300mm |
HULK MULTI



300x300mm |
RIBBED MULTI




300x300mm |
HEXA SKY



300x300mm |
HEXA IRON



300x300mm |
HEXA EARTHY




300x300mm |
KASO MULTI



300x300mm |
HP WAVO GREY MULTI



300x300mm |
RIBBED BROWN



300x300mm |
ODP STONEX MULTI



300x300mm |
HP PEBBLE FRAME MULTI



Preview Shown: HP WAVO GREY MULTI



borientbell
tiles

ASCEND

STEP UP
YOUR
STYLE
QUOTIENT!



GREY

300x300mm
Step Pavers
Ceramic Tiles
Plant:HSK

ASCEND



300X300mm I
HLP LEVEL CHARCOAL GREY



300x300mm I
HSP STEP CHARCOAL GREY

Preview Shown: HLP LEVEL CHARCOAL GREY & HSP STEP CHARCOAL GREY

GREY & BLACK

- 300X300mm
- Matte Finish
- Step Pavers
- Plant:HSK

ASCEND




300x300mm |
HLP LEVEL GRANITE GREY



300x300mm |
HSP STEP GRANITE GREY



300X300mm |
HLP LEVEL GRANITE BLACK



300x300mm |
HSP STEP GRANITE BLACK



Preview Shown: HLP LEVEL GRANITE GREY, HSP STEP GRANITE GREY, HLP LEVEL GRANITE BLACK & HSP STEP GRANITE BLACK



BEIGE & BROWN

300x300mm
Matte Finish
Step Pavers
Plant:HSK

ASCEND



300x300mm |
HLP LEVEL OAK WOOD



300x300mm |
HSP STEP OAK WOOD

Preview Shown: HLP LEVEL OAK WOOD & HSP STEP OAK WOOD

BEIGE & BROWN

- 300X300mm
- Matte Finish
- Step Pavers
- Plant:HSK


ASCEND




300X300mm I
NEBULA MULTI




300x300mm I
NEBULA SANDUNE




300x300mm I
STEP MOSAIC CHIPS



FACE 1



FACE 2



FACE 3





BEIGE & BROWN

300x300mm
Matte Finish
Step Pavers
Plant:HSK

ASCEND



300x300mm |
HLP LEVEL NEBULA BEIGE



300x300mm |
HSP STEP NEBULA BEIGE



300X300mm |
HLP LEVEL NEBULA BROWN



300x300mm |
HSP STEP NEBULA BROWN

Preview Shown: HLP LEVEL NEBULA BEIGE, HSP STEP NEBULA BEIGE, HLP LEVEL NEBULA BROWN & HSP STEP NEBULA BROWN



ORIENTBELL Cool Tiles have an amazing Solar Reflective Index (SRI) value of upto 98. They reflect the solar heat back into the environment which helps bring the temperature down, reducing cooling requirement.

- ✔ **Comfortable Interiors**
Room temperature lower by upto 8°C.
- ✔ **Environment Care**
Green building norm complaint
- ✔ **Additional Advantage**
Cooler Surface to Walk on.
- ✔ **Energy Saving**
Lesser electricity consumption by AC.
- ✔ **Innovative Use**
Security Cabin, Water Tanks (outer Wall)


APPLICATION AREAS

- | Building Terraces
- | Pavements
- | Exterior Walls
- | Balconies



COOL TILE

300x300mm
Matte Finish
Paver Cool Tiles
Plant:HSK



G5
F1
R1

300x300mm |
PAV COOL TILE WHITE





G5
F1
R1

300x300mm |
HULK COOL WHITE


Preview Shown: PAV COOL TILE-WHITE

Tile Design & Faces




Each tile design is printed with some variations on different individual tiles. Variation may be in grain structure or how texture appears in the design. This gives a natural look to the surface where tiles are laid and avoids a small repetitive pattern. The number of variations in a design are called faces of a tile


Tile Randomness/Variation




R1-No Variation



R2-Slight Variation



R3-More Variation



R-4 Most Variation

Randomness is a parameter to indicate the scale of difference in different faces of a tile design. Small variations in faces are indicated with R1 and high variation by R4

ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019,
Tel.: +91 172 4624 342

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue,
Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083,
Tel.: +91 44 4213 8687

COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya Road, New Junction,
(Opposite Holiday Inn Hotel) Emakulam By Pass Road, Cochin-682 031
Tel.: +91 97457 68058

COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram,
Coimbatore-641 002,
Tel.: +91 89799 41666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS Road,
Dehradun-248 001,
Tel.: +91 97197 01064

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027,
Tel.: +91 33 4068 4046/7

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badshah Nagar Railway
Station, Lucknow-226 006,
Tel.: +91 99847 86404

NEW DELHI

M-47, GK-II, M Block, New Delhi-110 048,
Tel.: +91 11 4068 7468/69

PUNE


Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710,
Final Plot No. 401/1, Shankarasheth Road,
Gultekdi, Swargate, Pune-411 037
Tel.: +91 73910 72247

VADODRA DISPLAY CENTRE

78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute,
Old Padra Road, Vadodra-390 007, Gujarat
Tel.: +91 98254 14113

A Network of
2500+
Channel Partners

-  Franchise Owned Boutiques
-  Channel Partners
-  Company Owned Boutiques
-  Plants



TECHNICAL SPECIFICATIONS

Forever & Germfree Tiles



Packing Details

Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. Ft.)
600x600	4	1.44	15.5

Characteristics	Standard as Per IS 15622:2017 Group BIIa	OBL Norms	Testing Methods
Dimension & Surface Quality			
Deviation in Length & Width	± 0.1 %	±0.05%	IS 13630 Part 1
Deviation in Thickness	± 5.0 %	±3.0%	
Straightness of Sides	± 0.1 %	±0.1%	
Rectangularity	± 0.1 %	±0.1%	
Surface Flatness	± 0.5 %	± 0.2 %	
Surface Quality	Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Conforms	
Physical Properties			
Water Absorption %	3-6%	3-6%	IS 13630 Part 2
Modulus of Rupture in N/mm ²	Avg 22, Individual 27 Min	Min 28 N	IS 13630 Part 6
Breaking Strength N	600 Min for thickness < 7.5mm, 1000 Min for thickness ≥ 7.5 mm	1000 N Min	
Moisture Expansion	0.02, Max	0.02 Max	IS 13630 Part 3
Scratch Hardness (Moh's Scale)	5, Min	8	IS 13630 Part 13
Resistance to Surface Abrasion of glazed tiles Class I to V (Applicable for floor applications only)	Class II, Min	Class IV	IS 13630 Part 11
Linear thermal expansion Co-efficient	9x10 ⁻⁶ , Max	Conforms	IS 13630 Part 4
Thermal Shock Resistance	10 Cycles, Min	Passed	IS 13630 Part 5
Crazing Resistance	4 Cycles at 7.5 Bar, Min	Passed	IS 13630 Part 9
Impact Resistance	0.55, Min	0.6	IS 13630 Part 14
Frost Resistance	Required if agreed to between manufacturer and purchaser	Resistant	IS 13630 Part 10
Bulk density g/cc	2.0, Min	2.0, Min	IS 13630 Part 2
Chemical Properties			
Stain Resistance Glazed tiles	Class I, Min	Class -I	IS 13630 Part 8
Resistance to household chemicals	Class AA, Min	Class AA	
Resistance to acids and alkalis	Class AA, Min	Class AA	

TECHNICAL SPECIFICATIONS

Ceramic Tiles

Packing Details			
Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
395x395	6	0.94	10.08
300x300 Edge Cut	10	0.87	9.36
300x300 Edge Cut (Anti Skid)	10	0.87	9.36

As Per Indian Standards (IS 15622:2017) Group B IIa				
Characteristics	Testing Methods	Required as per IS 15622:2017 3 < E ≤ 6 % (Group B II a)		OBL Norms
Dimension & Surface Quality		Unrectified	Rectified	
Deviation in Length & Width	IS 13630 Part 1/ ISO 10545-2	± 0.4 %	± 0.1 %	Conforms
Deviation in Thickness		± 5.0 %		±4.0%
Straightness of Sides		± 0.3 %	± 0.1 %	Conforms
Rectangularity		± 0.3 %	± 0.1 %	Conforms
Surface Flatness		± 0.5 %		± 0.3 % 😊😊
Surface Quality		Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties				
Water Absorption	IS 13630 Part 2/ ISO 10545-3	Avg 3 < E ≤ 6, Individual Max,6.2		5-6%
Modulus of Rupture in [N/mm ²]	IS 13630 Part 6/ ISO 10545-4	Avg 22, Individual 20, Min		>28 😊😊
Breaking Strength in N		< 7.5 mm thickness: 600, Min ≥ 7.5 mm thickness: 1000, Min		>1000/>600 😊😊
Moisture Expansion in mm/m	IS 13630 Part 3	0.03, Max		0.02
Scratch Hardness of Surface (Mohs)	IS 13630 Part 13	4, Min		Min 5
Resistance to Surface Abrasion of glazed tiles (Class I to V)	IS 13630 Part 11/ ISO 10545-7	Class II, Min		PEI Class 3-5 (depending on surface)
Co-efficient of Linear Thermal Expansion from ambient temperature to 100°C	IS 13630 Part 4/ ISO 10545-8	9x10 ⁻⁶ K ⁻¹ ,Max		Conforms
Thermal Shock Resistance	IS 13630 Part 5	10 cycles, Min		Passed
Crazing Resistance	IS 13630 Part 9/ ISO 10545-9	4 Cycles@7.5 bar, Min		Passed 😊
Frost Resistance	IS 13630 Part 10	Required, if agreed		NA
Impact resistance- Coefficient of restitution	IS 13630 Part 14	0.55, Min		Conforms
Chemical Properties				
Stain Resistance	IS 13630 Part 8/ ISO 10545-13 and ISO 10545-14	Class I, Min		Conforms
Resistance to household chemicals		Class AA, Min		Conforms
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)		Required, if agreed		Min Class AA

NOTE: Certain amount of Size and Shade Variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

TECHNICAL SPECIFICATIONS

Rhino Pavers

Packing Details			
Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
400x400	5	0.8	8.61

Characteristics	Standard as Per IS 15622:2017 Group B Ib	OBL Actual Value	Testing Methods
Dimension & Surface Quality			
Deviation in Length & Width	± 0.1 %	±0.1%	IS 13630 Part 1
Deviation in Thickness	± 5.0 %	±4.0%	
Straightness of Sides	± 0.1 %	±0.1%	
Rectangularity	± 0.1 %	±0.1%	
Surface Flatness	± 0.5 %	± 0.4 %	
Surface Quality	Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Conforms	
Physical Properties			
Water Absorption %	Average $3.0 < E \leq 6.0\%$, individual 6.2% Max.	4.5% Max	IS 13630 Part 2
Modulus of Rupture in N/mm ²	Avg 22, Individual 20 Min	40.0 Max	IS 13630 Part 6
Breaking Strength N	600 Min for thickness < 7.5mm, 1000 Min for thickness ≥ 7.5 mm	Avg 2350	
Moisture Expansion	0.02 Max	0.02 Max	IS 13630 Part 3
Scratch Hardness (Moh's Scale)	5 Min	7 - 8 depends upon Design/surface	IS 13630 Part 13
Resistance to Surface Abrasion of glazed tiles Class I to V (Applicable for floor applications only)	Class II Min	Class IV to V	IS 13630 Part 11
Linear thermal expansion Co-efficient	7x10-6 max	Conforms	IS 13630 Part 4
Thermal Shock Resistance	10 Cycles, Min	Passed	IS 13630 Part 5
Crazing Resistance	4 Cycles at 7.5 Bar, Min	Passed	IS 13630 Part 9
Impact Resistance	0.55, Min	>0.55	IS 13630 Part 14
Coefficient of Friction	Manufacturer to declare value where required	R12	
Frost Resistance	Required if agreed to between manufacturer and purchaser	Conforms	IS 13630 Part 10
Bulk density g/cc	2.0, Min	>2.1	IS 13630 Part 2
Chemical Properties			
Stain Resistance Glazed tiles	Class I, Min	Class -1	IS 13630 Part 8
Resistance to household chemicals	Class AA, Min	Class AA	
Resistance to acids and alkalis	Class AA, Min	Class AA	

TECHNICAL SPECIFICATIONS

Vitreous Parking Tiles

Packing Details

Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
300x300 (Cool Tile Pavers/Pavers/ Step Pavers)	10	0.9	9.68

As per ISO 13006:2012 (Group B Ia) and as IS 15627:2017 (Group B Ib)

Characteristics	Testing Methods	Required as per IS 15622:2017 0.08 < E ≤ 3 % (Group B Ib)		OBL Values
Dimension & Surface Quality		Unrectified	Rectified	
Deviation in Length & Width	IS 13630 (Part 1):2006	± 0.4 %	± 0.1 %	± 0.10 %
Deviation in Thickness		± 5.0 %		± 4.0 %
Straightness of Sides		± 0.3 %	± 0.1 %	± 0.10 %
Rectangularity		± 0.3 %	± 0.1 %	± 0.10 %
Surface Flatness		± 0.5 %		± 0.2 %
Surface Quality		Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties				
Water Absorption	IS 13630 (Part 2):2006	Avg 0.08<E ≤ 3, Individual 3.3, Max		Av < 3%
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Avg 30, Individual 27, Min		> 35
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1500 Min
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	0.02, Max		Conforms
Scratch Hardness of Surface (Mohs)	IS 13630 (Part 13):2006	5, Min		5-8 depends on surface
Resistance to Surface Abrasion of glazed tiles (Class I to V)	IS 13630 (Part 11):2006	Class II, Min		3-5 as per design/surface
Co-efficient of Linear Thermal Expansion from ambient temperature to 100°C	IS 13630 (Part 4):2006	7x10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	4 Cycles@7.5 bar, Min		Passed
Frost Resistance	IS 13630 (Part 10):2006	Required		Resistance
Impact resistance- Coefficient of restitution	IS 13630 (Part 14):2006	0.55, Min		Conforms
Chemical Properties				
Stain Resistance	IS 13630 (Part 8):2006	Class I, Min		Min. Class-1
Resistance to household chemicals		Class AA, Min		Min. Class-AA
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)		Required, if agreed		Required, if agreed

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.



Making Tile Selection Easier



Find tiles similar to a reference image



Tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render*

www.orientbell.com

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi-110046, India
Tel: +91-11-47119100, Fax: +91 -11-2852 1273

CIN: L14101UP1977PLC021546

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India
Tel: +91-5735-222-203 / 24, +91-8191004575/ 76
Fax: +91 -5735 222 642

CUSTOMER CARE:

customercare@orientbell.com
Missed Call : 87507 11111
Whatsapp : 87507 33333

Please join us on social media

