

INSPIRE

600 x 1200 MM 2.0

OBL Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Website of the Year
for www.orientbell.com
(India's construction & design industry)



Integrated Brand Campaign of the Year
for "Chote Bathroom ke Bade Upay"
(India's construction & design industry)



Best Omnichannel Retail Model
Winners Future of Retail Summit & Awards 2020



Customer Retail Journey Innovation
Winners Future of Retail Summit & Awards 2020



CEO with HR Orientation
ZEE BUSINESS
National Human Capital Leadership Congress & Awards

About OBL

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs & development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.



- The ISO 9001:2015 accreditation for our quality control management systems reflects the quest for manufacturing international standard products.
- In 2015 our Sikandarabad plant was awarded with prestigious ISI certification for its products.
- In May 2000, OBL was awarded ISO 14001 certification by the internationally recognised BSI Management Systems, UK.
- Our manufacturing units are ISO 14001:2015 certified, the most complete and global expression for an environment friendly industrial company.
- We have been awarded OHSAS 18001 Certification for Health & Safety Standards. No waste water is ever discharged from our factory.
- We were also awarded with "Certificate Of Merit" in 'National Energy Conservation Award' 2016 organised by Ministry of Power for saving Power and Fuel consumption.



Listed on BSE (530365) for 20+ years.
And also on NSE (ORIENTBELL).

PRESENTING TO YOU

INSPIRE 2.0

Nature continues to amaze us. Each day, there is something new and inspiring.

Taking inspirations even from the black and white stripes on a Zebra, we have designed New **INSPIRE 600X1200 mm**.

The range offers an eclectic mix of:

Combination Tiles

Dark and Light Combinations

With Rocker and Carving effect

Highlighter Tiles

Single Tile Bookmatches

5 top class designs including a Super Gloss

Rocker, Super Gloss in combination with Super White

Special Finish Tiles

Lighter Shades

More than 60% range in lighter colors

3 sparkling white designs

Super White Tiles

Choicest Matte Collection

13 fresh new designs

Crafted with finesse **INSPIRE 2.0** range of Glazed Vitrified Tiles has 31 designs with a wide spectrum of finishes including Super Gloss and Innovative Rockers. This range is dedicated to 600X1200 mm size tiles, a rapidly growing size owing to minimum grouts and ease of application, just like marble slabs. The color shades and hues of the tiles have been specially selected to appeal to the taste of distinctive customers.



I N D E X

Glazed Vitrified Tiles

01-48

DGVT Cimstone Beige	28
DGVT Limestone Beige	30
DGVT Real Travertine Beige	36
DGVT Real Travertine Grey	38
DGVT Smoky Beige Dark	41
DGVT Smoky Beige Light	40
DGVT Smoky Grey Dark	32
DGVT Smoky Grey Light	34
DGVT Smoky Flora Beige HL	42
PGVT Bottocino Beige DK	07
PGVT Bottocino Beige LT	08
PGVT Black Strips Super White	18
PGVT Calacutta Super White	12
PGVT Ceppo Stone Grey LT	15
PGVT Dome Onyx BM	23
PGVT Fog Onyx Beige	10
PGVT Flagstone Grey	16
PGVT Onyx Super White	14
PGVT Real Travertine Beige	02
PGVT Royal Dyna Beige	04
PGVT Royal Opera Blue	17
PGVT Roma Blue BM	24
PGVT Sandstone Beige	06
PGVT Triangle Makrana Bianco BM	26
PGVT Triangle Royal Dyna Grey BM	22
ROCKER Desert Beige	43
ROCKER Line Art Beige HL	46
ROCKER Smoky Geometric Beige HL	44
ROCKER Smoky Linex Grey HL	48
SUPER GLOSS Triangle Royal Black BM	21
SUPER GLOSS White Strips Super Black	20



INSPIRE

Glazed Vitrified Tiles | 600x1200 MM

PGVT Real Travertine Beige



Preview Shown:
PGVT Real Travertine Beige & EHM Stacked Stone White



PGVT REAL TRAVERTINE BEIGE





PGVT Royal Dyna Beige



Preview Shown:
PGVT Royal Dyna Beige




PGVT ROYAL DYNA BEIGE






PGVT Sandstone Beige



Preview Shown:
PGVT Sandstone Beige & SUPER GLOSS White Strips Super Black



PGVT SANDSTONE BEIGE





PGVT Bottocino Beige DK





PGVT Bottocino Beige LT







PGVT Fog Onyx Beige



Preview Shown:
PGVT Fog Onyx Beige



PGVT FOG ONYX BEIGE







PGVT Calacutta Super White



Preview Shown:
PGVT Calacutta Super White



PGVT CALACUTTA SUPER WHITE






PGVT Onyx Super White



Preview Shown:
PGVT Onyx Super White



PGVT ONYX SUPER WHITE



PGVT Ceppo Stone Grey LT





PGVT Flagstone Grey





Shown tile is Glossy

600x
1200 mm





PGVT Royal Opera Blue





PGVT Black Strips Super White





SUPER GLOSS White Strips Super Black



Preview Shown:
SUPER GLOSS White Strips Super Black
& PGVT Black Strips Super White





SUPER GLOSS WHITE STRIPS SUPER BLACK





SUPER GLOSS Triangle Royal Black BM





PGVT Triangle Royal Dyna Grey BM





PGVT Dome Onyx BM



600x
1200 mm

Shown tile is Glossy



PGVT Roma Blue BM




Shown tile is Glossy

600x
1200 mm



PGVT Triangle Makrana Bianco BM



Preview Shown:
PGVT Triangle Makrana Bianco BM



PGVT Triangle Makrana Bianco BM






DGVT Cimstone Beige



Preview Shown:
DGVT Cimstone Beige



DGVT CIMSTONE BEIGE





DGVT Limestone Beige



Preview Shown:
DGVT Limestone Beige & DGVT Smoky Grey Light



DGVT LIMESTONE BEIGE






DGVT Smoky Grey Dark



Preview Shown:
DGVT Smoky Grey Dark & DGVT Smoky Grey Light



DGVT SMOKY GREY DARK




Shown tile is Matte

600x


1200 mm




DGVT Smoky Grey Light



Preview Shown:
DGVT Smoky Grey Light & EHM Stacked Stone Grey Multi



DGVT SMOKY GREY LIGHT





DGVT Real Travertine Beige



Preview Shown:
DGVT Real Travertine Beige



DGVT REAL TRAVERTINE BEIGE





DGVT Real Travertine Grey



Preview Shown:
DGVT Real Travertine Grey



DGVT REAL TRAVERTINE GREY







DGVT Smoky Beige Light



Preview Shown:
DGVT Smoky Beige Light & DGVT Smoky Beige Dark



DGVT SMOKY BEIGE LIGHT



Shown tile is Matte

600x
1200 mm



DGVT Smoky Beige Dark




600x
1200 mm

Shown tile is Matte



DGVT Smoky Flora Beige HL





INSPIRE

Glazed Vitrified Tiles | 600x1200 MM

ROCKER Desert Beige




600x
1200 mm

Shown tile is Matte




ROCKER Smoky Geometric Beige HL





ROCKER Line Art Beige HL



Preview Shown:
ROCKER Line Art Beige HL & DGV T Smoky Beige Dark



ROCKER LINE ART BEIGE HL







ROCKER Smoky Linex Grey HL



Preview Shown:
Rocker Smoky Linex Grey HL



ROCKER SMOKY LINEX GREY HL



Shown tile is Matte

600x
1200 mm

TECHNICAL SPECIFICATIONS


Glazed Vitrified Tiles

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. ft.)
600X1200 (SKD)	2	1.44	15.5

Group B Ia as per ISO 13006:2012 and Group B Ib as per IS 15622:2017					
Characteristics	Test Methods	Requirement as per ISO 13006 ≤ 0.5 Group B Ia	Requirement as per IS 15622:2017 0.08<E ≤ 3% Group B Ib		OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2006		Unrectified	Rectified	
Deviation in Length & Width		±0.6%	± 0.4%	± 0.1 %	± 0.1 %
Deviation in Thickness		±5%	± 5.0 %		± 4 %
Straightness of Sides		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Rectangularity		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Surface Flatness		±0.5%	± 0.5 %		± 0.2 % 😊😊
Surface Quality		Min. 95 % tiles should be free from visible defects	Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties					
Water Absorption	IS 13630 (Part 2):2006	Avg ≤ 0.5, Individual max, 0.6	Avg 0.08<E ≤ 3, Individual 3.3, Max		Avg ≤ 0.5, Individual max, 0.6
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Minimum 35, Individual 32, Min	Avg 30, Individual 27, Min		Avg 38 Min, Individual 35, Min 😊😊
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1300, Min	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1500 Min 😊😊
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	Declare Value	0.02, Max		< 0.02
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13):2006	NA	5, Min		5 to 8 Depending on Design/Surface
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 (Part 11):2006	Test Method Available	Class II, Min		Class-III to Class-V Depending as per Design / Surface 😊
Co-efficient of Linear Thermal Expansion from ambient temperature to 100°C	IS 13630 (Part 4):2006	Test Method Available	7x10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	Test Method Available	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	Test Method Available	4 Cycles@7.5 bar, Min		4 Cycle @ 7.5 Bar Min 😊
Frost Resistance	IS 13630 (Part 10):2006	Required	Required		Resistance
Bulk Density, in (g/cc)	IS 13630 (Part 12):2006	NA	2.0, Min		> 2.1
Impact Resistance- Coefficient of Restitution	IS 13630 (Part 14):2006	Manufacturer to State	0.55, Min		0.7-0.85
Chemical Properties					
Resistance to Staining of Glazed Tiles	IS 13630 (Part 8):2006	Min, Class 3	Class I, Min		Conforms
Resistance to Household Chemicals		Min, GA	Class AA, Min		Conforms
Resistance to Acids and Alkalís (with exception of hydrofluoric acid and its compounds)		Test Method Available	Required, if agreed		Conforms

NOTE: Certain amount of Size and Shade Variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.



A Network of
2500+
 Channel Partners

-  Franchise Owned Boutiques
-  Channel Partners
-  Company Owned Boutiques
-  Plants

ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019,
 Tel.: +91 172 4624 342

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue,
 Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083,
 Tel.: +91 44 4213 8687

COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya Road, New Junction,
 (Opposite Holiday Inn Hotel) Ernakulam By Pass Road, Cochin-682 031
 Tel.: +91 97457 68058

COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram,
 Coimbatore-641 002,
 Tel.: +91 89799 41666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS Road,
 Dehradun-248 001,
 Tel.: +91 97197 01064

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027,
 Tel.: +91 33 4068 4046/7

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badhshah Nagar Railway
 Station, Lucknow-226 006,
 Tel.: +91 99847 86404

NEW DELHI

M-47, GK-II, M Block, New Delhi-110 048,
 Tel.: +91 11 4068 7468/69

PUNE

Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710, Final Plot No. 401/1,
 Shankarasheth Road, Gultekdi, Swargate, Pune-411 037
 Tel.: +91 73910 72247

VADODRA DISPLAY CENTRE

78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute,
 Old Padra Road, Vadodara-390007, Gujarat
 Tel.: +91 98254 14113



Making Tile Selection Easier



Find tiles similar to a reference image



Try floor tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render*

www.orientbell.com

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi-110046, India
Tel: +91-11-47119100, Fax: +91 -11-2852 1273

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India
Tel: +91-5735-222-203 / 24, +91-8191004575/ 76
Fax: +91 -5735 222 642

CUSTOMER CARE:

customercare@orientbell.com
Missed Call : 87507 11111
Whatsapp : 87507 33333

CIN: L14101UP1977PLC021546

Please join us on social media

