

River Series 600x600mm I DOUBLE CHARGE

www.orientbell.com

OBL Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Website of the Year-Jan 2020 for www.orientbell.com (India's construction & design industry)



Brand of the Year-Jan 2021 (Flooring Idea-Tiles & Ceramic)



Best Infrastructure Brands (2021)



Best Omnichannel Retail Model Winners Future of Retail Summit & Awards 2020



Innovation

Customer Retail Journey Winners Future of Retail Summit & Awards 2020



CEO with HR Orientation **ZEE BUSINESS** National Human Capital Leadership Congress & Awards

INDEX







| RIVER WHITE | 04 |
|--------------|----|
| RIVER PEARL | 05 |
| RIVER CREAMA | 06 |
| RIVER BEIGE | 07 |
| RIVER SMOKY | 08 |
| RIVER BLUE | 09 |
| RIVER RED | 10 |








Listed on BSE (530365) for 20+ years.
And also on NSE (ORIENTBELL).





RIVER WHITE





RIVER PEARL





RIVER CREAMA





RIVER BEIGE





RIVER SMOKY






RIVER BLUE





RIVER RED





TECHNICAL SPECIFICATIONS


Double Charge Tiles

| Packing Details | | | | | |
|-----------------|-------------------------|-------------------------|----------------|--|--|
| Size | No of Tiles Box Conten | Covered Area Per Carton | | | |
| (In mm.) | No. of Tiles Per Carton | (In Sq. Mtr.) | (In Sq. Ft.) | | |
| 600X600 mm (WZ) | 4 | 1.44 | 15.50 | | |

| As per Indian Standard (IS 15622:2017) Group B la | | | | | |
|---|-------------------------|--|----------------|--|--|
| Characteristics | Standard Test Method | IS 15622 Requirements | OBL Norms | | |
| Dimension & Surface Quality | | | | | |
| Deviation in Size (length & Width) | | ± 0.1 % | ± 0.1 % | | |
| Deviation in thickness | | ± 5.0 % | ± 3.0 % | | |
| Straightness of sides | | ± 0.1 % | ± 0.1 % | | |
| Squareness | IS 13630 (Part 1):2006 | ± 0.1 % | ± 0.1 % | | |
| Surface Flatness | | ± 0.50 % | ± 0.2 % © © | | |
| Surface Quality | | Min 95% tiles should be free from visible defects | Conform | | |
| Physical Properties | | | | | |
| Water absorption % | IS 13630 (Part 2):2006 | E ≤0.08% | E ≤0.05% © | | |
| Modulus of rupture N/mm² | IS 13630 (Part 6):2006 | Avg≥35 N/mm2 | Min 38 N/mm2 🙄 | | |
| Breaking Strength N | IS 13630 (Part 6):2006 | Min1300 | >1300 ⓒ | | |
| Scratching Resistance | IS 13630 (Part 13):2006 | Min 5 | ≥5 | | |
| Deep Abrasion | IS 13630 (Part 12):2006 | 140 Max | 100 Max 😊 | | |
| Chemical Properties | | | | | |
| Resistance to Staining | | Min Class 2 | Conform | | |
| Resistance to household Cheminicals | IS 13630 (Part 8):2006 | Min, Class AA | Conform | | |
| Thermal Specifications | | | | | |
| Thermal Shock Resistance | IS 13630 (Part 5):2006 | 10 Cycles Min | Conform | | |
| Thermal Expansion | IS 13630 (Part 4):2006 | Min, 6x10° at 100° C (K¹) | Conform | | |
| Frost Resistance | IS:13630 (Part 10):2006 | 10 Cycles Pass | Conform | | |
| Impact Resistance | IS:13630 (Part 14):2006 | 0.55 minimum | Conform | | |
| Bulk Density (gm/cc) | IS:13630 (Part 2):2006 | Min 2.2 | Conform | | |

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.



ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019, Tel.: +91 172 4624 342

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue, Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083, Tel.: +91 44 4213 8687

COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya Road, New Junction, (Opposite Holiday Inn Hotel) Ernakulam By Pass Road, Cochin-682 031 Tel.: +91 97457 68058

COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram, Coimbatore-641 002, Tel.: +91 89799 41666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS Road, Dehradun-248 001, Tel.: +91 97197 01064

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027, Tel.: +91 33 4068 4046/7

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badhshah Nagar Railway Station, Lucknow-226 006, Tel.: +91 99847 86404

NEW DELHI

M-47, GK-II, M Block, New Delhi-110 048, Tel.: +91 11 4068 7468/69

PUNE

Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710, Final Plot No. 401/1, Shankarasheth Road, Gultekdi, Swargate, Pune-411 037 Tel.: $+91\ 73910\ 72247$

VADODRA DISPLAY CENTRE

78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute, Old Padra Road, Vadodara-390007, Gujarat Tel.: +91 98254 14113



Making Tile Selection Easier



Find tiles similar to a reference image



Try floor tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render*

www.orientbell.com

CORPORATE OFFICE:

Iris House, 16 Business Centre, Nangal Raya, New Delhi-110046, India Tel: +91-11-47119100, Fax: +91-11-2852 1273

CIN: L14101UP1977PLC021546

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India Tel: +91-5735-222-203 / 24, +91-8191004575/ 76 Fax: +91 -5735 222 642

CUSTOMER CARE:

customercare@orientbell.com Missed Call: 87507 11111

Whatsapp : 87507 33333

Please join us on social media















