

MASTER CATALOGUE

FLOOR TILES 2022

Inspired by nature



About OBL

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs & development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.



OBL Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Website of The Year 2022
for www.orientbell.com
(India's construction & design industry)



Brand of The Year 2022
(Flooring Idea-Tiles & Ceramic)



e4m Pride of India Brands 2022
(The Best Of Bharat Conference & Awards)




Brand of The Year 2021
(Flooring Idea-Tiles & Ceramic)



Customer Retail Journey Innovation
Winners Future of Retail Summit & Awards 20



CEO with HR Orientation
ZEE BUSINESS
National Human Capital
Leadership Congress & Awards



Listed on BSE (530365) for 20+ years.
And also on NSE (ORIENTBELL).

At OBL we believe in excellence. The ISO 9001:2015 accreditation for our quality control management systems reflects this quest for manufacturing products that meet international standards. In 2015 our Sikandarabad plant was awarded with prestigious ISI certification for its products.

As early as in May 2000, OBL was awarded the prestigious ISO 14001 certification by the internationally recognised BSI Management Systems, UK. Our manufacturing units are ISO 14001:2015 certified, the most complete and global expression for an environment friendly industrial company.

We believe in making great products in a safe, healthy and environment friendly way. We have been awarded OHSAS 18001 Certification for Health & Safety Standards. No waste water is ever discharged from our factory.

OBL won the "Certificate Of Merit" in National Energy Conservation Award' 2016 organised by Ministry of Power for saving Power and Fuel consumption.

Main Index

White Marble	01-20
Grey Marble/Cement	21-56
Black Marble	57-64
Blue Marble	65-72
Beige & Brown Marble/Cement	73-136
Planks	137-142
Step & Riser Tiles	143-150
Carving Tiles	151-156
Double Charge Tiles	157-176
Full Body Vitrified Tiles	177-182
Anti-Skid Tiles	183-184
Ceramic 300x300 mm Tiles	185-191
Cool Tile	192
Pavers/Parking Tiles	193-205
Technical Specification	206-217

INDEX

GVT | PGVT | DGVV | Rocker | Satin | Decor

800x2400mm Glazed Vitrified Tiles & Full Body Tiles		600x1200mm Glazed Vitrified Tiles (DGVV)		600x1200mm Glazed Vitrified Tiles (PGVT)	
GRANALT BROWN		DGVV CEMENTUM GRIS	35	PGVT ARABESCATO BAINCO	10
GRANALT FB RICH BLACK	76	DGVV CIPOLLINO MARBLE ROCK	101	PGVT ARMANI MARBLE BLUE DK	65
GRANALT GALACTIC BLUE	60	DGVV CLASSIC MARFIL	100	PGVT ARMANI MARBLE BLUE LT	65
GRANALT GREY	60	DGVV DOUBLE HERRINGBONE OAK WOOD	104	PGVT ARMANI MARBLE STEEL BLUE	65
GRANALT IVORY	21	DGVV HICKORY WOOD BEIGE	103	PGVT ATLANTIS BEIGE	83
GRANALT PORTORO GOLD	76	DGVV HICKORY WOOD BROWN	103	PGVT BLACK STRIPS SUPER WHITE	09
GRANALT ROYAL BLACK	60	DGVV REAL TRAVERTINE BEIGE	101	PGVT BOTTOCINO BEIGE DK	83
GRANALT ROYAL WHITE	60	DGVV REAL TRAVERTINE GREY	32	PGVT BOTTOCINO BEIGE LT	80
GRANALT SNP BLACK	03	DGVV SAND BEIGE	102	PGVT BROWN STREAK BIANCO	08
GRANALT SNP CREMA	59	DGVV SAND BROWN DK	101	PGVT CALACATTA NATURA	08
GRANALT SNP NERO	76	DGVV SAND GREY DK	38	PGVT CALACUTTA SUPER WHITE	09
GRANALT STATUARIO	59	DGVV SAND GREY LT	38	PGVT CALIFORNIA BEIGE	83
	03	DGVV SANDSTONE GREY DK	38	PGVT CARARA MARBLE	07
		DGVV SANDSTONE GREY LT	38	PGVT CARRARA NATURA	08
800x1600mm Glazed Vitrified Tiles (PGVT)		DGVV SMOKY BEIGE DARK	101	PGVT CEPPO STONE GREY DK	27
DGVV SAND BEIGE	95	DGVV SMOKY BEIGE LIGHT	102	PGVT CEPPO STONE GREY LT	25
DGVV SAND BROWN DK	96	DGVV SMOKY GREY DARK	35	PGVT CLASSIC DYNA BEIGE	87
DGVV SAND BROWN LT	96	DGVV SMOKY GREY LIGHT	35	PGVT CLASSIC EMPERADOR BEIGE MARBLE	89
DGVV SAND GREY DK	33	DGVV STRIPS OAK WOOD MULTI	104	PGVT CRYSTAL WHITE MARBLE	10
DGVV SAND GREY LT	33	DGVV TERRAZZO BROWN	98	PGVT DOME ONYX BM	93
DGVV SAND IVORY	95	DGVV TERRAZZO MULTI	98	PGVT DRAMATIC CALACATTA MARBLE	10
DGVV SAND MOCCA	95	DGVV VENEZIA OAK WOOD	103	PGVT EMPERADOR BEIGE	90
DGVV SAND SILVER	33	SATIN ONYX WHITE	12	PGVT ENDLESS ONYX BLUE	65
PGVT ARMANI MARBLE BROWN	78	SATIN SOFTMARBO	99	PGVT ENDLESS STATUARIO WHITE	10
PGVT ARMANI MARBLE CREMA	77	TUSCANY WOOD BROWN	103	PGVT FLAGSTONE GREY	27
PGVT ARMANI MARBLE GREY DK	24			PGVT FOG ONYX BEIGE	81
PGVT ARMANI MARBLE GREY LT	24	600x1200mm Glazed Vitrified Tiles (Rocker)		PGVT GIALLO SIENA	82
PGVT BRECCIA MARBLE BEIGE	78	ROCKER ANTIQUE MARBLE	12	PGVT GREY STONE MARBLE	28
PGVT CALACATTA BELLISSIMO MARMI	4	ROCKER CLASSIC MARFIL	100	PGVT MIDTOWN BEIGE DK	85
PGVT DYNA BEIGE	77	ROCKER DESERT BEIGE	99	PGVT MIDTOWN LIGHT	80
PGVT ENDLESS CARRARA MARBLE	4	ROCKER LINE ART BEIGE HL	105	PGVT MONACO BROWN	90
PGVT ENDLESS SOFITA BEIGE	78	ROCKER TRAVERTINO GOLD	99	PGVT MONACO CREAMA	87
PGVT NILE QUARTZITE GREY	22			PGVT MONACO GREY	25
PGVT ONYX ICE	5	600x1200mm Glazed Vitrified Tiles (Decor Tiles)		PGVT OMANI BEIGE MARBLE	81
PGVT ONYX PEARL	77	DECOR BOTTOCINO FLORA BEIGE	84	PGVT ONYX BEIGE	89
PGVT STATUARIO STREAK VEIN MARBLE	4	DECOR DIAMOND ENCUASTIC MULTI	85	PGVT ONYX CROSSCUT SMOKY	08
PGVT VALENTINO QUARTZITE GREY	24	DECOR FABRIC STRIPS MULTI	92	PGVT ONYX IVORY	87
SUPER GLOSS BLACK GOLDEN MARBLE	61	DECOR GEOMETRIC FLORAL GREY	25	PGVT ONYX PEARL	07
SUPER GLOSS EMPERADOR MARBLE BROWN	79	DECOR GEOMETRIC MULTI	86	PGVT ONYX SUPER WHITE	09
SUPER GLOSS PORTORO WHITE VEIN MARBLE	61	DECOR MOROCCAN ART BLACK WHITE	35	PGVT REAL TRAVERTINE BEIGE	88
		DECOR MOROCCAN ART GREY	36	PGVT ROYAL DYNA BEIGE	88
		DECOR MOROCCAN SPANISH ART MULTI	102	PGVT ROYAL DYNA GREY	26
800x800mm Glazed Vitrified Tiles (PGVT)		DECOR SQUARE TRIANGLE GREY	37	PGVT ROYAL OPERA BLUE	65
PGVT AQUA MARINA MARBLE	13	DECOR STAR MULTI	91	PGVT SANDSTONE BEIGE	83
PGVT SWAN MARBLE	13			PGVT SOAPSTONE BROWN	90
				PGVT SOAPSTONE SMOKY	28

GVT | DGMT | PGVT | Carving | Satin | Super Gloss | Step & Riser

PGVT STATUARIO MARBLE	07	STEP GROOVE PORTORO BLACK MARBLE	150	PGVT DEMRE BEIGE	111
PGVT STATUARIO NATURA	06	RISER PORTORO MARBLE BLACK	150	PGVT ELEGANT STATUARIO	15
PGVT TRAVERTINE GREY	25	DGMT PORTORO MARBLE BLACK	150	PGVT EMPERADOR STONE MARBLE	44
PGVT TRAVERTINO MARBLE	85	STEP GROOVE VENEZIA OAK WOOD	149	PGVT GRAINY SAND GREY DK	46
PGVT TRIANGLE MAKRANA BIANCO BM	11	RISER MOROCCAN ART MULTI	149	PGVT GRAINY SAND GREY LT	46
PGVT TRIANGLE ONYX MULTI BM	29	DGMT VENEZIA OAK WOOD	149	PGVT GRIGIO MARBLE BEIGE	113
PGVT TRIANGLE ROYAL DYNA GREY BM	31	STEP PLAIN PORTORO DUAL	146	PGVT GRIGIO MARBLE BROWN	116
PGVT VENATO BEIGE	81	RISER PLAIN PORTORO DUAL	146	PGVT GROOVE CREAMA	112
PGVT VENEZIA CLASSIC BEIGE	89	DGMT PORTORO MARBLE WHITE	146	PGVT GREY STONE MARBLE	44
PGVT VENEZIA CLASSIC CREAMA	87			PGVT ISTAN IVORY	111
PGVT VENEZIA CLASSIC GREY	25			PGVT MAKRANA BIANCO	15
PGVT VENEZIA CLASSIC SILVER	27			PGVT MARVEL BIANCO	43
		600x600mm Glazed Vitrified Tiles (DGMT)		PGVT MORACCO BEIGE	111
600x1200mm Glazed Vitrified Tiles (Carving)		DGMT ANKARA MULTI	71	PGVT MYRA IVORY	133
CARVING ARMANI MARBLE GREY LT	153	DGMT BARCA GREY	51	PGVT NATURAL ONYX BROWN BM	106
CARVING ARMANI MARBLE GREY DK	153	DGMT BARCA SLATE	51	PGVT ONIXO BEIGE	111
CARVING ARMANI MARBLE BEIGE	154	DGMT CEMENTO BEIGE	134	PGVT ONYX GREY BM	42
CARVING BOTTOCINO BEIGE	154	DGMT CEMENTO BROWN	134	PGVT ONYX VERDE	112
CARVING OAK HARDWOOD BROWN	154	DGMT CEMENTO CREMA	134	PGVT PARADISE	112
CARVING SOFTMARBO CREAMA	154	DGMT CEMENTO GREY	51	PGVT PORINO BEIGE	112
		DGMT CEMENTO GRIS	134	PGVT PORINO GREY	43
		DGMT CEMENTO SAND	134	PGVT PORINO IVORY	43
600x1200mm Glazed Vitrified Tiles (Super Gloss)		DGMT CEMENTUM CREAMA	134	PGVT PRIME DYNA BEIGE	113
SUPER GLOSS AGATA BROWN	94	DGMT CHESTNUT WOOD BROWN	123	PGVT PRIME DYNA GREY	44
SUPER GLOSS CRYSTAL BLUE MARBLE	66	DGMT CYPRESS WOOD ASH	128	PGVT PRIME DYNA SILVER	46
SUPER GLOSS EMPERADOR BROWN MARBLE	63	DGMT CYPRESS WOOD CREAMA	128	PGVT ROSALIE BEIGE	111
SUPER GLOSS IGNEOUS ROCK	94	DGMT DERBY SILVER	51	PGVT S TRAVERTINO BEIGE	112
SUPER GLOSS MARMI GRAFITE	94	DGMT JUNGU MULTI	52	PGVT SILVER FALLS NATURAL BEIGE	114
SUPER GLOSS MARQUINA BLACK	63	DGMT MODENA GREY	51	PGVT SILVER FALLS NATURAL GREY	43
SUPER GLOSS PIETRA GREY	30	DGMT MODENA SLATE	52	PGVT SKY ONYX MULTI BM	107
SUPER GLOSS PORTORO GOLD MARBLE	63	DGMT PERLATO BROWN	122	PGVT SOFITA BEIGE MARBLE	115
SUPER GLOSS PORTORO SILVER MARBLE	63	DGMT PERLATO IVORY	122	PGVT SOFTEL GOLD VEIN MARBLE	115
SUPER GLOSS TAURUS BLACK MARBLE	30	DGMT REAL IVORY	134	PGVT SPICE GRIS	41
SUPER GLOSS TRIANGLE ROYAL BLACK BM	63	DGMT RIO WOOD	128	PGVT SPIDER MARBLE GREY DK	45
SUPER GLOSS WHITE STRIPS SUPER BLACK	63	DGMT ROCCO BROWN	134	PGVT SPIDER MARBLE GREY LT	45
		DGMT ROSEWOOD BROWN	128	PGVT STATUARIO MARBLE GOLD	15
		DGMT ROSEWOOD SANDUNE	128	PGVT STATUARIO ULTRA	15
Inspire Steps		DGMT ROUGH STONE CREAMA	134	PGVT TRAVERTINE CREAMA	113
STEP DECK SAND BEIGE	147	DGMT TALI IVORY	122	PGVT TURIN BROWN	114
RISER SAND BEIGE	147	DGMT TRAVERTINE BEIGE	122		
DGMT SAND BEIGE	147	DGMT VENEER OAK WOOD BEIGE	123	600x600mm Glazed Vitrified Tiles (Carving)	
STEP DECK SAND BROWN DK	147	DGMT VITARA IVORY	134	CARVING BOTTOCINO MERFIL	155
RISER SAND BROWN DK	147	DGMT YELLOW BIRCH WOOD	128	CARVING STATUARIO MARBLE	156
DGMT SAND BROWN DK	147				
STEP CAPSULE ONYX SUPER WHITE	145	600x600mm Glazed Vitrified Tiles (PGVT)		600x600mm Glazed Vitrified Tiles (Super Gloss)	
RISER MOROCCAN ART BLACK WHITE	145	PGVT ARMANI MARBLE BROWN	115	SUPER GLOSS AGATA BROWN	119
DGMT ONYX SUPER WHITE	145	PGVT ARMANI MARBLE GREY DK	45	SUPER GLOSS AGATA GRANITE GOLD	119
STEP CAPSULE SAND GREY DK	145	PGVT ARMANI MARBLE GREY LT	45	SUPER GLOSS BELGIUM BLACK MARBLE	64
RISER SAND GREY DK	145	PGVT BOTTICINO MARFIL	113	SUPER GLOSS EMPERADOR GOLD MARBLE	119
DGMT SAND GREY DK	145	PGVT CARARA ELEGANCE	15	SUPER GLOSS MYSTIC BROWN	119
STEP MOSAIC SAND GREY LT	148	PGVT CARRARA BIANCO MARBLE	15	SUPER GLOSS NEGRO MARBLE	64
RISER SAND GREY LT	148	PGVT CLASSIC DYNA MARBLE BEIGE	113	SUPER GLOSS PORTORO GOLD	64
DGMT SAND GREY LT	148	PGVT CLASSIC EMPERADOR BEIGE MARBLE	115	SUPER GLOSS RAINFOREST	114
				SUPER GLOSS TAURUS BLACK	119
				SUPER GLOSS TAURUS BROWN	119

Planks | Sahara Series | Double Charge | PVT | Nano

195x1200mm | Glazed Vitrified Tiles (Planks)

DGVT ARIZON WOOD JUMBO	138
DGVT BIRCH WOOD CREAMA	138
DGVT CHESTNUT OAK WOOD	139
DGVT CIBOLA WOOD JUMBO D	140
DGVT CIBOLA WOOD JUMBO H	140
DGVT HARDSTONE BROWN	139
DGVT LUMBER WHITE ASH WOOD	137
DGVT OAK WENGE WOOD	137
DGVT PALDAO WOOD BEIGE	139
DGVT PACIFIC PINE WOOD BEIGE	139
DGVT PACIFIC PINE WOOD BROWN	140
DGVT VENEZIA OAK WOOD	138
DGVT VENEER TEAK WOOD	139
DGVT VINTAGE STAINED WOOD	139
PLANK CHESTNUT NATURAL	138
PLANK OAK SILVER	138
PLANK OAK SMOKED	140
PLANK WENGE	140

145x600mm | Glazed Vitrified Tiles (Planks)

DGVT ARIZON WOOD BROWN	141
DGVT MOONSTONE D	141
DGVT POPLAR BEIGE	141
DGVT POPLAR BROWN	141
DGVT POPLAR SANDUNE	141
DGVT POPLAR WENGE	141

145x600mm | Forever Tiles (Planks)

FT PLANK BURMA TEAK LIGHT	142
FT PLANK BURMA TEAK WENGE	142
PLANK TEAK WENGE	142

600x600mm | FBVT (Sahara Series)

SAHARA BEIGE	179
SAHARA CREAMA	179
SAHARA GOLD	179
SAHARA GRIS	180
SAHARA NERO	180
SAHARA PLAIN GREY	180
SAHARA P KOTA GREEN	180
SAHARA ROCK BEIGE	180
SAHARA ROCK CREAMA	180
SAHARA ROCK GRIS	180

600x600mm | FBVT (Sahara Heavy Series)

SAHARA HEAVY BEIGE	182
SAHARA HEAVY CREAMA	182
SAHARA HEAVY GRIS	182
SAHARA HEAVY NERO	182
SAHARA HEAVY P KOTA GREEN	182

800x1600mm | Double Charge

MARSTONE GREY	159
ROYAL CANTO WHITE	160
SEAWAVE CREAMA	160
ROYAL CANTO CREAMA	160

600x1200mm | Double Charge

CANTO CREAMA	163
CANTO WHITE	163
NU CANTO ASH	164
RIVER BLACK	164
RIVER CREAMA	163
RIVER WHITE	163
SEAWAVE CREAMA	163
SEAWAVE WHITE	163

1000x1000mm | Double Charge

TROPICANA NATURAL	161
TROPICANA SUPER WHITE	162

800x800mm | Double Charge

CANTO CREAMA	166
CANTO DK COFFEE	166
CANTO OCEAN	166
LUCENT GOLD	165
LUCENT WHITE	165
NU CANTO BEIGE	166
SEGMA CREAMA	165
TROPICANA WHITE	165

600x600mm | Double Body

SAHARA DOUBLE BODY GLOSSY BEIGE	176
SAHARA DOUBLE BODY GLOSSY CARBON	176
SAHARA DOUBLE BODY GLOSSY CREAMA	176
SAHARA DOUBLE BODY GLOSSY GRIS	176
SAHARA DOUBLE BODY GLOSSY IVORY	176
SAHARA DOUBLE BODY GLOSSY NERO	176

600x600mm | Double Charge (Zenith Series)

ZEN JUPITER BEIGE	169
ZEN MARS CHARCOAL RED	169
ZEN MERCURY WHITE	169
ZEN NEPTUNE BLUE	169
ZEN PLUTO COFFEE	169
ZEN SATURN CERMA	169
ZEN URANUS GREEN	169

600x600mm | Double Charge (River Series)

RIVER BEIGE	170
RIVER BLUE	170
RIVER CREAMA	170
RIVER PEARL	170
RIVER SMOKY	170
RIVER WHITE	170

600x600mm | Double Charge (Star Series)

STAR DK BLACK	172
STAR IVORY (S)	172
STAR ORANGE (S)	172
STAR PINK (S)	172
STAR SANDUNE (S)	172
STAR WHITE (S)	172
STAR GREY	172

600x600mm | Double Charge (Canto Series)

CANTO ALMOND (S)	171
CANTO BEIGE (S)	171
CANTO CREAMA (S)	171
CANTO OCEAN (S)	171
NU CANTO ASH (S)	171
NU CANTO AZUL (S)	171
NU CANTO CARBON (S)	171
NU CANTO CHOCO (S)	171

600x600mm | Double Charge (Lara Series)

LARA CREMA (S)	173
LARA GOLD (S)	173
LARA ROSA (S)	173
LARA SILVER (S)	173

600x600mm | Double Charge (Winner Series)

WINNER BIANCO	174
WINNER CREAMA	174
WINNER ROSSA	174
WINNER SANDUNE	174

600x600mm | Nano Tiles

NANO EDEN	167
NANO HOMER BEIGE	167
NANO IVORY	167
NANO ORBIT	168
NANO RIVO	168
NANO VINEAR	167
NANO 003	167
10211 (P)	167
10240 (B)	167
10242 (P)	167
12206 (P)	167

600x600mm | PVT

10201	168
10232 (P)	168

Valencica | FT+GFT | Timeless | Parking Tiles

600x600mm | Valencica Collection

PCG 3D FLOWER STATUARIO SUPER WHITE	17
PCG 3D SILVER LEAF	17
PCG 3D VENN BLUE WAVE	72
PCG 3D WHITE DIAMONDS	17
PCG AGATA GRANITE MARBLE	117
PCG ALICANTE BROWN MARBLE	117
PCG ARABESCATO STATUARIO BM	16
PCG BOTTOCHINO LIGHT	48
PCG CALCUTTA GOLD MARBLE	110
PCG CARRARA VENATO MARBLE	19
PCG CRYSTAL ONYX	48
PCG CLASSICAL WOODEN	118
PCG ERAMOSIA MARBLE	117
PCG GIALLO SIENA LIGHT	110
PCG ICE BLUE MARBLE	68
PCG MESH CARRARA VENATO	17
PCG MOORISH WOOD	118
PCG ONYX BLUE BM	68
PCG ONYX BROWN BM	109
PCG ONYX MULTI	48
PCG ONYX PEARL	110
PCG ONYX RIVER	48
PCG RADIANT ONYX BM	108
PCG SQUARE MULTI WOOD	118
PCG SUPER STATUARIO WHITE	19
PCG SWAN MARBLE	19
PCG SWAN MARBLE BLUE	68
PCM GLACIER BROWN	135
PCM GLACIER GREY	55
PCM GLACIER WHITE	55
PCM LINE SQUARE BEIGE	139
PCM NATURAL PINE WOOD	124
PCM VINTAGE OAK WOOD	124

600x600mm | FT+GFT Collection

GFT BDF ANTIQUE WOOD BROWN DK	126
GFT BDF ARROW BASS WOOD FT	127
GFT BDF CEMENTO DK BLUE	69
GFT BDF CEMENTO LT BLUE	69
GFT BDF CEMENT STRIPS MULTI FT	131
GFT BDF CHIPS MULTI FT	130
GFT BDF DIAMOND MULTI FT	131
GFT BDF DOUBLE RIVET WOOD	127
GFT BDF DYNA CREMA FT	121
GFT BDF ESPRESSO WOOD STRIP	126
GFT BDF HERRINGBONE BLOND OAK	127
GFT BDF HERRINGBONE OAK MULTI	127
GFT BDF INLAY WOOD	127
GFT BDF MOROCCAN ART GREY FT	56
GFT BDF MOROCCAN ART MULTI FT	131

GFT BDF MODERN SLATE CHARCOAL	50
GFT BDF NATURAL MAPLE WOOD	125
GFT BDF ONYX WHITE FT	20
GFT BDF RUSTIC ARC JAISALMER	131
GFT BDF RUSTIC NATURAL BROWN	135
GFT BDF RUSTIC TRIANGLE COFFEE	131
GFT BDF SAND IVORY FT	136
GFT BDF SAND GREY LT FT	54
GFT BDF SAND SILVER FT	54
GFT BDF STRIP WOOD BEIGE	126
GFT BDF STRIP WOOD GREY	70
GFT FT ADAMS CREMA	136
GFT FT ANDES CREMA	125
GFT FT AMO GREY	49
GFT FT ALPS GREY	20
GFT FT BAMBO	125
GFT FT BLENDIA GREY	54
GFT FT BLENDIA IVORY	136
GFT FT MARCO BEIGE DK	121
GFT FT MARCO BEIGE LT	121
GFT FT MORRIS BEIGE	121
GFT FT MORRIS CREMA	120
GFT FT SABBIA BEIGE	121
GFT FT SABBIA BROWN	121
GFT FT TEAK WENG	126
GFT FT TEAK NATURAL	129
GFT ODP ASTER WOOD FT BROWN	127
GFT ODP EBANO FT BEIGE	129
GFT ODP NU ANDORA BROWN	121
GFT ODP STATUARIO FT	20
GFT ODP URBAN ROCK FT	136
GFT ODP WOOD STRIP NATURAL FT	126

400x400mm | Timeless Parking Tiles

TL CEMENTO BRONZE	198
TL CEMENTO MULTI	200
TL CEMENTO GREY	196
TL CEMENTO IVORY	197
TL COBBLESTONE BROWN	197
TL CEMENTO CHOKO	198
TL CEMENTO SILVER	195
TL CEMENTO SLATE	195
TL COBBLESTONE ROUGH	198
TL COBBLESTONE RANGOLI MULTI	200
TL COBBLESTONE MULTI	197
TL COBBLESTONE BROWN	198
TL COBBLESTONE BEIGE	199
TL COBBLESTONE GREY	195
TL COBBLESTONE FLORA MULTI	199
TL COBBLESTONE COTTO	198
TL CUBE MULTI	200
TL CUBE GREY	195

TL CAPSULE TAUPE GREY	196
TL GEOMETRIC MULTI	199
TL GEOMETRIC STONE	200
TL GEOMETRIC BEIGE	197
TL GEOMETRIC GREY	196
TL HEXA ARC CREMA	197
TL HEXA ARC NERO	196
TL HEXA ARC COTTO	197
TL HEXA ARC MULTI	199
TL HEXA ARC STONE GREY	195
TL KASO BEIGE	198
TL KASO BLUE	196
TL KASO CREMA	195
TL MOROCCAN ART BLACK WHITE	196
TL OCTO BEIGE	197
TL OCTO SLATE	196
TL OCTO GREY	195
TL OCTO MULTI	200
TL PINE WOOD PLANK MULTI	198
TL ROUGH STONE BROWN	198
TL ROUGH STONE CREMA	197

300x300mm | Parking Tiles



ODM NEXA GRANULE BLACK	202
ODM NEXA GRANULE PLUS BLACK	202
ODM NEXA GRANULE GREY	202
ODM NEXA GRANULE PLUS GREY	202
ODM NEXA SUPREME PLUS WHITE	202
OPV ALEKHAN ART BROWN	203
OPV ARABESQUE BEIGE MULTI	203
OPV ARABESQUE FLORA MULTI	202
OPV BASKET WEAVE BEIGE MULTI	203
OPV BASKET WEAVE GREY	202
OPV BASKET WEAVE GREY MULTI	202
OPV CHEX IVORY	205
OPV CHEX TERRACOTTA	205
OPV COIN IVORY	205
OPV COIN TERRACOTTA	205
OPV CAPSULE IVORY	205
OPV CAPSULE TERRACOTTA	205
OPV FIELDSTONE BEIGE	203
OPV GEOMETRIC STONE MULTI	203
OPV HERRINGBONE STONE MULTI	203
OPV HERRINGBONE STONE BEIGE MULTI	203
OPV HERRINGBONE STONE COTTO	203
OPV 3D HERRINGBONE STONE GREY	202
OPV HEXO GREY	202
OPV HEXO BROWN	203
OPV PLAIN IVORY	205
OPV PLAIN TERRACOTTA	205
OPV ROCKY BEIGE	203

Anti-Skid | Cool Tiles | Ceramic Floor Tiles


OPV ROCKY GREY	202	DORA EC IVORY	186	ODM EMBROIDERY (EC) BEIGE LT FL	187	Technical Specification	206
OPV ROCKY BLACK	203	GALAXY EC PINK	191	ODM IMPERIAL EC BEIGE FL	188		
OPV STAR IVORY	205	GALAXY EC BROWN	189	ODM LENOX (EC) AQUA FL	191	GVT Step & Riser Tiles	207-209
OPV STAR TERRACOTTA	205	GLACIER EC WHITE	185	ODM LEON (EC) GREY LIGHT FL	185		
OPV TOMBY GREY	202	GALAXY EC GREEN	191	ODM LAPDESK (EC) BEIGE FL	187	GVT Technical Specification	210
OPV TOMBY MULTI	203	GALAXY EC CREAMA	186	ODM LINSEY (EC) BLUE FL	191		
OPV WAVO BROWN	203	GALAXY EC SORRENTO	191	ODM MOCHA (EC) LT FL	186	FT+GFT Technical Specification	211
OPV WAVO MULTI	202	LITHOS EC BROWN	191	ODM MARBELA EC GREY	185		
OPV WAVO NERO	202	LITHOS EC SLATE	186	ODM MARBELA EC BROWN	185	Valencica Technical Specification	212
		MAJESTY EC BEIGE	189	ODM MOROCCAN EC BLUE FL	191		
300x300mm Anti-Skid Tiles		OT 5114 EC	187	ODM MARCO (EC) BEIGE LT FL	188	Pavers Technical Specification	213-214
ANTI-SKID EC BABY BLUE	183	OT 5104 (EC)	185	ODM NATA (EC) IVORY	188		
ANTI-SKID EC CORAL AQUA	183	OT 5102 (EC)	188	ODM OMEGA (EC) BEIGE DK FL	189	FBVT Technical Specification	215
ANTI-SKID EC COTTO	183	OT 5101 (EC)	187	ODM PRINTEX (EC) IVORY FL	187		
ANTI-SKID EC CREAMA	183	OT 5123 (EC)	187	ODM RAYON (EC) BROWN FL	189	Double Charge/PVT/Nano	216
ANTI-SKID EC DENIM BLACK	183	OT 5116 (EC)	189	ODM ROLAND (EC) GREY DARK FL	186		
ANTI-SKID EC DENIM BLUE	183	PULSAR EC PINK	191	ODM ROBIN (EC) VARDE DARK FL	191	Ceramic Digital	217
ANTI-SKID EC FISH PEBBLE	183	PULSAR EC BEIGE	189	ODM ROYAL (EC) BLUE LT FL	191		
ANTI-SKID EC HONEY PEACH	183	PULSAR EC BLUE	191	ODM REAL TRAVERTINE EC BEIGE LT FL	188	Ceramic Non Digital	
ANTI-SKID EC GRID AQUA LT	183	PISA EC BEIGE	187	ODM SARTA (EC) PINK FL	191		
ANTI-SKID EC IVORY	183	PULSAR EC DOVE	185	ODM SAND EC GREY LT FL	186		
ANTI-SKID EC MAHOGANY BROWN	183	PINE EC BEIGE	189	ODM SAND EC GREY LT FL	186		
ANTI-SKID EC NERO	183	PLAIN MOON EC IVORY	186	ODM STATUARIO EC WHITE FL	185		
ANTI-SKID EC PEBBLE	183	PLAIN PLATINUM EC GREY	186	ODM STATUARIO (EC) BIANCO FL	185		
ANTI-SKID EC QUARTZITE EC BLUE LT	183	QUATRO EC BEIGE	189	ODM SONATA EC FL	187		
ANTI-SKID EC ULTIMATE GREY	183	QUATRO (EC) BROWN	189	ODM SAND EC CREMA DK FL	188		
ANTI-SKID EC VENEZIA WOOD DK	183	QUATRO EC SLATE	189	ODM SAMERA (EC) BROWN FL	189		
ANTI-SKID EC WARM GREY	183	ODM AMELIA (EC) GREY LIGHT FL	185	ODM TRAVERTINE (EC) BROWN FL	189		
ANTI-SKID EC WHITE	183	ODM ALBERTA (EC) BROWN FL	188	ODM TWEED (EC) BROWN FL	191		
		ODM BATIK (EC) SANDUNE FL	188	ODM THUNDER (EC) BLUE FL	175		
300x300mm Germ Free Tiles		ODM BASS WOOD EC BEIGE FL	188	ODM UNISQUARE (EC) BROWN LT FL	187		
GFT SPF DYNA EC GREY LT	186	ODM BABYLON (EC) BROWN LT FL	187	ODM VICTORIA (EC) BEIGE FL	188		
GFT SPF FLORAL GRID EC WHITE	185	ODM BOHMIA (EC) GRIS LT FL	186	ODM VIMAL (EC) BROWN DARK FL	191		
GFT SPF OCEAN EC LT	191	ODM BOTTICHINO (EC) BEIGE FL	191				
GFT SPF PULPIS EC GREY LT	185	ODM CARDSTOCK EC CREMA DK FL	188				
GFT SPF SAND EC CREMA	186	ODM CAMIA (EC) CREMA FL	187				
		ODM CEDAR EC BROWN LT	187				
300x300mm Cool Tile		ODM CASSIO (EC) GREY FL	186				
ORIENT COOL TILES (EC) BIANCO	192	ODM CEMENT EC SILVER FL	186				
ORIENT EC COOL TILES	192	ODM CEMENTUM EC GREY LT FL	186				
		ODM CHARMS (EC) SANDUNE FL	188				
300x300mm Ceramic Floor		ODM DAKOTA (EC) BROWN FL	189				
BIANCA EC DEW	185	ODM DIA (EC) LIGHT FL	188				
BURJ EC SLATE	186	ODM DAFFODIL (EC) IVORY FL	187				
BURJ EC BEIGE	189	ODM D-LITE (EC) GREY FL	185				
BRINA COPPER EC BROWN	189	ODM DORMA EC BEIGE FL	188				
CLOUDY EC COPPER	189	ODM DEBONA EC CREAMA DK FL	188				
CORZO EC WHITE	185	ODM D-LITE (EC) BEIGE LT FL	187				
CORZO EC IVORY	186	ODM EMILIA (EC) BEIGE FL	187				
CEDAR (EC) BEIGE	189	ODM ESPO (EC) LIGHT FL	188				
DORA EC WHITE	185						

FLOOR TILES
Inspired by nature

Application Areas



White & Grey Marble



Code Description

DGVT-Digital Glazed Vitrified Tiles | PGVT- Polished Glazed Vitrified Tiles | PCG- Porcelain Gloss | PCM- Porcelain Matte

GFT- Germfree Tiles | FT- Forever Tiles | ODP- Orientbell Digital Porcelain | BDF- Orientbell Digital Forever

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face


G1, G2, G3, G4, G5 (Grouping) are as per technical parameters



WHITE MARBLE

Gloss Finish

Glazed Vitrified Tiles




Preview Shown: PGVT STATUARIO STREAK VEIN MARBLE

WHITE MARBLE

- 800x2400mm
- Gloss Finish
- Glazed Vitrified Tiles
- Plant: West Zone

GRANALT



800x2400mm |
GRANALT ROYAL WHITE



800x2400mm |
GRANALT STATUARIO

800x1600mm

Gloss Finish

Glazed Vitrified Tiles

Plant:West Zone




G3
F4
R2

800x1600mm |
PGVT ENDLESS CARRARA MARBLE



G3
F4
R2

800x1600mm |
PGVT STATUARIO STREAK VEIN MARBLE



G3
F4
R2

800x1600mm |
PGVT CALACATTA BELLISSIMO MARM

WHITE MARBLE

800x1600mm

Gloss Finish

Glazed Vitrified Tiles

Plant: West Zone

INSPIRE



G3
F4
R2

800x1600mm |
PGVT ONYX ICE

WHITE MARBLE

600x1200mm


Gloss Finish

Glazed Vitrified Tiles

Plant:SKD

INSPIRE


PGVT Statuario Natura-The story of continuous vein



G3
R4
F4

600x1200mm |
PGVT STATUARIO NATURA

The best of Statuario's are whitest of whites and have continuous veins running end to end. We built that into our tiles.



•Sold in combination of 4 tiles (Continuous Vein). Also available in Random Faces.


WHITE MARBLE

600x1200mm

Gloss Finish


Glazed Vitrified Tiles

Plant:SKD




G3
R4
F4

600x1200mm |
PGVT STATUARIO MARBLE




G3
R4
F4

600x1200mm |
PGVT CARARA MARBLE



Preview Shown: PGVT STATUARIO MARBLE & SUPER GLOSS TAURUS BLACK MARBLE



G3
R3
F4

600x1200mm |
PGVT ONYX PEARL


WHITE MARBLE

600x1200mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD




600x1200mm |
PGVT CARRARA NATURA

G3
R4
F4




600x1200mm |
PGVT BROWN STREAK BIANCO

G3
R2
F4



600x1200mm |
PGVT CALACATTA NATURA

G3
R4
F4



600x1200mm |
PGVT ONYX CROSSCUT SMOKY

G3
R3
F4



Preview Shown: PGVT ONYX CROSSCUT SMOKY

WHITE MARBLE


— 600x1200mm

— Gloss Finish

— Glazed Vitrified Tiles


— Plant:SKD

INSPIRE




G3
R4
F4

600x1200mm |
PGVT ONYX SUPER WHITE



G3
R3
F4

600x1200mm |
PGVT CALACUTTA SUPER WHITE



G3
R2
F4

600x1200mm |
PGVT BLACK STRIPS SUPER WHITE





600x1200mm I
PGVT ENDLESS STATUARIO WHITE

G3
R3
F2



600x1200mm I
PGVT ARABESCATO BAINCO

G3
R4
F4

WHITE MARBLE

600x1200mm

Gloss Finish


Glazed Vitrified Tiles

Plant:SKD



600x1200mm I
PGVT CRYSTAL WHITE MARBLE

G3
R3
F4



600x1200mm I
PGVT DRAMATIC CALACATTA MARBLE

G3
R3
F4



Preview Shown: PGVT ENDLESS STATUARIO WHITE


WHITE MARBLE

600x1200mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD



Bookmatch
laying drawing



600x1200mm |
PGVT TRIANGLE MAKRANA BIANCO BM

G3
R1
F1



Tile Faces
representation



Preview Shown: **ROCKER ANTIQUE MARBLE**

WHITE MARBLE

600x1200mm

Matte Finish

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



G4
R3
F4

600x1200mm |
SATIN ONYX WHITE



G5
R3
F4

600x1200mm |
ROCKER ANTIQUE MARBLE


WHITE MARBLE

- 800x800mm
- Gloss Finish
- Glazed Vitrified Tiles
- Plant: West Zone



G3
F2

800x800mm |
PGVT SWAN MARBLE



G3
F1

800x800mm |
PGVT AQUA MARINA MARBLE



Preview Shown: PGVT AQUA MARINA MARBLE


WHITE MARBLE

600x600mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD




G3
R3
F4

600x600mm |
PGVT CARRARA BIANCO MARBLE




G3
R3
F4

600x600mm |
PGVT ELEGANT STATUARIO




G3
R2
F4

600x600mm |
PGVT MAKRANA BIANCO




G3
R2
F4

600x600mm |
PGVT CARARA ELEGANCE



G3
R2
F4

600x600mm |
PGVT STATUARIO MARBLE GOLD



G3
R3
F4

600x600mm |
PGVT STATUARIO ULTRA





Preview Shown: PGVT STATUARIO MARBLE GOLD & DGVT VENEER TEAK WOOD



G3
R1
F1

600x600mm |
PCG ARABESCATO STATUARIO BM



Bookmatch
laying drawing

Tile Faces
representation

WHITE MARBLE

600x600mm

Gloss Finish

Porcelain Tiles

Plant:SKD

VALENCICA



Preview Shown: PCG ARABESCATO STATUARIO BM

WHITE MARBLE

600x600mm

Gloss Finish Stylized

Porcelain Tiles


Plant:SKD

VALENCICA




G3
R1
F1

600x600mm |
PCG MESH CARRARA VENATO




G3
R1
F1

600x600mm |
PCG 3D FLOWER STATUARIO SUPER WHITE



G3
R1
F1

600x600mm |
PCG 3D WHITE DIAMONDS



G3
R1
F1

600x600mm |
PCG 3D SILVER LEAF



Preview Shown: PCG CARRARA VENATO MARBLE & PCG MESH CARRARA VENATO



Preview Shown: PCG 3D WHITE DIAMONDS

WHITE MARBLE

600x600mm

Gloss Finish

Porcelain Tiles


Plant:SKD

VALENCICA




G3
R3
F4

600x600mm |
PCG CARRARA VENATO MARBLE



G3
R2
F4

600x600mm |
PCG SUPER STATUARIO WHITE



G3
R3
F4

600x600mm |
PCG SWAN MARBLE



Preview Shown: PCG CARRARA VENATO MARBLE


WHITE MARBLE

600x600mm

Matte Finish


FT+GFT Tiles

Plant:SKD/DORA




G5
R2
F4

600x600mm |
GFT ODP STATUARIO FT



G5
R3
F4

600x600mm |
GFT FT ALPS GREY



G5
R3
F4

600x600mm |
GFT BDF ONYX WHITE FT



Preview Shown: GFT ODP STATUARIO FT

GREY MARBLE

- 800x2400mm
- Gloss Finish
- Glazed Vitrified Tiles
- Plant: West Zone

GRANALT



800x2400mm |
GRANALT GREY

INSPIRE

GREY MARBLE

800x1600mm

Gloss Finish

Glazed Vitrified Tiles

Plant: West Zone



G3
F4
R2

800x1600mm |
PGVT NILE QUARTZITE GREY



Preview Shown: PGVT NILE QUARTZITE GREY




800x1600mm

Gloss Finish

Glazed Vitrified Tiles

Plant:West Zone



G3
F4
R2

800x1600mm |
PGVT ARMANI MARBLE GREY LT



G3
F4
R2

800x1600mm |
PGVT ARMANI MARBLE GREY DK



G3
F4
R2

800x1600mm |
PGVT VALENTINO QUARTZITE GREY

GREY MARBLE

600x1200mm

Gloss Finish Stylized

Glazed Vitrified Tiles


Plant:SKD

INSPIRE




600x1200mm |
DECOR GEOMETRIC FLORAL GREY

Choose The base You Like



G3
R3
F4

600x1200mm |
PGVT CEPPO STONE GREY LT




G3
R3
F4

600x1200mm |
PGVT TRAVERTINE GREY



G3
R3
F4

600x1200mm |
PGVT MONACO GREY




600x1200mm |
PGVT VENEZIA CLASSIC GREY



600x1200mm |
PGVT TRAVERTINE GREY

G3
R3
F4



600x1200mm |
PGVT CEPPO STONE GREY LT

G3
R3
F4



600x1200mm |
PGVT ROYAL DYNA GREY

G3
R3
F4

GREY MARBLE

600x1200mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



Preview Shown: PGVT TRAVERTINE GREY


GREY MARBLE

600x1200mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD



600x1200mm |
PGVT VENEZIA CLASSIC SILVER

G3
R3
F4



600x1200mm |
PGVT CEPPO STONE GREY DK

G3
R3
F4



600x1200mm |
PGVT FLAGSTONE GREY

G3
R3
F4



600x1200mm |
PGVT MONACO GREY

G3
R3
F4



Preview Shown: PGVT CEPPO STONE GREY LT & PGVT CEPPO STONE GREY DK



600x1200mm |
PGVT GREY STONE MARBLE

G3
R3
F4



600x1200mm |
PGVT VENEZIA CLASSIC GREY

G3
R3
F4



600x1200mm |
PGVT SOAPSTONE SMOKY

G3
R3
F4

GREY MARBLE

600x1200mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



Preview Shown: PGVT GREY STONE MARBLE


GREY MARBLE

600x1200mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD



Bookmatch
laying drawing




600x1200mm |
PGVT TRIANGLE ONYX MULTI BM

G3
R1
F1




Tile Faces
representation



600x1200mm |
SUPER GLOSS TAURUS BLACK MARBLE

G3
R3
F4



600x1200mm |
SUPER GLOSS PIETRA GREY

G3
R3
F4

GREY MARBLE

600x1200mm

Super Gloss Finish

Glazed Vitrified Tiles

Plant:SKD



Preview Shown: SUPER GLOSS TAURUS BLACK MARBLE

GREY MARBLE


600x1200mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



Bookmatch
laying drawing



600x1200mm |
PGVT TRIANGLE ROYAL DYNA GREY BM

G3
R1
F1



Tile Faces
representation



600x1200mm |
DGV REAL TRAVERTINE GREY

G5
R4
F4

GREY MARBLE

600x1200mm

Matte Finish

Glazed Vitrified Tiles

Plant:SKD




Preview Shown: DGV REAL TRAVERTINE GREY

GREY CEMENT


INSPIRE

- 800x1600mm
- Matte Finish
- Glazed Vitrified Tiles
- Plant:West Zone



800x1600mm |
DGV T SAND SILVER

G5
F4
R2



800x1600mm |
DGV T SAND GREY LT

G3
F4
R2



800x1600mm |
DGV T SAND GREY DK

G5
F4
R2



GREY CEMENT

600x1200mm

Matte Finish Stylized

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



600x1200mm |
DECOR MOROCCAN ART BLACK WHITE

Choose The base You Like




G5
R3
F4

600x1200mm |
ROCKER ANTIQUE MARBLE



G5
R3
F4

600x1200mm |
DGV CEMENTUM GRIS



G5
R3
F4

600x1200mm |
DGV SMOKY GREY LIGHT



G5
R2
F4

600x1200mm |
DGV SMOKY GREY DARK



600x1200mm |
DECOR MOROCCAN ART GREY

GREY CEMENT

600x1200mm


Matte Finish Stylized

Glazed Vitrified Tiles

Plant:SKD

INSPIRE

Choose The base You Like



G5
R3
F4

600x1200mm |
DGV T SMOKY GREY LIGHT



G5
R3
F4

600x1200mm |
DGV T CEMENTUM GRIS



G5
R4
F4

600x1200mm |
DGV T REAL TRAVERTINE GREY




G5
R2
F4

600x1200mm |
DGV T SMOKY GREY DARK

GREY CEMENT


- 600x1200mm
- Matte Finish Stylized
- Glazed Vitrified Tiles
- Plant:SKD

INSPIRE



600x1200mm |
DECOR SQUARE TRIANGLE GREY

Choose The base You Like



G5
R3
F4

600x1200mm |
DGV T SMOKY GREY LIGHT



G5
R3
F4

600x1200mm |
DGV T CEMENTUM GRIS




G5
R4
F4

600x1200mm |
DGV T REAL TRAVERTINE GREY




G5
R2
F4

600x1200mm |
DGV T SMOKY GREY DARK



600x1200mm I
DGVt SAND GREY LT

G5
R3
F4



600x1200mm I
DGVt SAND GREY DK

G5
R3
F4

GREY CEMENT

600x1200mm

Matte Finish

Glazed Vitrified Tiles

Plant:SKD



600x1200mm I
DGVt SANDSTONE GREY LT

G5
R3
F4



600x1200mm I
DGVt SANDSTONE GREY DK

G5
R3
F4



Preview Shown: DGVt SANDSTONE GREY DK & DGVt SANDSTONE GREY LT

GREY CEMENT

—600x1200mm

—Matte Finish

—Glazed Vitrified Tiles


—Plant:SKD

INSPIRE



G5
R3
F4

600x1200mm |
DGV T CEMENTUM GRIS



G5
R3
F4

600x1200mm |
DGV T SMOKY GREY LIGHT



Preview Shown: DGV T SMOKY GREY LIGHT & DGV T SMOKY GREY DARK



G5
R2
F4

600x1200mm |
DGV T SMOKY GREY DARK



Preview Shown: DGV T CEMENTUM GRIS

GREY MARBLE

— 600x600mm

— Gloss Finish

— Glazed Vitrified Tiles

— Plant:SKD



600x600mm |
PGVT SPICE GRIS

G3
R2
F4





Preview Shown: PGVT SPICE GRIS



G3
R1
F1

600x600mm |
PGVT ONYX GREY BM



Bookmatch
laying drawing

Tile Faces
representation

GREY MARBLE

600x600mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



Preview Shown: PGVT ONYX GREY BM

GREY MARBLE

600x600mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD




G3
R2
F4

600x600mm |
PGVT MARVEL BIANCO




Preview Shown: PGVT SILVER FALLS NATURAL GREY




G3
R3
F3

600x600mm |
PGVT PORINO IVORY



G3
R4
F4

600x600mm |
PGVT PORINO GREY




G3
R3
F4

600x600mm |
PGVT SILVER FALLS NATURAL GREY



G3
R2
F4

600x600mm |
PGVT PRIME DYNA GREY



G3
R3
F4

600x600mm |
PGVT EMPERADOR STONE MARBLE



G3
R4
F4

600x600mm |
PGVT GREY STONE MARBLE

GREY MARBLE

600x600mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



Preview Shown: PGVT EMPERADOR STONE MARBLE & GRANALT SNP NERO

GREY MARBLE


600x600mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



G3
R3
F4

600x600mm |
PGVT SPIDER MARBLE GREY LT



G3
R3
F4

600x600mm |
PGVT SPIDER MARBLE GREY DK




Preview Shown: PGVT SPIDER MARBLE GREY DK & PGVT SPIDER MARBLE GREY LT




G3
R3
F4

600x600mm |
PGVT ARMANI MARBLE GREY LT



G3
R3
F4

600x600mm |
PGVT ARMANI MARBLE GREY DK



600x600mm |
PGVT PRIME DYNA SILVER

G3
R3
F4



600x600mm |
PGVT GRAINY SAND GREY LT

G3
R3
F4



600x600mm |
PGVT GRAINY SAND GREY DK

G3
R3
F4

GREY MARBLE

600x600mm

Gloss Finish

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



Preview Shown: PGVT GRAINY SAND GREY LT & PGVT GRAINY SAND GREY DK





Preview Shown: PCG CRYSTAL ONYX

GREY MARBLE


600x600mm

Gloss Finish

Porcelain Tiles

Plant:SKD

VALENCICA




G3
R3
F4

600x600mm |
PCG ONYX MULTI




G3
R3
F4

600x600mm |
PCG ONYX RIVER



G3
R3
F4

600x600mm |
PCG BOTTOCHINO LIGHT



G3
R3
F4

600x600mm |
PCG CRYSTAL ONYX

GREY MARBLE

- 600x600mm
- Matte Finish
- FT+GFT Tiles
- Plant:SKD/DORA



600x600mm |
GFT FT AMO GREY

G5
F4
R3





GREY CEMENT

600x600mm

Matte Finish

FT+GFT Tiles

Plant:SKD



F2

600x600mm |
GFT BDF MODERN SLATE CHARCOAL

Preview Shown: GFT BDF MODERN SLATE CHARCOAL & GFT BDF RUSTIC NATURAL BROWN


GREY CEMENT

600x600mm

Matte Finish


Glazed Vitrified Tiles

Plant:SKD



G5
R2
F4

600x600mm |
DGV BARCA GREY




G5
R2
F2

600x600mm |
DGV MODENA GREY



G5
R2
F4

600x600mm |
DGV CEMENTO GREY



G5
R3
F4

600x600mm |
DGV DERBY SILVER



G5
R2
F4

600x600mm |
DGV BARCA SLATE





600x600mm |
DGV T MODENA SLATE

G5
R2
F2



600x600mm |
DGV T JUNGI MULTI

G5
R3
F4

GREY CEMENT

600x600mm

Matte Finish

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



Preview Shown: DGV T JUNGI MULTI





Preview Shown: GFT BDF SAND SILVER FT


GREY CEMENT

600x600mm

Matte Finish


FT+GFT Tiles

Plant:SKD/DORA



G5
R3
F4

600x600mm |
GFT BDF SAND SILVER FT



G5
R3
F4

600x600mm |
GFT BDF SAND GREY LT FT



G5
R2
F2

600x600mm |
GFT FT BLEND GREY

GREY CEMENT

600x600mm

Matte Finish

Porcelain Tiles

Plant:SKD

VALENCICA



G5
R3
F4

600x600mm |
PCM GLACIER WHITE



G5
R3
F4

600x600mm |
PCM GLACIER GREY





GREY CEMENT

600x600mm

Matte Finish Stylized

FT+GFT Tiles

Plant:SKD/DORA



G5
R3
F4

600x600mm |
GFT BDF MOROCCAN ART GREY FT

Preview Shown: GFT BDF MOROCCAN GREY FT



Preview Shown: PCG ICE BLUE MARBLE

Application Areas



Black & Blue Marble



Code Description

DGVT- Digital Glazed Vitrified Tiles | PGVT- Polished Glazed Vitrified Tiles

PCG- Porcelain Gloss | GFT- Germfree Tiles | BDF- Orientbell Digital Forever

R1- No Variation | R2- Slight Variation | R3- More Variation | R4- Most Variation

F1- 1 Face | F2- 2 Face | F3- 3 Face | F4- 4 Face | F5- 5 Face | F6- 6 Face | F7- 7 Face | F8- 8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters

BLACK MARBLE

- 800x2400mm
- Gloss Finish
- Full Body Vitrified Tiles
- Plant:West Zone

GRANALT



800x2400mm |
GRANALT SNP NERO



800x2400mm |
GRANALT SNP BLACK




800x2400mm


Gloss Finish

Glazed Vitrified Tiles


Plant:West Zone




800x2400mm |
GRANALT PORTORO GOLD



800x2400mm |
GRANALT GALACTIC BLUE



800x2400mm |
GRANALT ROYAL BLACK




800x2400mm |
GRANALT FB RICH BLACK

FB

BLACK MARBLE


- 800x1600mm
- Super Gloss Finish
- Glazed Vitrified Tiles
- Plant: West Zone

INSPIRE



G3
F4
R2

800x1600mm |
SUPER GLOSS PORTORO WHITE VEIN MARBLE



G3
F4
R2

800x1600mm |
SUPER GLOSS BLACK GOLDEN MARBLE



Preview Shown: SUPER GLOSS PORTORO WHITE VEIN MARBLE

BLACK MARBLE

- 600x1200mm
- Super Gloss Finish
- Glazed Vitrified Tiles
- Plant:SKD



G3
R1
F1

600x1200mm |
SUPER GLOSS TRIANGLE ROYAL BLACK BM




G3
R3
F4

600x1200mm |
SUPER GLOSS MARQUINA BLACK




G3
R3
F4

600x1200mm |
SUPER GLOSS WHITE STRIPS SUPER BLACK




G3
R3
F4

600x1200mm |
SUPER GLOSS PORTORO SILVER MARBLE



G3
R3
F4

600x1200mm |
SUPER GLOSS EMPERADOR BROWN MARBLE



G3
R3
F4

600x1200mm |
SUPER GLOSS PORTORO GOLD MARBLE


BLACK MARBLE

600x600mm

Super Gloss Finish


Glazed Vitrified Tiles

Plant:SKD




G3
R3
F4

600x600mm |
SUPER GLOSS PORTORO GOLD



G3
R3
F4

600x600mm |
SUPER GLOSS NEGRO MARBLE



G3
R3
F4

600x600mm |
SUPER GLOSS BELGIUM BLACK MARBLE




Preview Shown: SUPER GLOSS BELGIUM BLACK MARBLE

BLUE MARBLE

- 600x1200mm
- Gloss Finish
- Glazed Vitrified Tiles
- Plant:SKD

INSPIRE



G3
R3
F4

600x1200mm |
PGVT ROYAL OPERA BLUE




G3
R4
F4

600x1200mm |
PGVT ENDLESS ONYX BLUE



G3
R3
F4

600x1200mm |
PGVT ARMANI MARBLE BLUE LT



G3
R3
F4

600x1200mm |
PGVT ARMANI MARBLE STEEL BLUE




G3
R3
F4

600x1200mm |
PGVT ARMANI MARBLE BLUE DK



Preview Shown: PGVT ARMANI MARBLE BLUE DK & PGVT ARMANI MARBLE BLUE LT



600x1200mm |
SUPER GLOSS CRYSTAL BLUE MARBLE

G3
R4
F4

BLUE MARBLE

600x1200mm

Super Gloss Finish

Glazed Vitrified Tiles

Plant: West Zone

INSPIRE



Preview Shown: SUPER GLOSS CRYSTAL BLUE MARBLE & PGVT FLAGSTONE GREY



BLUE MARBLE

600x600mm

Gloss Finish

Porcelain Tiles



Plant:SKD

VALENCICA




G3
R1
F1

600x600mm |
PCG ONYX BLUE BM




Bookmatch
laying drawing

Tile Faces
representation



G3
R4
F4

600x600mm |
PCG SWAN MARBLE BLUE



G3
R4
F4

600x600mm |
PCG ICE BLUE MARBLE

BLUE CEMENT

- 600x600mm
- Matte Finish
- FT+GFT Tiles
- Plant:SKD/DORA



600x600mm |
GFT BDF CEMENTO LT BLUE

G5
R3
F4



600x600mm |
GFT BDF CEMENTO DK BLUE

G5
R3
F4





BLUE WOOD

600x600mm

Matte Finish

FT+GFT Tiles

Plant:SKD/DORA




600x600mm |
GFT BDF STRIP WOOD GREY

G5
R3
F4

Preview Shown: GFT BDF STRIP WOOD GREY

BLUE STYLIZED

- 600x600mm
- Matte Finish
- Glazed Vitrified Tiles
- Plant:SKD



600x600mm |
DGV T ANKARA MULTI

G5
R1
F1



Preview Shown: DGV T ANKARA MULTI

BLUE STYLIZED


600x600mm

Gloss Finish

Porcelain Tiles

Plant:SKD

VALENCICA



G3
R1
F1

600x600mm |
PCG 3D VENN BLUE WAVE

Preview Shown: PCG 3D VENN BLUE WAVE



Preview Shown: PGVT REAL TRAVERTINE BEIGE & EHM STACKED STONE WHITE

Application Areas



Beige-Brown Marble & Planks



Code Description

DGVT-Digital Glazed Vitrified Tiles | PGVT- Polished Glazed Vitrified Tiles | OT-Orient Tile | PCG- Porcelain Gloss |

GFT- Germfree Tiles | FT- Forever Tiles | ODP- Orientbell Digital Porcelain | BDF- Orientbell Digital Forever

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters



GRANALT

BEIGE & BROWN

800x2400mm


Gloss Finish

Glazed Vitrified Tiles

Plant:West Zone



800x2400mm |
GRANALT SNP CREMA



800x2400mm |
GRANALT IVORY



800x2400mm |
GRANALT BROWN

BEIGE & BROWN


- 800x1600mm
- Gloss Finish
- Glazed Vitrified Tiles
- Plant: West Zone

INSPIRE



G3
F4
R2

800x1600mm |
PGVT ONYX PEARL



G3
F4
R2

800x1600mm |
PGVT ARMANI MARBLE CREMA



G3
F4
R2

800x1600mm |
PGVT DYNA BEIGE

800x1600mm

Gloss Finish

Glazed Vitrified Tiles

Plant:West Zone




G3
F4
R2

800x1600mm |
PGVT BRECCIA MARBLE BEIGE



G3
F4
R2

800x1600mm |
PGVT ENDLESS SOFITA BEIGE




G3
F4
R2

800x1600mm |
PGVT ARMANI MARBLE BROWN

BEIGE & BROWN


- 800x1600mm
- Super Gloss Finish
- Glazed Vitrified Tiles
- Plant: West Zone

INSPIRE




800x1600mm |
SUPER GLOSS EMPERADOR MARBLE BROWN

G3
F4
R2



600x1200mm |
PGVT BOTTOCINO BEIGE LT

G3
R3
F4



600x1200mm |
PGVT MIDTOWN LIGHT

G3
R3
F4

BEIGE & BROWN

600x1200mm

Gloss Finish Marble

Glazed Vitrified Tiles

Plant:SKD



Preview Shown: PGVT MIDTOWN LIGHT

BEIGE & BROWN

- 600x1200mm
- Gloss Finish Marble
- Glazed Vitrified Tiles
- Plant:SKD

INSPIRE



G3
R3
F4

600x1200mm |
PGVT FOG ONYX BEIGE




Preview Shown: PGVT FOG ONYX BEIGE



G3
R4
F4

600x1200mm |
PGVT VENATO BEIGE



G3
R4
F4

600x1200mm |
PGVT OMANI BEIGE MARBLE



Preview Shown: PGVT GIALLO SIENA

BEIGE & BROWN

600x1200mm

Gloss Finish Marble

Glazed Vitrified Tiles

Plant:SKD



600x1200mm |
PGVT GIALLO SIENA

G3
R1
F1

BEIGE & BROWN

- 600x1200mm
- Gloss Finish Marble
- Glazed Vitrified Tiles
- Plant:SKD



600x1200mm |
PGVT ATLANTIS BEIGE

G3
R3
F4




600x1200mm |
PGVT SANDSTONE BEIGE

G3
R3
F4



600x1200mm |
PGVT BOTTOCINO BEIGE DK

G3
R3
F4



600x1200mm |
PGVT CALIFORNIA BEIGE

G3
R3
F4

BEIGE & BROWN

600x1200mm

Glossy Finish Stylized

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



600x1200mm |
DECOR BOTTOCINO FLORA BEIGE

Choose The base You Like



G3
R3
F4

600x1200mm |
PGVT BOTTOCINO BEIGE LT



G3
R3
F4

600x1200mm |
PGVT BOTTOCINO BEIGE DK



G3
R3
F4

600x1200mm |
PGVT ATLANTIS BEIGE



G3
R3
F4

600x1200mm |
PGVT SANDSTONE BEIGE

BEIGE & BROWN

- 600x1200mm
- Glossy Finish Stylized
- Glazed Vitrified Tiles
- Plant:SKD

INSPIRE



600x1200mm |
DECOR DIAMOND ENCUASTIC MULTI

Choose The base You Like



G3
R3
F4

600x1200mm |
PGVT MIDTOWN LIGHT



G3
R3
F4

600x1200mm |
PGVT MIDTOWN BEIGE DK



G3
R3
F4

600x1200mm |
PGVT TRAVERTINO MARBLE



G3
R3
F4

600x1200mm |
PGVT BOTTICINO BEIGE DK



600x1200mm |
DECOR GEOMETRIC MULTI

BEIGE & BROWN

600x1200mm


Glossy Finish Stylized

Glazed Vitrified Tiles

Plant:SKD

INSPIRE

Choose The base You Like



600x1200mm |
PGVT MIDTOWN LIGHT

G3
R3
F4



600x1200mm |
PGVT BOTTOCINO BEIGE DK

G3
R3
F4



600x1200mm |
PGVT MIDTOWN BEIGE DK

G3
R3
F4




600x1200mm |
PGVT TRAVERTINO MARBLE

G3
R3
F4


BEIGE & BROWN

- 600x1200mm
- Gloss Finish Marble
- Glazed Vitrified Tiles
- Plant:SKD




600x1200mm I
PGVT ONYX IVORY

G3
R3
F4




600x1200mm I
PGVT VENEZIA CLASSIC CREAMA

G3
R3
F4



600x1200mm I
PGVT CLASSIC DYNA BEIGE

G3
R3
F4



600x1200mm I
PGVT MONACO CREAMA

G3
R3
F4

BEIGE & BROWN

600x1200mm

Gloss Finish Marble

Glazed Vitrified Tiles

Plant:SKD



G3
R4
F4

600x1200mm |
PGVT ROYAL DYNA BEIGE



G3
R3
F4

600x1200mm |
PGVT TRAVERTINO MARBLE



G3
R3
F4


600x1200mm |
PGVT REAL TRAVERTINE BEIGE



Preview Shown: PGVT ROYAL DYNA BEIGE

BEIGE & BROWN

- 600x1200mm
- Gloss Finish Marble
- Glazed Vitrified Tiles
- Plant:SKD




G3
R3
F4

600x1200mm |
PGVT VENEZIA CLASSIC BEIGE



G3
R4
F4


600x1200mm |
PGVT CLASSIC EMPERADOR BEIGE MARBLE



G3
R4
F4

600x1200mm |
PGVT ONYX BEIGE





600x1200mm |
PGVT EMPERADOR BEIGE

G3
R3
F4



600x1200mm |
PGVT MIDTOWN BEIGE DK

G3
R3
F4


BEIGE & BROWN

600x1200mm

Gloss Finish Marble

Glazed Vitrified Tiles

Plant:SKD



600x1200mm |
PGVT MONACO BROWN

G3
R3
F4



600x1200mm |
PGVT SOAPSTONE BROWN

G3
R3
F4




Preview Shown: PGVT MIDTOWN BEIGE DK & PGVT MIDTOWN BEIGE LIGHT

BEIGE & BROWN


- 600x1200mm
- Glossy Finish Stylized
- Glazed Vitrified Tiles
- Plant:SKD

INSPIRE



600x1200mm |
DECOR STAR MULTI

Choose The base You Like



600x1200mm |
PGVT MIDTOWN LIGHT

G3
R3
F4



600x1200mm |
PGVT ATLANTIS BEIGE

G3
R3
F4



600x1200mm |
PGVT MIDTOWN BEIGE DK

G3
R3
F4



600x1200mm |
PGVT BOTTOCINO BEIGE DK

G3
R3
F4

BEIGE & BROWN

600x1200mm

Glossy Finish Stylized

Glazed Vitrified Tiles

Plant:SKD

INSPIRE



600x1200mm |
DECOR FABRIC STRIPS MULTI

Choose The base You Like




600x1200mm |
PGVT BOTTOCINO BEIGE LT

G3
R3
F4



600x1200mm |
PGVT ATLANTIS BEIGE

G3
R3
F4



600x1200mm |
PGVT MIDTOWN BEIGE DK

G3
R3
F4




600x1200mm |
PGVT BOTTOCINO BEIGE DK

G3
R3
F4


BEIGE & BROWN

- 600x1200mm
- Gloss Finish Marble
- Glazed Vitrified Tiles
- Plant:SKD

INSPIRE



Bookmatch
laying drawing



600x1200mm |
PGVT DOME ONYX BM

G3
R1
F1



Tile Faces
representation

BEIGE & BROWN


600x1200mm

Super Gloss Finish Marble

Glazed Vitrified Tiles

Plant:SKD

INSPIRE




600x1200mm |
SUPER GLOSS MARMI GRAFITE

G3
R3
F4



600x1200mm |
SUPER GLOSS IGNEOUS ROCK

G3
R3
F4



600x1200mm |
SUPER GLOSS AGATA BROWN

G3
R3
F4



Preview Shown: SUPER GLOSS AGATA BROWN

BEIGE & BROWN


800x1600mm

Matte Finish Cement

Glazed Vitrified Tiles

Plant: West Zone

INSPIRE




G5
F4
R2

800x1600mm |
DGVT SAND IVORY



G5
F4
R2

800x1600mm |
DGVT SAND MOCCA



G5
F4
R2

800x1600mm |
DGVT SAND BEIGE

800x1600mm

Matte Finish Cement

Glazed Vitrified Tiles

Plant:West Zone



G5
F4
R2

800x1800mm |
DGV T SAND BROWN LT



G5
F4
R2

800x1600mm |
DGV T SAND BROWN DK



Preview Shown: DGV T SAND BROWN LT




BEIGE & BROWN

600x1200mm

Matte Finish


Glazed Vitrified Tiles

Plant:SKD



600x1200mm I
DGV TerraZZo Multi

G5
R3
F4



600x1200mm I
DGV TerraZZo Brown

G5
R3
F4



Preview Shown: DGV TerraZZo Multi

BEIGE & BROWN

- 600x1200mm
- Matte Finish Marble
- Glazed Vitrified Tiles
- Plant:SKD

INSPIRE



G5
R3
F4

600x1200mm |
ROCKER TRAVERTINO GOLD




Preview Shown: ROCKER TRAVERTINO GOLD



G5
R4
F4

600x1200mm |
ROCKER DESERT BEIGE



G4
R3
F4

600x1200mm |
SATIN SOFTMARBO

BEIGE & BROWN

600x1200mm

Matte Finish

Glazed Vitrified Tiles

Plant:SKD

INSPIRE




600x1200mm |
DGV CLASSIC MARFIL

G5
R3
F4




600x1200mm |
ROCKER CLASSIC MARFIL

G5
R3
F4



600x1200mm |
DGV SMOKY BEIGE LIGHT

G5
R3
F4



Preview Shown: DGV SMOKY BEIGE LIGHT & DGV SMOKY BEIGE DARK

BEIGE & BROWN

- 600x1200mm
- Matte Finish
- Glazed Vitrified Tiles
- Plant:SKD



600x1200mm |
DGV T REAL TRAVERTINE BEIGE

G5
R4
F4



600x1200mm |
DGV T SMOKY BEIGE DARK

G5
R2
F4



600x1200mm |
DGV T SAND BROWN DK

G5
R3
F4



600x1200mm |
DGV T CIPOLLINO MARBLE ROCK

G5
R3
F4





600x1200mm |
DECOR MOROCCAN SPANISH ART MULTI

BEIGE & BROWN

600x1200mm


Matte Finish Stylized

Glazed Vitrified Tiles

Plant:SKD


INSPIRE

Choose The base You Like



600x1200mm |
DGVT SMOKY BEIGE LIGHT

G5
R3
F4



600x1200mm |
DGVT SAND BEIGE

G5
R3
F4



600x1200mm |
DGVT SMOKY BEIGE DARK

G5
R2
F4



600x1200mm |
DGVT SAND BROWN DK

G5
R3
F4

BEIGE & BROWN

- 600x1200mm
- Matte Finish
- Glazed Vitrified Tiles
- Plant:SKD



600x1200mm |
DGVT HICKORY WOOD BEIGE

G5
R3
F4



600x1200mm |
DGVT VENEZIA OAK WOOD

G5
R3
F4




600x1200mm |
TUSCANY WOOD BROWN

G5
R2
F4




600x1200mm |
DGVT HICKORY WOOD BROWN

G5
R3
F4



600x1200mm I
DGV DOUBLE HERRINGBONE OAK WOOD

G5
R3
F4



600x1200mm I
DGV STRIPS OAK WOOD MULTI

G5
R3
F4

BEIGE & BROWN

600x1200mm

Matte Finish

Glazed Vitrified Tiles

Plant:SKD



Preview Shown: DGV DOUBLE HERRINGBONE OAK WOOD

BEIGE & BROWN

- 600x1200mm
- Matte Finish Stylized
- Glazed Vitrified Tiles
- Plant:SKD

INSPIRE



G5
R1
F1

600x1200mm |
ROCKER LINE ART BEIGE HL



BEIGE & BROWN


600x600mm

Gloss Finish Marble

Glazed Vitrified Tiles


Plant:SKD

INSPIRE



G3
R1
F1

600x600mm |
PGVT NATURAL ONYX BROWN BM



Bookmatch
laying drawing

Tile Faces
representation




Preview Shown: PGVT NATURAL ONYX BROWN BM

BEIGE & BROWN

- 600x600mm
- Gloss Finish Marble
- Glazed Vitrified Tiles
- Plant:SKD

INSPIRE




G3
R1
F1

600x600mm |
PGVT SKY ONYX MULTI BM



107

Preview Shown: PGVT SKY ONYX MULTI BM



Bookmatch
laying drawing

Tile Faces
representation

BEIGE & BROWN


600x600mm

Gloss Finish Marble

Porcelain Tiles


Plant:SKD

VALENCICA



G3
R1
F1

600x600mm |
PCG RADIANT ONYX BM



Bookmatch
laying drawing

Tile Faces
representation



Preview Shown: PCG RADIANT ONYX BM

BEIGE & BROWN


- 600x600mm
- Gloss Finish Marble
- Porcelain Tiles
- Plant:SKD

VALENCICA



G3
R1
F1

600x600mm |
PCG ONYX BROWN BM



Bookmatch
laying drawing

Tile Faces
representation


BEIGE & BROWN

600x600mm

Gloss Finish Marble


Porcelain Tiles

Plant:SKD



G3
R3
F4

600x600mm |
PCG CALCUTTA GOLD MARBLE



G3
R3
F4

600x600mm |
PCG GIALLO SIENA LIGHT



G3
R3
F4


600x600mm |
PCG ONYX PEARL



Preview Shown: PCG CALCUTTA GOLD MARBLE & PCG ALICANTE BROWN MARBLE

BEIGE & BROWN

- 600x600mm
- Gloss Finish Marble
- Glazed Vitrified Tiles
- Plant:SKD



G3
R2
F2

600x600mm |
PGVT ISTAN IVORY



Preview Shown: PGVT ONIXO BEIGE



G3
R2
F2

600x600mm |
PGVT ROSALIE BEIGE




G3
R2
F3

600x600mm |
PGVT MORACCO BEIGE



G3
R2
F2

600x600mm |
PGVT DEMRE BEIGE



G3
R3
F4

600x600mm |
PGVT ONIXO BEIGE


BEIGE & BROWN

600x600mm

Gloss Finish Marble


Glazed Vitrified Tiles

Plant:SKD



G3
R3
F4

600x600mm |
PGVT S TRAVERTINO BEIGE




G3
R3
F4

600x600mm |
PGVT PARADISE



G3
R2
F4

600x600mm |
PGVT ONYX VERDE



G3
R2
F2

600x600mm |
PGVT GROOVE CREAMA



G3
R3
F3

600x600mm |
PGVT PORINO BEIGE



Preview Shown: PGVT PARADISE

BEIGE & BROWN

- 600x600mm
- Gloss Finish Marble
- Glazed Vitrified Tiles
- Plant:SKD




G3
R3
F4

600x600mm |
PGVT CLASSIC DYNA MARBLE BEIGE



G3
R3
F4

600x600mm |
PGVT BOTTICINO MARFIL



G3
R3
F4

600x600mm |
PGVT GRIGIO MARBLE BEIGE



G3
R2
F4

600x600mm |
PGVT PRIME DYNA BEIGE



G3
R3
F4

600x600mm |
PGVT TRAVERTINE CREMA




BEIGE & BROWN

600x600mm

Gloss Finish Marble


Glazed Vitrified Tiles

Plant:SKD



G3
R2
F4

600x600mm |
PGVT SILVER FALLS NATURAL BEIGE



G3
R2
F4

600x600mm |
PGVT TURIN BROWN



G3
R3
F4

600x600mm |
SUPER GLOSS RAINFOREST



Preview Shown: PGVT TURIN BROWN

BEIGE & BROWN

- 600x600mm
- Gloss Finish Marble
- Glazed Vitrified Tiles
- Plant:SKD




G3
R3
F4

600x600mm |
PGVT SOFITEL GOLD VEIN MARBLE



G3
R3
F4

600x600mm |
PGVT SOFITA BEIGE MARBLE



G3
R2
F2


600x600mm |
PGVT CLASSIC EMPERADOR BEIGE MARBLE



G3
R3
F3

600x600mm |
PGVT ARMANI MARBLE BROWN






BEIGE & BROWN

600x600mm

Gloss Finish Marble

Glazed Vitrified Tiles

Plant:SKD



600x600mm |
PGVT GRIGIO MARBLE BROWN

Preview Shown: PGVT GRIGO MARBLE BROWN & PGVT WHITE ONYX GOLD VEIN

G3
R3
F4

BEIGE & BROWN


- 600x600mm
- Gloss Finish Marble
- Porcelain Tiles
- Plant:SKD

VALENCICA



G3
R3
F4

600x600mm |
PCG ERAMOSA MARBLE



G3
R3
F4

600x600mm |
PCG ALICANTE BROWN MARBLE



G3
R3
F4

600x600mm |
PCG AGATA GRANITE MARBLE





G3
R1
F1

600x600mm |
PCG MOORISH WOOD



G3
R1
F1

600x600mm |
PCG SQUARE MULTI WOOD



G3
R1
F1

600x600mm |
PCG CLASSICAL WOODEN

BEIGE & BROWN

600x600mm

Gloss Finish Wood Stylized

Porcelain Tiles

Plant:SKD

VALENCICA




Preview Shown: PCG MOORISH WOOD



Preview Shown: PCG SQUARE MULTI WOOD


BEIGE & BROWN

- 600x600mm
- Super Gloss Finish Marble
- Glazed Vitrified Tiles
- Plant:SKD



G3
R3
F4

600x600mm |
SUPER GLOSS MYSTIC BROWN




G3
R3
F4

600x600mm |
SUPER GLOSS TAURUS BLACK




Preview Shown: SUPER GLOSS AGATA BROWN




G3
R3
F4

600x600mm |
SUPER GLOSS TAURUS BROWN




G3
R1
F1

600x600mm |
SUPER GLOSS EMPERADOR GOLD MARBLE



G3
R3
F4

600x600mm |
SUPER GLOSS AGATA BROWN



G3
R3
F4

600x600mm |
SUPER GLOSS AGATA GRANITE GOLD



BEIGE & BROWN

600x600mm

Matte Finish Marble

FT+GFT Tiles

Plant:SKD/DORA



600x600mm |
GFT FT MORRIS CREMA

G5
R3
F4

Preview Shown: GFT FT MORRIS CREMA

BEIGE & BROWN

- 600x600mm
- Matte Finish Marble
- FT+GFT Tiles
- Plant:SKD/DORA



600x600mm |
GFT BDF DYNA CREMA FT

G5
R3
F4



600x600mm |
GFT FT MORRIS BEIGE

G5
R3
F2



600x600mm |
GFT ODP NU ANDORA BROWN

G5
R2
F2



600x600mm |
GFT FT SABBIA BEIGE




600x600mm |
GFT FT MARCO BEIGE DK



600x600mm |
GFT FT MARCO BEIGE LT

F1



600x600mm |
GFT FT SABBIA BROWN




BEIGE & BROWN

600x600mm

Matte Finish Marble

Glazed Vitrified Tiles

Plant:SKD



G5
R3
F4

600x600mm |
DGVT TRAVERTINE BEIGE




G5
R3
F3

600x600mm |
DGVT PERLATO BROWN



G5
R2
F2

600x600mm |
DGVT TALI IVORY



G5
R3
F3

600x600mm |
DGVT PERLATO IVORY




Preview Shown: DGVT PERLATO IVORY

BEIGE & BROWN

- 600x600mm
- Matte Finish Wood
- Glazed Vitrified Tiles
- Plant:SKD

INSPIRE



600x600mm |
DGV T VENEER OAK WOOD BEIGE


G5
R3
F4



600x600mm |
DGV T CHESTNUT WOOD BROWN

G5
R3
F4





G5
R3
F4

600x600 mm |
PCM NATURAL PINE WOOD



G5
R3
F4

600x600 mm |
PCM VINTAGE OAK WOOD

BEIGE & BROWN

600x600mm

Matte Finish Wood

Porcelain Tiles

Plant:SKD

VALENCICA



Preview Shown: PCM NATURAL PINE WOOD

BEIGE & BROWN

— 600x600mm

— Matte Finish Wood

— FT+GFT Tiles

— Plant:SKD/DORA



600x600 mm |
GFT FT ANDES CREMA

G5
R2
F4



600x600 mm | GFT FT BAMBO

G5
R2
F4



600x600mm |
GFT BDF NATURAL MAPLE WOOD

G5
R3
F4





Preview Shown: GFT BDF STRIP WOOD BEIGE

BEIGE & BROWN

600x600mm

Matte Finish Wood

FT+GFT Tiles

Plant:SKD/DORA



G5
R3
F3

600x600mm |
GFT BDF ANTIQUE WOOD BROWN DK



G5
R1
F1

600x600 mm |
GFT ODP WOOD STRIP NATURAL FT



G5
R2
F4

600x600mm |
GFT BDF ESPRESSO WOOD STRIP



G5
R2
F4

600x600 mm |
GFT FT TEAK WENGE



G5
R3
F3

600x600mm |
GFT BDF STRIP WOOD BEIGE


BEIGE & BROWN

600x600mm

Matte Finish Wood Stylized

FT+GFT Tiles

Plant:SKD/DORA



G5
R1
F1

600x600mm |
GFT BDF HERRINGBONE BLOND OAK




G5
R1
F1

600x600 mm |
GFT ODP ASTER WOOD FT BROWN




Preview Shown: GFT BDF ARROW BASS WOOD FT




G5
R1
F1

600x600mm |
GFT BDF INLAY WOOD



G5
R1
F1

600x600mm |
GFT BDF HERRINGBONE OAK MULTI



G5
R1
F1

600x600mm |
GFT BDF DOUBLE RIVET WOOD



G3
R3
F4

600x600mm |
GFT BDF ARROW BASS WOOD FT

BEIGE & BROWN

600x600mm

Matte Finish Wood

Glazed Vitrified Tiles

Plant:SKD




G5
R2
F4

600x600mm |
DGVT CYPRESS WOOD CREAMA



G5
R2
F3

600x600mm |
DGVT CYPRESS WOOD ASH



G5
R2
F3

600x600mm |
DGVT ROSEWOOD SANDUNE




G5
R2
F3

600x600mm |
DGVT ROSEWOOD BROWN



G5
R2
F2

600x600mm |
DGVT RIO WOOD



G5
R2
F4

600x600mm |
DGVT YELLOW BIRCH WOOD



Preview Shown: DGVT RIO WOOD

BEIGE & BROWN

- 600x600mm
- Matte Finish Wood
- FT+GFT Tiles
- Plant:SKD/DORA



G5
R1
F1

600x600 mm |
GFT ODP EBANO FT BEIGE



BEIGE & BROWN

600x600mm

Matte Finish Stylized

FT+GFT Tiles

Plant:SKD/DORA




G5
R4
F4

600x600mm |
GFT BDF CHIPS MULTI FT

Preview Shown: GFT BDF CHIPS MULTI FT

BEIGE & BROWN

- 600x600mm
- Matte Finish Stylized
- FT+GFT Tiles
- Plant:SKD/DORA



G5
R3
F4

600x600 mm |
GFT BDF MOROCCAN ART MULTI FT




G5
R3
F4

600x600mm |
GFT BDF DIAMOND MULTI FT



G5
R1
F1

600x600mm |
GFT BDF RUSTIC ARC JAISALMER



G5
R3
F4

600x600mm |
GFT BDF CEMENT STRIPS MULTI FT




G5
R1
F1


600x600mm |
GFT BDF RUSTIC TRIANGLE COFFEE




GFT BDF RUSTIC ARC JAISALMER




Laying Concept: Star
Application Area: Featured Wall, Common Area



Laying Concept: Butterfly
Application Area: Featured Wall, Living Room, Corridor



Laying Concept: Waves
Application Area: Halls, Courtyard, Porch Area




Laying Concept: Mountain
Application Area: Featured Wall, Pathway

GFT BDF RUSTIC TRIANGLE COFFEE



Laying Concept: Bookmatch
Application Area: Halls, Featured Wall, Common Area



Laying Concept: Hybrid Bookmatch
Application Area: Featured Wall, Living Room, Corridor



Laying Concept: Diagonal
Application Area: Corridor, Courtyard, High Traffic



Laying Concept: Arrow
Application Area: Featured Wall, Pathway

BEIGE & BROWN

— 600x600mm

— Gloss Finish Cement

— Glazed Vitrified Tiles

— Plant:SKD



600x600mm |
PGVT MYRA IVORY

G3
R2
F4



Preview Shown: PGVT MYRA IVORY


BEIGE & BROWN

600x600mm

Matte Finish Cement

Glazed Vitrified Tiles

Plant:SKD



600x600mm |
DGVT REAL IVORY

G5
R2
F4




600x600mm |
DGVT VITARA IVORY

G5
R2
F4




600x600mm |
DGVT ROUGH STONE CREMA

G5
R3
F4



600x600mm |
DGVT CEMENTUM CREMA

G5
R2
F4



600x600mm |
DGVT CEMENTO CREMA

G5
R2
F4



600x600mm |
DGVT CEMENTO SAND

G5
R2
F4



600x600mm |
DGVT CEMENTO GRIS

G5
R2
F4



600x600mm |
DGVT CEMENTO BEIGE

G5
R2
F4



600x600mm |
DGVT CEMENTO BROWN

G5
R2
F4




600x600mm |
DGVT ROCCO BROWN

G5
R3
F4

BEIGE & BROWN

- 600x600mm
- Matte Finish Cement
- Porcelain Tiles
- Plant:SKD

VALENCICA



G5
R3
F4

600x600mm |
PCM GLACIER BROWN



G5
R1
F1

600x600mm |
PCM LINE SQUARE BEIGE




BEIGE & BROWN

600x600mm

Matte Finish Cement


FT+GFT Tiles

Plant:SKD/DORA




G5
R1
F1

600x600mm |
GFT BDF SAND IVORY FT



G5
R2
F2

600x600mm |
GFT FT BLENDIA IVORY



G5
R3
F4

600x600mm |
GFT BDF RUSTIC NATURAL BROWN



G5
R2
F2

600x600mm |
GFT FT ADAMS CREMA



G5
R2
F4

600x600mm |
GFT ODP URBAN ROCK FT



Preview Shown: GFT FT ADAMS CREMA

GREY PLANKS

- 195x1200mm
- Matte Finish Wood
- Glazed Vitrified Tiles
- Plant:SKD



G5
R4
F6

195x1200mm | DGVT LUMBER WHITE ASH WOOD



G5
R4
F6

195x1200mm | DGVT OAK WENGE WOOD



Preview Shown: DGVT LUMBER WHITE ASH WOOD

BEIGE & BROWN PLANKS

145x600mm

Matte Finish Wood

Glazed Vitrified Tiles

Plant:SKD



G5
R4
F6

195x1200mm | DGV T BIRCH WOOD CREAMA



G5
R3
F6

195x1200mm | PLANK CHESTNUT NATURAL



G5
R4
F6

195x1200mm | DGV T VENEZIA OAK WOOD




G5
R3
F4

195x1200mm | DGV T ARIZON WOOD JUMBO



G5
R3
F6

195x1200mm | PLANK OAK SILVER



Preview Shown: DGV T BIRCH WOOD CREAMA

BEIGE & BROWN PLANKS

- 195x1200mm
- Matte Finish
- Glazed Vitrified Tiles
- Plant:SKD



G5
R4
F6

195x1200mm | DGV T HARDSTONE BROWN



G5
R4
F6

195x1200mm | DGV T PALDAO WOOD BEIGE



G5
R4
F6

195x1200mm | DGV T PACIFIC PINE WOOD BEIGE



G5
R4
F6

195x1200mm | DGV T VENEER TEAK WOOD



G5
R4
F6

195x1200mm | DGV T CHESTNUT OAK WOOD



G5
R4
F6

195x1200mm | DGV T VINTAGE STAINED WOOD



BEIGE & BROWN PLANKS

195x1200mm

Matte Finish Wood

Glazed Vitrified Tiles

Plant:SKD



G5
R4
F6

195x1200mm | DGVT PACIFIC PINE WOOD BROWN



G5
R3
F6

195x1200mm | PLANK OAK SMOKED



G5
R2
F6

195x1200mm | PLANK WENGE



G5
R3
F4

195x1200mm | DGVT CIBOLA WOOD JUMBO D



G5
R2
F1

195x1200mm | DGVT CIBOLA WOOD JUMBO H



Preview Shown: DGVT OAK WENGE WOOD & DGVT VENEER TEAK WOOD

BEIGE & BROWN PLANKS

- 145x600mm
- Matte Finish Wood
- Glazed Vitrified Tiles
- Plant:SKD



G5
R3
F4

145x600mm |
DGV T POPLAR BEIGE



G5
R3
F4

145x600mm |
DGV T ARIZON WOOD BROWN



G5
R3
F4

145x600mm |
DGV T POPLAR BROWN



G5
R3
F4

145x600mm |
DGV T POPLAR SANDUNE



G5
R3
F4

145x600mm |
DGV T POPLAR WENGE



G5
R4
F4

145x600mm |
DGV T MOONSTONE D





BEIGE & BROWN PLANKS

145x600mm

Matte Finish Wood

Forever Tiles

Plant:SKD



forever tiles



G5
R2
F4

145x600mm |
FT PLANK BURMA TEAK LIGHT



G5
R2
F4


145x600mm |
PLANK TEAK WENGE



G5
R2
F4

145x600mm |
FT PLANK BURMA TEAK WENGE


Preview Shown: FT PLANK BURMA TEAK WENGE



Preview Shown: STEP DECK SAND BEIGE, RISER SAND BEIGE & DGV T SAND BEIGE

INSPIRE STEPS

STEP & RISER TILES



Code Description

DGVT-Digital Glazed Vitrified Tiles | PGVT- Polished Glazed Vitrified Tiles | OT-Orient Tile | PCG- Porcelain Gloss |

GFT- Germfree Tiles | FT- Forever Tiles | ODP- Orientbell Digital Porcelain | BDF- Orientbell Digital Forever

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters

CAPSULE PUNCH

- Step & Riser Tiles
- Matte Finish
- Glazed Vitrified Tiles
- Plant:SKD


INSPIRE
STEPS



300x1200 |
STEP CAPSULE ONYX SUPER WHITE



200x1200 |
RISER MOROCCAN ART BLACK WHITE



600x1200 |
DGV T ONYX SUPER WHITE



300x1200
STEP CAPSULE SAND GREY DK



200x1200
RISER SAND GREY DK



600x1200
DGV T SAND GREY DK



PLAIN PUNCH

Step & Riser Tiles

Matte Finish

Glazed Vitrified Tiles


Plant:SKD



300x1200 |
STEP PLAIN PORTORO DUAL



200x1200 |
RISER PLAIN PORTORO DUAL



600x1200 |
DGVT PORTORO MARBLE WHITE

Preview Shown: STEP PLAIN PORTORO DUAL, RISER PLAIN PORTORO DUAL & DGVT PORTORO MARBLE WHITE


DECK PUNCH

- Step & Riser Tiles
- Matte Finish
- Glazed Vitrified Tiles
- Plant:SKD


INSPIRE
STEPS



300x1200
STEP DECK SAND BEIGE



200x1200
RISER SAND BEIGE



600x1200
DGV T SAND BEIGE



300x1200
STEP DECK SAND BROWN DK



200x1200
RISER SAND BROWN DK



600x1200
DGV T SAND BROWN DK



MOSAIC PUNCH

Step & Riser Tiles

Matte Finish

Glazed Vitrified Tiles


Plant:SKD



300x1200
STEP MOSAIC SAND GREY LT



200x1200
RISER SAND GREY LT



600x1200
DGV T SAND GREY LT

Preview Shown: STEP MOSAIC SAND GREY LT, RISER SAND GREY LT & DGV T SAND GREY LT

GROOVE PUNCH

- Step & Riser Tiles
- Matte Finish
- Glazed Vitrified Tiles
- Plant:SKD

INSPIRE
STEPS



300x1200
STEP GROOVE VENEZIA OAK WOOD



200x1200
RISER MOROCCAN ART MULTI



600x1200
DGV T VENEZIA OAK WOOD



GROOVE PUNCH

Step & Riser Tiles

Matte Finish

Glazed Vitrified Tiles


Plant:SKD



300x1200
STEP GROOVE PORTORO BLACK MARBLE



200x1200
RISER PORTORO MARBLE BLACK





600x1200
DGV T PORTORO MARBLE BLACK

Preview Shown: STEP GROOVE PORTORO BLACK MARBLE, RISER PORTORO MARBLE BLACK & DGV T PORTORO MARBLE BLACK



Preview Shown: CARVING ARMANI MARBLE BEIGE & DGV T SAND BEIGE

Application Areas



Carving-Marble & Wood



Code Description

DGVT-Digital Glazed Vitrified Tiles | PGVT- Polished Glazed Vitrified Tiles | OT-Orient Tile | PCG- Porcelain Gloss |

GFT- Germfree Tiles | FT- Forever Tiles | ODP- Orientbell Digital Porcelain | BDF- Orientbell Digital Forever

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters

GREY MARBLE

600x1200mm

Matte Finish


Glazed Vitrified Tiles

Plant:SKD



600x1200mm I
CARVING ARMANI MARBLE GREY LT

G5
R3
F4



600x1200mm I
CARVING ARMANI MARBLE GREY DK

G5
R3
F4





600x1200mm I
CARVING BOTTOCINO BEIGE

G5
R3
F4



600x1200mm I
CARVING SOFTMARBO CREAMA

G5
R3
F4


BEIGE & BROWN

600x1200mm

Matte Finish

Glazed Vitrified Tiles

Plant:SKD



600x1200mm I
CARVING ARMANI MARBLE BEIGE

G5
R3
F4



600x1200mm I
CARVING OAK HARDWOOD BROWN


G5
R3
F4



Preview Shown: CARVING SOFTMARBO CREAMA

WHITE MARBLE

- 600x600mm
- Matte Finish
- Glazed Vitrified Tiles
- Plant:SKD



G5
R3
F4

600x600mm |
CARVING STATUARIO MARBLE



BEIGE & BROWN

600x1200mm

Matte Finish

Glazed Vitrified Tiles

Plant:SKD



G5

R3

F4

600x600mm |
CARVING BOTTOCINO MERFIL




Preview Shown: CARVING BOTTOCINO MERFIL & PGVT GRAINY SAND GREY DK



Application Areas



Double Charge Tiles



Code Description

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation
 F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face
 G1, G2, G3, G4, G5 (Grouping) are as per technical parameters

MARBLE-BIG SIZE

800x1600mm

Gloss Finish

Double Charge Tiles

Plant: West Zone



800x1600mm I
MARSTONE GREY


MARBLE-BIG SIZE

800x1600mm

Gloss Finish

Double Charge Tiles


Plant:West Zone



800x1600mm I
ROYAL CANTO WHITE



800x1600mm I
SEAWAVE CREAMA




800x1600mm I
ROYAL CANTO CREAMA



MARBLE-BIG SIZE

- 1000x1000mm
- Gloss Finish
- Double Charge Tiles
- Plant: West Zone



1000x1000mm | TROPICANA NATURAL






MARBLE-BIG SIZE

1000x1000mm

Gloss Finish

Double Charge Tiles

Plant:West Zone



1000x1000mm | TROPICANA SUPER WHITE

Preview Shown: TROPICANA SUPER WHITE


MARBLE

600x1200mm


Gloss Finish

Double Charge Tiles

Plant:West Zone




600x1200mm | CANTO WHITE



600x1200mm | SEAWAVE WHITE




600x1200mm | RIVER WHITE



600x1200mm | CANTO CREAMA




600x1200mm | RIVER CREAMA



600x1200mm | SEAWAVE CREAMA



600x1200mm | NU CANTO ASH



600x1200mm | RIVER BLACK

MARBLE

600x1200mm

Gloss Finish

Double Charge Tiles

Plant: West Zone



Preview Shown: RIVER BLACK

MARBLE-GRANITE

800x800mm


Gloss Finish

Double Charge Tiles

Plant: West Zone



800x800mm | TROPICANA WHITE



800x800mm | LUCENT WHITE



800x800mm | LUCENT GOLD



800x800mm | SEGMA CREAMA


MARBLE

800x800mm

Gloss Finish

Double Charge Tiles

Plant:West Zone



800x800mm | CANTO OCEAN



800x800mm | CANTO CREAMA



800x800mm | NU CANTO BEIGE



800x800mm | CANTO DK COFFEE




MARBLE

600x600mm

Gloss Finish

Nano Tech Tiles


Plant:West Zone




600x600mm | NANO IVORY




600x600mm | NANO VINEAR




600x600mm | 10211 (P)




600x600mm | 10242 (P)



600x600mm | NANO HOMER BEIGE



600x600mm | 10240 (B)



600x600mm | 12206 (P)



600x600mm | NANO 003



600x600mm | NANO EDEN


MARBLE

600x600mm

Gloss Finish

Nano Tech Tiles/ PVT

Plant: West Zone



600x600mm | NANO RIVO




600x600mm | NANO ORBIT

Polished Vitrified Tiles



600x600mm | 10232 (P)



600x600mm | 10201



Preview Shown: NANO RIVO

MARBLE


600x600mm

Gloss Finish

Double Charge Tiles

Plant: West Zone


ZENITH



600x600mm |
ZEN MERCURY WHITE



600x600mm |
ZEN SATURN CERMA




600x600mm |
ZEN JUPITER BEIGE




600x600mm |
ZEN URANUS GREEN



600x600mm |
ZEN MARS CHARCOAL RED



600x600mm |
ZEN PLUTO COFFEE



600x600mm |
ZEN NEPTUNE BLUE

MARBLE-GRANITE

600x600mm

Gloss Finish

Double Charge Tiles

Plant: West Zone


River Series



600x600mm | RIVER WHITE




600x600mm | RIVER CREAMA



600x600mm | RIVER BEIGE



600x600mm | RIVER PEARL



600x600mm | RIVER SMOKY



600x600mm | RIVER BLUE



Preview Shown: RIVER SMOKY & RIVER PEARL

MARBLE-GRANITE

600x600mm

Gloss Finish

Double Charge Tiles

Plant: West Zone



600x600mm | CANTO OCEAN (S)



600x600mm | CANTO CREAMA (S)



600x600mm | NU CANTO ASH (S)



600x600mm | CANTO BEIGE (S)




600x600mm | NU CANTO CARBON (S)



600x600mm | NU CANTO AZUL (S)



600x600mm | CANTO ALMOND (S)



600x600mm | NU CANTO CHOCO (S)



MARBLE-GRANITE

600x600mm

Gloss Finish

Double Charge Tiles

Plant: West Zone

STAR SERIES



600x600mm | STAR WHITE (S)




600x600mm | STAR IVORY (S)



600x600mm | STAR GREY



600x600mm | STAR ORANGE (S)



600x600mm | STAR PINK (S)



600x600mm | STAR SANDUNE (S)



600x600mm | STAR DK BLACK



Preview Shown: STAR PINK (S)

MARBLE-GRANITE

600x600mm

Gloss Finish


Double Charge Tiles

Plant: West Zone

LARA SERIES



Preview Shown: LARA GOLD (S)




600x600mm | LARA CREMA (S)



600x600mm | LARA SILVER (S)



600x600mm | LARA GOLD (S)



600x600mm | LARA ROSA (S)



Preview Shown: WINNER SANDUNE

MARBLE-GRANITE


600x600mm

Gloss Finish

Double Charge Tiles

Plant: West Zone

WINNER SERIES




600x600mm | WINNER CREAMA



600x600mm | WINNER BIANCO



600x600mm | WINNER SANDUNE



600x600mm | WINNER ROSSA



MARBLE-GRANITE


600x600mm

Gloss Finish


Double Body tiles

Plant: West Zone

SAHARA
DOUBLE BODY




600x600mm |
SAHARA DOUBLE BODY GLOSSY IVORY



600x600mm |
SAHARA DOUBLE BODY GLOSSY CREAMA



600x600mm |
SAHARA DOUBLE BODY GLOSSY GRIS



600x600mm |
SAHARA DOUBLE BODY GLOSSY NERO



600x600mm |
SAHARA DOUBLE BODY GLOSSY BEIGE



600x600mm |
SAHARA DOUBLE BODY GLOSSY CARBON




Preview Shown: SAHARA DOUBLE BODY GLOSSY BEIGE



Preview Shown: SAHARA CREMA

Application Areas



FBVT-Cement, Anti-Skid & Ceramic Floor



Code Description

OT-Orient Tile | OPV- Orientbell Pavers

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters

CEMENT

- 600x600mm
- Matte Finish
- Full Body Vitrified Tiles
- Plant:SKD

SAHARA SERIES

Made With Diligence



600x600mm | SAHARA CREAMA

G5
R1
F1



600x600mm | SAHARA GOLD

G5
R1
F1



600x600mm | SAHARA BEIGE

G5
R1
F1





600x600mm | SAHARA GRIS

G5
R1
F1



600x600mm | SAHARA NERO

G5
R1
F1

CEMENT

600x600mm

Matte Finish

Full Body Vitrified Tiles

Plant:SKD

SAHARA SERIES
Made With Diligence



600x600mm | SAHARA PLAIN GREY

G5
R1
F1



600x600mm |
SAHARA P KOTA GREEN

G5
R1
F1



Preview Shown: SAHARA P KOTA GREEN

CEMENT

- 600x600mm
- Matt Finish
- Full Body Vitrified Tiles
- Plant:SKD

SAHARA SERIES

Made With Diligence




G5
R1
F1

600x600mm |
SAHARA ROCK CREAMA



G5
R1
F1

600x600mm |
SAHARA ROCK BEIGE




G5
R1
F1

600x600mm |
SAHARA ROCK GRIS

All Sahara Regular Finish
also available in Rock Finish

MOQ : 3000 Sq. meter
Make to Order: 45 Days



600x600mm | SAHARA HEAVY CREAMA

G5
R1
F1



600x600mm | SAHARA HEAVY BEIGE

G5
R1
F1



600x600mm | SAHARA HEAVY NERO

G5
R1
F1



600x600mm |
SAHARA HEAVY P KOTA GREEN

G5
R1
F1



600x600mm | SAHARA HEAVY GRIS

G5
R1
F1

All Sahara Regular Tiles
also available in Heavy Duty Tiles

MOQ : 2000 Sq. meter
Make to Order: 45 Days



CEMENT

600x600mm

Matte Finish

Full Body Vitrified Tiles

Plant:SKD

HEAVY DUTY RANGE



Preview Shown: SAHARA HEAVY BEIGE


ANTI-SKID FLOOR

300x300mm


Matte Finish

Ceramic Tiles

Plant:SKD



300x300mm |
ANTI-SKID EC WHITE



300x300mm |
ANTI-SKID EC GRID AQUA LT



300x300mm |
ANTI-SKID EC WARM GREY



300x300mm |
ANTI-SKID EC ULTIMATE GREY



300x300mm |
ANTI-SKID EC NERO



300x300mm |
ANTI-SKID EC DENIM BLACK




300x300mm |
ANTI-SKID EC IVORY



300x300mm |
ANTI-SKID EC CREAMA




300x300mm |
ANTI-SKID EC HONEY PEACH



300x300mm |
ANTI-SKID EC VENEZIA
WOOD DK



300x300mm |
ANTI-SKID EC COTTO



300x300mm |
ANTI-SKID EC MAHOGANY
BROWN



300x300mm |
ANTI-SKID EC QUARTZITE
EC BLUE LT



300x300mm |
ANTI-SKID EC BABY BLUE



300x300mm |
ANTI-SKID EC DENIM BLUE



300x300mm |
ANTI-SKID EC CORAL AQUA



300x300mm |
ANTI-SKID EC PEBBLE



300x300mm |
ANTI-SKID EC FISH PEBBLE




WHITE & GREY

300x300mm

Matte Finish

Ceramic Tiles

Plant:SKD



G3
R1

300x300mm | DORA EC WHITE



G4
R1

300x300mm |
ODM MARBELA EC GREY



Germ Free
Tile

300x300mm |
GFT SPF FLORAL GRID EC WHITE




R4
F4

300x300mm |
ODM STATUARIO EC WHITE FL




R4
F4

300x300mm |
ODM STATUARIO (EC) BIANCO FL



G4
R1


300x300mm |
ODM MARBELA EC BROWN



Also available
in Germ Free


G4
R1

300x300mm | GLACIER EC WHITE



G3
R1

300x300mm | CORZO EC WHITE



G4
R1

300x300mm | BIANCA EC DEW



Germ Free
Tile

300x300mm |
GFT SPF PULPIS EC GREY LT



Also available
in Germ Free

R4
F4

300x300mm |
ODM D-LITE (EC) GREY FL



R2
F4

300x300mm |
ODM LEON (EC) GREY LIGHT FL



G4
R1

300x300mm | PULSAR EC DOVE



G4
R1

300x300mm |
OT 5104 (EC)



R2
F4

300x300mm |
ODM AMELIA (EC) GREY LIGHT FL

WHITE & BEIGE

300x300mm

Matte Finish

Ceramic Tiles

Plant:SKD




300x300mm |
ODM CEMENTUM EC GREY LT FL

R4
F4



300x300mm |
ODM BOHMIA (EC) GRIS LT FL

R3
F3



300x300mm |
PLAIN PLATINUM EC GREY

G4
R1




300x300mm |
ODM MOCHA (EC) LT FL

R2
F2



300x300mm |
ODM CEMENT EC SILVER FL

R4
F4



300x300mm |
ODM SAND EC GREY LT FL

R4
F4



300x300mm |
ODM ROLAND (EC) GREY DARK FL

R4
F4



300x300mm | BURJ EC SLATE

G4
R1



300x300mm |
ODM CASSIO (EC) GREY FL

R4
F4



300x300mm |
LITHOS EC SLATE

G4
R1




300x300mm |
GFT SPF DYNA EC GREY LT

Germ Free
Tile



300x300mm |
GFT SPF SAND EC CREMA

Germ Free
Tile



300x300mm | DORA EC IVORY

G3
R1




300x300mm | CORZO EC IVORY

G3
R1



300x300mm | GALAXY EC
CREAMA

G5
R1



Also available
in Germ Free

300x300mm |
PLAIN MOON EC IVORY

G4
R1

BEIGE & BROWN

300x300mm

Matte Finish

Ceramic Tiles

Plant:SKD



R1
F1

300x300mm | OT5101 (EC)



G4
R1

300x300mm | OT5114 EC



R1
F1

300x300mm | OT 5123 (EC)



G4
R1

300x300mm |
PISA EC BEIGE



G3
R1

300x300mm |
ODM DAFFODIL (EC) IVORY FL



R2
F4

300x300mm |
ODM EMBROIDERY (EC) BEIGE LT FL




R2
F4

300x300mm |
ODM CAMIA (EC) CREMA FL



R4
F4

300x300mm |
ODM D-LITE (EC) BEIGE LT FL




R4
F4

300x300mm |
ODM BABYLON (EC) BROWN LT FL



R2
F4

300x300mm |
ODM UNISQUARE (EC) BROWN
LT FL



R4
F4

300x300mm |
ODM EMILIA (EC) BEIGE FL



R4
F4

300x300mm |
ODM PRINTEX (EC) IVORY FL




R2
F4

300x300mm |
ODM LAPDESK (EC) BEIGE FL



R1
R1

300x300mm |
ODM SONATA EC FL



R2
F4

300x300mm |
ODM CEDAR EC BROWN LT

BEIGE & BROWN

300x300mm

Matte Finish

Ceramic Tiles

Plant:SKD



R4
F4

300x300mm |
ODM BASS WOOD EC BEIGE FL



R2
F4

300x300mm |
ODM REAL TRAVERTINE EC
BEIGE LT FL



R4
F4

300x300mm |
ODM ESPO (EC) LIGHT FL



R4
F4

300x300mm |
ODM CHARMS (EC) SANDUNE FL



R4
F4

300x300mm |
ODM DEBONA EC CREAMA DK FL



R1
F1

300x300mm | OT 5102 (EC)



R1
F1

300x300mm |
ODM SAND EC CREMA DK FL




R4
F4

300x300mm |
ODM MARCO (EC) BEIGE LT FL



G3
R1

300x300mm |
ODM DORMA (EC) BEIGE FL




R4
F4

300x300mm |
ODM DIA (EC) LIGHT FL



R4
F4

300x300mm |
ODM IMPERIAL EC BEIGE FL



R4
F4

300x300mm |
ODM CARDSTOCK EC CREMA DK FL



G4
R1

300x300mm |
ODM NATA (EC) IVORY



R2
F2

300x300mm |
ODM ALBERTA (EC) BROWN FL



R2
F2

300x300mm |
ODM VICTORIA (EC) BEIGE FL



R1
F1

300x300mm |
ODM BATIK (EC) SANDUNE FL

BEIGE & BROWN

300x300mm

Matte Finish

Ceramic Tiles

Plant:SKD



300x300mm | OT5116 EC

R1
F1



300x300mm |
CEDAR (EC) BEIGE

G4
R1



300x300mm |
QUATRO EC BEIGE

G4
R1



300x300mm |
MAJESTY EC BEIGE

G4
R1




300x300mm |
PULSAR EC BEIGE

G4
R1




300x300mm |
BURJ EC BEIGE

G4
R1




300x300mm | GALAXY EC
BROWN

G5
R1



300x300mm |
CLOUDY EC COPPER

G3
R1




300x300mm |
BRINA COPPER EC BROWN

G4
R1




300x300mm | PINE EC BEIGE

G4
R1




300x300mm |
QUATRO (EC) BROWN

G4
R1




300x300mm |
QUATRO EC SLATE

G4
R1




300x300mm |
ODM SAMERA (EC) BROWN FL

R1
F1




300x300mm |
ODM TRAVERTINE (EC) BROWN FL

R4
F4



300x300mm |
ODM RAYON (EC) BROWN FL

R1
F1



300x300mm |
ODM DAKOTA (EC) BROWN FL

R4
F4



300x300mm |
ODM OMEGA (EC) BEIGE DK FL

R4
F4



GREEN, BLUE & PINK

300x300mm

Matte Finish

Ceramic Tiles

Plant:SKD




R4
F4

300x300mm |
ODM BOTTICHINO (EC) BEIGE FL



R1
F1

300x300mm |
ODM VIMAL (EC) BROWN DARK FL



R2
F2

300x300mm |
ODM TWEED (EC) BROWN FL



G4
R1

300x300mm |
LITHOS EC BROWN




R4
F4

300x300mm |
ODM ROBIN (EC) VARDE DARK FL



G5
R1

300x300mm | GALAXY EC
GREEN



R1
F1

300x300mm |
ODM MOROCCAN EC BLUE FL



300x300mm |
GFT SPF OCEAN EC LT



R4
F4

300x300mm |
ODM THUNDER (EC) BLUE FL



G4
R1

300x300mm | PULSAR EC BLUE




R2
F2

300x300mm |
ODM LENOX (EC) AQUA FL



R4
F4

300x300mm |
ODM ROYAL (EC) BLUE LT FL




R1
F1

300x300mm |
ODM LINSEY (EC) BLUE FL



G5
R1

300x300mm | GALAXY EC
SORRENTO



R1
F1

300x300mm |
ODM SARTA (EC) PINK FL



G4
R1

300x300mm | PULSAR EC PINK



G5
R1

300x300mm | GALAXY EC PINK




PLAIN - COOL TILE

300x300mm


Matte Finish

Cool Tile

Plant:SKD



300x300mm |
ORIENT COOL TILES (EC) BIANCO



300x300mm |
ORIENT EC COOL TILES

ORIENTBELL Cool Tiles have an amazing Solar Reflective Index (SRI) value of 98. They reflect the solar heat back into the environment which helps bring the temperature down, reducing cooling requirement.

PRODUCT BENEFITS

 **Comfortable Interiors**
Summer responsive Roof and walls reduce the room temperature

 **Energy Saving**
Cooler interiors Roof and walls reduce the room temperature


 **Environment Care**
IGBC (Indian Green Building Council) & GRIHA certified hence part of Green Building Movement

 **Additional Advantage**
Slip Resistant.
Cooler surface to Walk on.




Preview Shown: TL MOROCCAN ART BLACK WHITE & TL CEMENTO SILVER

Application Areas



Pavers/Parking Tiles



Code Description

TL-Timeless | OPV- Orientbell Pavers

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters

PARKING TILES

400x400mm


Matte Finish

Timeless Tiles

Plant:SKD




400x400mm I
TL HEXA ARC STONE GREY



400x400mm I
TL COBBLESTONE GREY




400x400 I
TL CEMENTO SLATE



400x400mm I
TL KASO CREMA



400x400mm I
TL CEMENTO SILVER



400x400 I
TL CUBE GREY



400x400mm I
TL OCTO GREY

PARKING TILES

400x400mm

Matte Finish

Timeless Tiles


Plant:SKD



400x400mm I
TL OCTO SLATE



400x400mm I
TL CEMENTO GREY



400x400mm I
TL CAPSULE TAUPE GREY



400x400 I
TL GEOMETRIC GREY



400x400mm I
TL MOROCCAN ART BLACK WHITE



400x400mm I
TL HEXA ARC NERO



400x400mm I
TL KASO BLUE



Preview Shown: TL CAPSULE TAUPE GREY

PARKING TILES

- 400x400mm
- Matte Finish
- Timeless Tiles
- Plant:SKD



400x400mm I
TL ROUGH STONE CREMA



400x400mm I
TL CEMENTO IVORY




400x400mm I
TL CEMENTO BROWN



400x400mm I
TL GEOMETRIC BEIGE



400x400mm I
TL OCTO BEIGE



400x400mm I
TL COBBLESTONE MULTI



400x400mm I
TL HEXA ARC CREMA



400x400mm I
TL HEXA ARC COTTO



PARKING TILES

400x400mm

Matte Finish

Timeless Tiles


Plant:SKD



400x400mm I
TL ROUGH STONE BROWN




400x400mm I
TL COBBLESTONE ROUGH



400x400mm I
TL KASO BEIGE




400x400mm I
TL CEMENTO CHOKO



400x400mm I
TL PINE WOOD PLANK MULTI



400x400mm I
TL CEMENTO BRONZE



400x400mm I
TL COBBLESTONE BROWN



400x400mm I
TL COBBLESTONE COTTO



Preview Shown: TL PINE WOOD PLANK MULTI

PARKING TILES

400x400mm


Matte Finish

Timeless Tiles

Plant:SKD




400x400mm I
TL COBBLESTONE FLORA MULTI



400x400mm I
TL HEXAARC MULTI



400x400mm I
TL GEOMETRIC MULTI



400x400mm I
TL COBBLESTONE BEIGE



PARKING TILES

400x400mm

Matte Finish

Timeless Tiles

Plant:SKD



400x400mm I
TL OCTO MULTI



400x400mm I
TL CEMENTO MULTI



400x400mm I
TL COBBLESTONE RANGOLI
MULTI



400x400mm I
TL GEOMETRIC STONE



400x400mm I
TL CUBE MULTI



Preview Shown: TL COBBLESTONE RANGOLI MULTI



PARKING TILES

300x300mm

Matte Finish


Plant:SKD



300x300mm I
OPV BASKET WEAVE GREY




300x300mm I
OPV 3D HERRINGBONE
STONE GREY




300x300mm I
OPV BASKET WEAVE GREY
MULTI




300x300mm I
OPV ROCKY GREY



300x300mm I
OPV TOMBY GREY



300x300mm I
OPV HEXO GREY



300x300mm I
ODM NEXA GRANULE GREY



300x300mm I
ODM NEXA GRANULE BLACK



EXTRA THICKNESS

300x300mm I
ODM NEXA SUPREME
PLUS WHITE



EXTRA THICKNESS

300x300mm I
ODM NEXA GRANULE
PLUS GREY




EXTRA THICKNESS


300x300mm I
ODM NEXA GRANULE
PLUS BLACK



300x300mm I
OPV ARABESQUE FLORA MULTI



300x300mm I
OPV WAVO NERO



300x300mm I
OPV WAVO MULTI

PARKING TILES

300x300mm

Matte Finish

Plant:SKD



300x300mm I
OPV HERRINGBONE STONE
BEIGE




300x300mm I
OPV FIELDSTONE BEIGE




300x300mm I
OPV BASKET WEAVE
BEIGE MULTI



300x300mm I
OPV ARABESQUE BEIGE
MULTI



300x300mm I
OPV ALEKHAN ART BROWN




300x300mm I
OPV WAVO BROWN



300x300mm I
OPV ROCKY BLACK



300x300mm I
OPV ROCKY BEIGE



300x300mm I
OPV HEXO BROWN



300x300mm I
OPV HERRINGBONE STONE
COTTO



300x300mm I
OPV GEOMETRIC STONE
MULTI



300x300mm I
OPV HERRINGBONE STONE
MULTI



300x300mm I
OPV TOMBY MULTI



Preview Shown: OPV ALEKHAN ART BROWN

PARKING TILES


300x300mm

Matte Finish


Plant:SKD




300x300mm I
OPV CHEX IVORY




300x300mm I
OPV CHEX TERRACOTTA




300x300mm I
OPV CAPSULE IVORY




300x300mm I
OPV CAPSULE TERRACOTTA




300x300mm I
OPV PLAIN IVORY




300x300mm I
OPV PLAIN TERRACOTTA




300x300mm I
OPV COIN IVORY



300x300mm I
OPV COIN TERRACOTTA



300x300mm I
OPV STAR IVORY



300x300mm I
OPV STAR TERRACOTTA



TECHNICAL SPECIFICATIONS

GVT Step & Riser Tiles

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. ft.)
300x1200 mm	4	1.44	15.5
200x1200 mm	4	0.96	10.33

Group B Ia as per ISO 13006:2012 and Group B Ib as per IS 15622:2017				
Characteristics	Test Methods	Requirement as per IS 15622:2017 0.08<E ≤ 3% Group B Ib		OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1)	Unrectified	Rectified	
Deviation in size (Length & Width)		± 0.4 %	± 0.1 %	± 0.4 %
Deviation in Thickness		± 5.0 %		± 4.0 %
Straightness of Sides		± 0.3 %		± 0.1 %
Rectangularity		± 0.3 %		± 0.1 %
Surface Flatness (centre, edge, warpage)		± 0.5 %		± 0.2 % 😊😊
Surface Quality		Min. 95 % tiles shall be free from visible defects that would impair the appearance of a major area of the tile		Conforms
Physical Properties				
Water Absorption %	IS 13630 (Part 2)	Avg 0.08<E ≤ 3%, Individual 3.3 % Max		Avg < 0.5%
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6)	Min 30 N/mm ²		Min 40 N/mm ² 😊😊
Breaking Strength in N	IS 13630 (Part 6)	700 Min for thickness < 7.5 mm, 1100 Min for thickness ≥ 7.5 mm		Min 1500 N 😊😊
Moisture Expansion in mm/m	IS 13630 (Part 3)	0.02 Max		Max 0.02
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13)	5 Min		Min 5
Resistance to Surface Abrasion of glazed tiles (Class I to V) (Applicable for floor applications only)	IS 13630 (Part 11)	Class II Min		Min Class III 😊
Linear Thermal expansion Co-efficient	IS 13630 (Part 4)	7x10 ⁻⁶ Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5)	10 cycles Min		Passed
Skid Resistance	DIN 51130	Manufacturer to declare value where required		>R9 😊
Crazing Resistance	IS 13630 (Part 9)	4 Cycles@7.5 bar, Min		4 Cycles@7.5 bar
Frost Resistance	IS 13630 (Part 10)	as per mfg.		Resistant
Impact resistance	IS 13630 (Part 14)	0.55, Min		Min 0.7
Bulk Density (g/cc)	IS 13630 (Part 2)	2.0, min		2.2, min
Chemical Properties	IS 13630 (Part 8)			
Resistance to staining of glazed tiles		Min. Class-1		Min. Class-1
Resistance to household chemicals		Class AA, Min		Min. Class-AA
Resistance to acid and alkalis (Except HF)		as per mfg.		Min. Class-AA

TECHNICAL SPECIFICATIONS

Glazed Vitrified Tiles

Packing Details

Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. ft.)
600X1200 (SKD / West Zone)	2	1.44	15.5
800X800 (West Zone)	3	1.92	20.67
600X600 (SKD / West Zone)	4	1.44	15.5
195X1200 (SKD)	4	0.94	10.11
145X600 (SKD)	8	0.70	7.50

Group B Ia as per ISO 13006:2012 and Group B Ib as per IS 15622:2017

Characteristics	Test Methods	Requirement as per ISO 13006 ≤ 0.5 Group B Ia	Requirement as per IS 15622:2017 0.08<E ≤ 3% Group B Ib		OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2006		Unrectified	Rectified	
Deviation in Length & Width		±0.6%	± 0.4%	± 0.1 %	± 0.1 %
Deviation in Thickness		±5%	± 5.0 %		± 4 %
Straightness of Sides		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Rectangularity		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Surface Flatness		±0.5%	± 0.5 %		± 0.2 % 😊😊
Surface Quality		Min. 95 % tiles should be free from visible defects	Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties					
Water Absorption	IS 13630 (Part 2):2006	Avg ≤ 0.5, Individual max, 0.6	Avg 0.08<E ≤ 3, Individual 3.3, Max		Avg ≤ 0.5, Individual max, 0.6
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Minimum 35, Individual 32, Min	Avg 30, Individual 27, Min		Avg 38 Min, Individual 35, Min 😊😊
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1300, Min	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1500, Min 😊😊
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	Declare Value	0.02, Max		< 0.02
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13):2006	NA	5, Min		5 to 8 Depending on Design/Surface
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 (Part 11):2006	Test Method Available	Class II, Min		Class-III to Class-V Depending as per Design / Surface 😊
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 (Part 4):2006	Test Method Available	7×10 ⁻⁴ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	Test Method Available	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	Test Method Available	4 Cycles@7.5 bar, Min		4 Cycle @ 7.5 Bar Min 😊
Frost Resistance	IS 13630 (Part 10):2006	Required	Required		Resistance
Bulk Density, in (g/cc)	IS 13630 (Part 12):2006	NA	2.0, Min		> 2.1
Impact Resistance- Coefficient of Restitution	IS 13630 (Part 14):2006	Manufacturer to State	0.55, Min		0.7-0.85
Chemical Properties					
Resistance to Staining of Glazed Tiles	IS 13630 (Part 8):2006	Min, Class 3	Class I, Min		Conforms
Resistance to Household Chemicals		Min, GA	Class AA, Min		Conforms
Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compounds)		Test Method Available	Required, if agreed		Conforms

TECHNICAL SPECIFICATIONS Glazed Vitrified Tiles

Packing Details			
Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
800x1600 (West Zone)	2	2.56	27.55

Characteristics	Standard as Per ISO-13006 /EN 14411 Group BIA	Mean Value of PGVT	Mean Value of DGVT	Test Method
Regulatory Properties				
Deviation in Length & Width	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2
Deviation in Thickness	± 5.0 %	± 4.0 %	± 4.0 %	
Straightness in Side	± 0.5 %	± 0.1 %	± 0.1 %	
Rectangularity	± 0.6 %	± 0.1 %	± 0.1 %	
Surface Flatness	± 0.5 %	± 0.2 %	± 0.2 %	
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min 90	Min 10	Glossometer
Surface Mechanical Properties				
Water Absorption	< 0.50 %	< 0.20 %		ISO-10545-3
Apparent Density ^{ec}	> 2.0 g/cc	> 2.10 g/cc		DIN 51082
Massive Mechanical Properties				
Modulus of Rupture	Min. 35 N/mm²	Min. 40 N/mm²		ISO-10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N		
Impact Resistance	As per mfg.	Min. 0.55		ISO-10545-5
Surface Mechanical Properties				
Surface Abrasion of Resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's Hardness	As per mfg.	Min. 4	Min. 5	EN 101
Thermo Hydrometric Properties				
Frost Resistance	No damage	No damage		ISO-10545-12
Thermal Shock Resistance	No damage	No damage		ISO-10545-9
Moisture Expansion	Nil	Nil		ISO-10545-10
Thermal Expansion (COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁻⁶		ISO-10545-8
Crazing Resistance	As per mfg.	Min. 10 Cycle		ISO-10545-11
Chemical Properties				
Chemical Resistance	No damage	No damage		ISO-10545-13
Stain Resistance	Resistant	Resistant		ISO-10545-14
Safety Properties				
Slip Resistance	As per mfg.	> 0.40		ISO-10545-17
Fire Resistance	As per mfg.	Fireproof		N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield PB & CD		ISO-10545-15

NOTE: Certain amount of Size and Shade Variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

TECHNICAL SPECIFICATIONS Full Body & Glazed Vitrified Tiles

Packing Details			
Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
800x2400 (West zone)	1	1.92	20.67

Characteristics	Standard as Per ISO-13006 /EN 14411 Group	OBL Values	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	0.50 %	0.20 %	ISO - 10545-2
Deviation in Thickness	0.50 %	0.50 %	ISO - 10545-2
Straightness in Side	0.50 %	0.20 %	ISO - 10545-2
Rectangularity	0.50 %	0.20 %	ISO - 10545-2
Surface Flatness	0.50 %	0.20 %	ISO - 10545-2
Color difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per mfg.	>90%	Glassmeter
Surface Mechanical Properties			
Water Absorption	< 0.50 %	< 0.50 %	ISO - 10545-3
Apparent Density	> 2.00 g/cc	> 2.10 g/cc	DIN 51082
Massive Mechanical Properties			
Modulus of Rupture	Min. 35 N/mm ²	Min. 42 N/mm ²	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2800 N	ISO - 10545-4
Impact Resistance	As per mfg.	Min. 0.75	ISO - 10545-5
Surface Mechanical Properties			
Surface Abrasion of Resistance	As per mfg.	Min. Class 3	ISO - 10545-7
MOH's Hardness	As per mfg.	Min. Class 4	EN 101
Thermo Hydrometric Properties			
Frost Resistance	No damage	No damage	ISO - 10545-12
Thermal Shock Resistance	No damage	No damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion (COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁻⁶	ISO - 10545-08
Crazing Resistance	As per mfg.	Min 10 Cycle	ISO - 10545-11
Chemical Properties			
Chemical Resistance	No damage	No damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
Safety Properties			
Slip Resistance	As per mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per mfg.	Fire Proof	N.A.

NOTE: Certain amount of Size and Shade Variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

TECHNICAL SPECIFICATIONS

Forever Tiles + **germfree** ♦ **tiles** (with 99% protection* from germ)

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. ft.)
600x600 (SKD/ DORA)	4	1.44	15.5
145x600 (SKD)	8	0.70	7.50

Characteristics	Standard as Per IS 15622:2017 Group B Ib	OBL Norms	Testing Methods
Dimension & Surface Quality			
Deviation in Length & Width	± 0.1 %	±0.05%	IS 13630 Part 1
Deviation in Thickness	± 5.0 %	±3.0%	
Straightness of Sides	± 0.1 %	±0.1%	
Rectangularity	± 0.1 %	±0.1%	
Surface Flatness	± 0.5 %	± 0.2 %	
Surface Quality	Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Conforms	
Physical Properties			
Water Absorption %	Avg 0.08 < E ≤ 3.0% , Individual 3.30% Max	Less than 3 %	IS 13630 Part 2
Modulus of Rupture in N/mm ²	Avg 30, Individual 27 Min	Min 33 N	IS 13630 Part 6
Breaking Strength N	700 Min for thickness < 7.5mm, 1100 Min for thickness ≥ 7.5 mm	1200 N Min	
Moisture Expansion	0.02, Max	0.02 Max	IS 13630 Part 3
Scratch Hardness (Moh's Scale)	5, Min	≧ 8*	IS 13630 Part 13
Resistance to Surface Abrasion of glazed tiles Class I to V (Applicable for floor applications only)	Class II, Min	Class V	IS 13630 Part 11
Linear thermal expansion Co-efficient	6x10 ⁻⁶ , Max	Conforms	IS 13630 Part 4
Thermal Shock Resistance	10 Cycles, Min	Passed	IS 13630 Part 5
Crazing Resistance	4 Cycles at 7.5 Bar, Min	Passed	IS 13630 Part 9
Impact Resistance	0.55, Min	0.6	IS 13630 Part 14
Frost Resistance	Required if agreed to between manufacturer and purchaser	Resistant	IS 13630 Part 10
Bulk density g/cc	2.0, Min	2.0, Min	IS 13630 Part 2
Chemical Properties			
Stain Resistance Glazed tiles	Class I, Min	Class -1	IS 13630 Part 8
Resistance to household chemicals	Class AA, Min	Class AA	
Resistance to acids and alkalis	Class AA, Min	Class AA	

* Independent Lab test shows that germ free tiles kill 99% germs

*GFT FT : Value based on internal tests conducted by Orient Bell following the MOHs scale of mineral hardness which characterizes scratch resistance on a scale of 1 to 10, the higher number being more scratch resistant. For Ceramic Floor (Non-FT) range : meets norms.

TECHNICAL SPECIFICATIONS

Valencica Tiles

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. ft.)
600x600 (SKD/ DORA)	4	1.44	15.5

Characteristics	Standard as Per IS 15622:2017 Group B Ib	OBL Actual Value	Testing Methods
Dimension & Surface Quality			
Deviation in Size (Length & Width)	± 0.1 %	±0.1% 😊😊	IS 13630 Part 1
Deviation in Thickness	± 5.0 %	±3.0%	
Straightness of Sides	± 0.1 %	±0.1%	
Rectangularity	± 0.1 %	±0.1%	
Surface Flatness	± 0.5 %	± 0.2 % 😊😊	
Surface Quality	Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Conforms 😊	
Physical Properties			
Water Absorption %	Avg 0.08 < E ≤ 3.0% , Individual 3.30% Max	2% Max	IS 13630 Part 2
Modulus of Rupture in N/mm ²	Avg 30, Individual 27 Min	AV>31.0, Min 30 N/mm ² 😊	IS 13630 Part 6
Breaking Strength N	700 Min for thickness < 7.5mm, 1100 Min for thickness ≥ 7.5 mm	>1300 😊	
Moisture Expansion	0.02, Max	0.02 Max	IS 13630 Part 3
Scratch Hardness (Moh's Scale)	5, Min	5-8 depends upon Design/Surface	IS 13630 Part 13
Resistance to Surface Abrasion of glazed tiles Class I to V (Applicable for floor applications only)	Class II, Min	Class III-V	IS 13630 Part 11
Linear thermal expansion Co-efficient	7x10 ⁻⁶ , Max	Conforms	IS 13630 Part 4
Thermal Shock Resistance	10 Cycles, Min	Passed	IS 13630 Part 5
Crazing Resistance	4 Cycles at 7.5 Bar, Min	Passed 😊😊	IS 13630 Part 9
Impact Resistance	0.55, Min	> 0.55	IS 13630 Part 14
Frost Resistance	Required if agreed to between manufacturer and purchaser	Conforms	IS 13630 Part 10
Bulk density g/cc	2.0, Min	> 2.1	IS 13630 Part 2
Chemical Properties			
Resistance to staining of Glazed tiles	Class I, Min	Conforms	IS 13630 Part 8
Resistance to Household Chemicals except (HF and its compounds)	Class AA, Min	Conforms	
Resistance to acids and alkalis except (HF and its compounds)	Required, if agreed	Conforms	

TECHNICAL SPECIFICATIONS

Pavers/Parking Tiles

Packing Details			
Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. ft.)
400X400 (SKD)	5	0.8	8.62
300x300- Digital /Non Digital (SKD)	10	0.9	9.69
300x300- Cool Tile (SKD)	10	0.9	9.69

Characteristics	Testing Methods	Required as per IS 15622:2017 0.08 < E ≤ 3 (Group B Ib)		OBL Norms	
				400x400 mm	300x300 mm
Dimension & Surface Quality					
Deviation in Length & Width	IS 13630 (Part 1)	± 0.4 %	± 0.1 %	± 0.1 % (Max)	± 0.1 %
Deviation in Thickness		± 5.0 %		±3.0% (Max)	±4.0%
Straightness of Sides		± 0.3 %	± 0.1 %	± 0.1 % (Max)	± 0.1 %
Rectangularity		± 0.3 %	± 0.1 %	± 0.1 % (Max)	± 0.1 %
Surface Flatness		± 0.5 %		± 0.2 % (Max)	± 0.2 % 😊😊
Surface Quality		Min. 95 % of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile		Conforms	Conforms
Physical Properties					
Water Absorption %	IS 13630 (Part 2)	Avg 0.08 < E ≤ 3%, Individual 3.3 % Max		Avg ≤2%	Max 2% 😊
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6)	Avg 30, Individual 27 Min		Min 38 N/mm ²	Min 36 N/mm ² 😊😊
Breaking Strength in N		700 Min for thickness < 7.5 mm, 1100 Min for thickness ≥ 7.5 mm		Min 2000 N	Min 1600 N 😊😊
Moisture Expansion	IS 13630 (Part 3)	0.02, Max		Conform	Conform
Scratch Hardness (Moh's Scale)	IS 13630 (Part 13)	5, Min		Conform	Min 6 😊
Resistance to Surface Abrasion of Glazed Tiles Class I to V (Applicable for floor applications only)	IS 13630 (Part 11)	Class II, Min		Conform	Class III to V (Depending on surface)
Linear thermal expansion Co-efficient	IS 13630 (Part 4)	7x10 ⁻⁶ ,Max		7x10 ⁻⁶ ,Max	Conform
Thermal Shock Resistance	IS 13630 (Part 5)	10 cycles, Min		Passed	Conform
Impact Resistance	IS 13630 (Part 14)	0.55, Min		0.75	Min 0.60 😊
Bulk density, in g/cc	IS 13630 (Part 2)	2.0, Min		2.2 Min	2.2 Min
Frost Resistance	IS 13630 (Part 10)	Required if agreed to between manufacturer and purchaser		50 Cycles Passed	Passes
Chemical Properties					
Resistance to staining of Glazed Tiles	IS 13630 (Part 8)	Class I, Min		Min Class I	Min Class I
Resistance to Household Chemicals		Class AA, Min		Min Class AA	Min Class AA
Resistance to acids and alkalis (Except HF)		Required, if agreed		Min Class AA	Min Class AA

TECHNICAL SPECIFICATIONS

Full Body Vitrified Tiles (Heavy Duty Range)

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. Ft.)
600X600 mm (SKD)	3	1.08	11.63

As per Indian Standard (IS 15622:2017) Group B Ia			
Characteristics	Standard Test Method	IS 15622 Requirements	OBL Norms
Dimension & Surface Quality			
Deviation in Size (length & Width)	IS 13630 Part 1	± 0.1 %	± 0.1 % (Max)
Deviation in thickness		± 5.0 %	± 3.0 % (Max)
Straightness of sides		± 0.1 %	± 0.1 % (Max)
Rectangularity		± 0.1 %	± 0.1 % (Max)
Surface Flatness		± 0.5 %	± 0.2 % (Max) 😊😊
Surface Quality		Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Min. 95%
Physical Properties			
Water absorption %	IS 13630 Part 2	Average ≤0.08%, individual 0.10% Max.	Average ≤0.08% 😊
Modulus of rupture N/mm²	IS 13630 Part 6	Average 35, individual 32 Min.	Min 45 N/mm2 😊😊
Breaking Strength N	IS 13630 Part 6	700 Min for thickness <7.5mm, 1300 Minimum for Thickness ≥7.5 mm	Min 6000 N 😊😊
Moisture Expansion	IS 13630 Part 3	0.02 Max	Conforms
Scratch hardness (Moh's Scale)	IS 13630 Part 13	5 Min	7 min 😊😊
Resistance to surface abrasion of glaze tiles Class I to V (Applicable for floor applications aonly)	IS 13630 Part 11	Min II	Class- V 😊
Linear thermal expansion Co-efficient	IS 13630 Part 4	6×10 ⁻⁴ max	6×10 ⁻⁴ max
Thermal Shock Resistance	IS 13630 Part 5	10 Cycle Min	Passed
Impact Resistance	IS 13630 Part 14	0.55, Min	>0.8
Coefficient of Friction	ISO 10545 Part 17	Manufacturer to declare value where required	PTV >40
Frost Resistance	IS 13630 Part 10	Required if agreed to between manufacturer and purchaser	50 cycle passed
Resistance to deep abrasion of unglazed tiles	IS 13630 Part 12	140, Max	Not Applicable
Bulk density g/cc	IS 13630 Part 2	2.2, Min	2.2, Min
Chemical Properties			
Stain resistant Glazed tiles	IS:13630 Part 8	Class 1 Min	Class 1
Resistance to Household chemicals, Resistance to acids & alkalis (Except HF)	IS: 4457:2007	Resistant	No Visual Change

TECHNICAL SPECIFICATIONS

Full Body Vitrified Tiles (Plain & Rock Finish)

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. Ft.)
600X600 mm (SKD)	4	1.44	15.50

As per Indian Standard (IS 15622:2017) Group B Ia			
Characteristics	Standard Test Method	IS 15622 Requirements	OBL Norms
Dimension & Surface Quality			
Deviation in Size (length & Width)	IS 13630 Part 1	± 0.1 %	± 0.1 % (Max)
Deviation in thickness		± 5.0 %	± 3.0 % (Max)
Straightness of sides		± 0.1 %	± 0.1 % (Max)
Rectangularity		± 0.1 %	± 0.1 % (Max)
Surface Flatness		± 0.5 %	± 0.2 % (Max) ☹️☹️
Surface Quality		Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Min. 95%
Physical Properties			
Water absorption %	IS 13630 Part 2	Average ≤0.08%, individual 0.10% Max.	Average ≤0.08% ☹️
Modulus of rupture N/mm²	IS 13630 Part 6	Average 35, individual 32 Min.	Min 43 N/mm² ☹️☹️
Breaking Strength N	IS 13630 Part 6	700 Min for thickness <7.5mm, 1300 Minimum for Thickness ≥7.5 mm	Min 1600 N ☹️☹️
Moisture Expansion	IS 13630 Part 3	0.02 Max	Conforms
Scratch hardness (Moh's Scale)	IS 13630 Part 13	5 Min	7 min ☹️☹️
Resistance to surface abrasion of glaze tiles Class I to V (Applicable for floor applications aonly)	IS 13630 Part 11	Min II	Class- V ☹️
Linear thermal expansion Co-efficient	IS 13630 Part 4	6x10 ⁻⁶ max	6x10 ⁻⁶ max
Thermal Shock Resistance	IS 13630 Part 5	10 Cycle Min	Passed
Impact Resistance	IS 13630 Part 14	0.55, Min	0.75
Coefficient of Friction (Regular Plain Finish)	ISO 10545 Part 17	Manufacturer to declare value where required	PTV >40
Coefficient of Friction (Rock Finish)	ISO 10545 Part 17	Manufacturer to declare value where required	PTV >60
Frost Resistance	IS 13630 Part 10	Required if agreed to between manufacturer and purchaser	50 cycle passed
Resistance to deep abrasion of unglazed tiles	IS 13630 Part 12	140, Max	Not Applicable
Bulk density g/cc	IS 13630 Part 2	2.2, Min	2.2, Min
Chemical Properties			
Stain resistant Glazed tiles	IS:13630 Part 8	Class 1 Min	Class 1
Resistance to Household chemicals, Resistance to acids & alkalis (Except HF)	IS: 4457:2007	Resistant	No Visual Change

TECHNICAL SPECIFICATIONS

Double Charge | Nano Tech | Polished Vitrified Tiles

Packing Details			
Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. ft.)
1000X1000 (West Zone)	2	2.00	21.53
800X1200 (West Zone)	2	1.92	20.67
600X1200 (West Zone)	2	1.44	15.5
800X800 (West Zone)	3	1.92	20.67
600X600 (West Zone)	4	1.44	15.50

As per Indian Standard (IS 15622:2017) Group B Ia				
Characteristics	Standard Test Method	IS 15622 Requirements	OBL Norms	
Dimension & Surface Quality	IS 13630 (Part 1):2006			
Deviation in Length & Width		±0.1%	± 0.1 %	
Deviation in Thickness		±5.0%	± 3.0 %	
Straightness of Sides		±0.1%	± 0.1 %	
Squareness		±0.1%	± 0.1 %	
Surface Flatness		±0.50%	± 0.2 %	😊😊
Surface Quality		Min. 95 % tiles should be free from visible defects	Conforms	
Physical Properties				
Water Absorption %	IS 13630 (Part 2):2006	E ≤ 0.08	E ≤ 0.05	😊
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Avg≥35 N/mm ²	>35 N/mm ²	😊
Breaking Strength in N	IS 13630 (Part 6):2006	Min 1300	>1300	😊
Scratching Resistance	IS 13630 (Part 13):2006	Min 5	≥ 5	
Deep Abrasion	IS 13630 (Part 12):2006	140 Max	100 Max	😊
Chemical Properties				
Resistance to Staining	IS 13630 (Part 8):2006	Min, Class 2	Conforms	
Resistance to Household Chemicals		Min, Class AA	Conforms	
Thermal Specifications				
Thermal Shock Resistance	IS 13630 (Part 5):2006	Min 10 Cycles	Conforms	
Thermal Expansion	IS 13630 (Part 4):2006	Max 6X10 ⁻³ at 100°c (K ⁻¹)	Conforms	
Frost Resistance	IS 13630 (Part 10):2006	10 Cycles pass	Conforms	
Impact Resistance	IS 13630 (Part 14):2006	0.55 minimum	Conforms	
Bulk Density (gm/cc)	IS 13630 (Part 2):2006	Min 2.2	Conforms	

NOTE: Certain amount of Size and Shade Variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

TECHNICAL SPECIFICATIONS

Digital Ceramic Floor Tiles

Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. Ft.)
300X300 mm	10	0.90	9.69

(3<E≤6% Group B IIa) as per IS 15622:2017				
Characteristics	Standard Test Method	IS 15622:2017 3<E≤ 6% (Group B IIa)		OBL Norms
Dimension & Surface Quality		Unrectified	Rectified	
Deviation in Length & Width	IS 13630 Part 1	± 0.4%	± 0.1 %	± 0.1 %
Deviation in Thickness		± 5.0 %		± 4.00 %
Straightness of Sides		± 0.3 %	± 0.1 %	± 0.1 %
Rectangularity		± 0.3 %	± 0.1 %	± 0.1 %
Surface Flatness		± 0.5 %		± 0.2 % 😊 😊
Surface Quality		Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile		Conforms
Physical Properties				
Water Absorption (%)	IS 13630 Part 2	Average 3 < E ≤ 6 %, Individual 6.2% Max.		3-6% 😊
Modulus of Rupture in [N/mm ²]	IS 13630 Part 6	Average 22, individual 20, Min.		Min 30 N/mm ² 😊
Breaking Strength in N	IS 13630 Part 6	600 Min for thickness <7.5mm, 1000 Minimum for Thickness ≥7.5 mm		Min 700 N 😊
Moisture Expansion in mm/m	IS 13630 Part 3	0.03, Max		Conforms
Scratch hardness (Moh's Scale)	IS 13630 Part 13	4, Min		Min 4
Resistance to surface abrasion of glaze tiles Class I to V (Applicable for floor applications only)	IS 13630 Part 11	Class II, Min		Class II to IV (Depending on surface)
Linear thermal expansion Co-efficient	IS 13630 Part 4	9x10 ⁻⁶ max		Conforms
Thermal Shock Resistance	IS 13630 Part 5	10 cycles, Min		Passed
Crazing Resistance	IS 13630 Part 9	4 Cycles at 7.5 Bar, Min		Passed 😊 😊
Impact Resistance	IS 13630 Part 14	0.55, Min		Min 0.60
Frost Resistance	IS 13630 Part 10	Required if agreed to between manufacturer and purchaser		Passed
Chemical Properties				
Resistance to staining of glazed tiles	IS 13630 Part 8	Class I, Min		Min class I
Resistance to household chemicals		Class AA, Min		Min class AA
Resistance to acid and alkalis (Except HF)		Require If Agreed		Min class AA

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

TECHNICAL SPECIFICATIONS

Ceramic Non Digital Tiles

Packing Details			
Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. ft.)
300X300-Non Digital (SKD)	12	1.08	11.62

As Per Indian Standards (IS 15622:2017) Group B IIa				
Characteristics	Testing Methods	Required as per IS 15622:2017 3 < E ≤ 6 % (Group B II a)		OBL Norms
Dimension & Surface Quality		Unrectified	Rectified	
Deviation in Length & Width	IS 13630 Part 1/ ISO 10545-2	± 0.4 %	± 0.1 %	Conforms
Deviation in Thickness		± 5.0 %		±4.0%
Straightness of Sides		± 0.3 %	± 0.1 %	Conforms
Rectangularity		± 0.3 %	± 0.1 %	Conforms
Surface Flatness		± 0.5 %		± 0.3 % 😊😊
Surface Quality		Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties				
Water Absorption	IS 13630 Part 2/ ISO 10545-3	Avg 3 < E ≤ 6, Individual Max,6.2		5-6%
Modulus of Rupture in [N/mm ²]	IS 13630 Part 6/ ISO 10545-4	Avg 22, Individual 20, Min		>28 😊😊
Breaking Strength in N		< 7.5 mm thickness: 600, Min ≥ 7.5 mm thickness: 1000, Min		>1000 😊😊
Moisture Expansion in mm/m	IS 13630 Part 3	0.03, Max		< 0.03
Scratch Hardness of Surface (Moh's Scale)	IS 13630 Part 13	4, Min		Min 5
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 Part 11/ ISO 10545-7	Class II, Min		PEI Class 3-5 (depending on surface)
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 Part 4/ ISO 10545-8	9x10 ⁻⁶ K ⁻¹ ,Max		Conforms
Thermal Shock Resistance	IS 13630 Part 5	10 cycles, Min		Passed
Crazing Resistance	IS 13630 Part 9/ ISO 10545-9	4 Cycles@7.5 bar, Min		Passed 😊
Frost Resistance	IS 13630 Part 10	Required, if agreed		NA
Impact Resistance- Coefficient of Restitution	IS 13630 Part 14	0.55, Min		Conforms
Chemical Properties				
Resistance to Staining of Glazed Tiles	IS 13630 Part 8/ ISO 10545-13 and ISO 10545-14	Class I, Min		Conforms
Resistance to Household Chemicals		Class AA, Min		Conforms
Resistance to Acids and Alkalies (with exception of hydrofluoric acid and its compounds)		Required, if agreed		Conforms

NOTE: Certain amount of Size and Shade Variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019,
Tel.: +91 172 4624 342

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue,
Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083,
Tel.: +91 44 4213 8687

COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya Road, New Junction,
(Opposite Holiday Inn Hotel) Ernakulam By Pass Road, Cochin-682 031
Tel.: +91 97457 68058

COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram,
Coimbatore-641 002,
Tel.: +91 89799 41666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS Road,
Dehradun-248 001,
Tel.: +91 97197 01064

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027,
Tel.: +91 33 4068 4046/7

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badshah Nagar Railway
Station, Lucknow-226 006,
Tel.: +91 99847 86404

NEW DELHI

M-47, GK-II, M Block, New Delhi-110 048,
Tel.: +91 11 4068 7468/69

PUNE

Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710,
Final Plot No. 401/1, Shankarasheth Road,
Gultekdi, Swargate, Pune-411 037
Tel.: +91 73910 72247

VADODRA DISPLAY CENTRE


78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute,
Old Padra Road, Vadodara-390 007, Gujarat
Tel.: +91 98254 14113

A Network of

2500+

Channel Partners

-  Franchise Owned Boutiques
-  Channel Partners
-  Company Owned Boutiques
-  Plants





Making Tile Selection Easier



Find tiles similar to a reference image



Tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render*

www.orientbell.com

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi-110046, India
Tel: +91-11-47119100, Fax: +91 -11-2852 1273

CIN: L14101UP1977PLC021546

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India
Tel: +91-5735-222-203 / 24, +91-8191004575/ 76
Fax: +91 -5735 222 642

CUSTOMER CARE:

customercare@orientbell.com
Call : 87507 11111
Whatsapp : 87507 33333

Please join us on social media

