

### TRULY VERSATILE



#### **OBL** Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Website of the Year-Jan 2020 for www.orientbell.com (India's construction & design industry)



Brand of the Year-Jan 2021 (Flooring Idea-Tiles & Ceramic)



Best Infrastructure Brands (2021)



Best Omnichannel
Retail Model
Winners Future of Pet

Winners Future of Retail Summit & Awards 2020



Customer Retail Journey Innovation

Winners Future of Retail Summit & Awards 2020



CEO with HR Orientation

ZEE BUSINESS

National Human Capital
Leadership Congress & Awards



# VERSALIA 800X800 mm DOUBLE CHARGE TILES






VERSALIA - the truly versatile double charge ideal for any space, is now available in 5 elegant Color tones. From residential apartments to educational institutions, from shopping complexes to transportation hubs, Versalia range is apt for the modern and classy look. Color tones can be used in combinations.



## **VERSALIA**

# **800X800 mm**DOUBLE CHARGE TILES



Double charge vitrified tiles have two layers infused together. which makes the top design layer thicker than most standard tiles. The process of vitrification by heating it at 1200°C also makes the tile surface stronger and shinier.













Water Absorption less than 0.05%



Glossy



Low Maintenand



Versalia - An exquisite range of neutral tones that come in 5 elegant designs with a touch of feather and strength that last longer.

Elevate your residential and commercial spaces with floors that come with double charge body and look smooth as a feather.





VERSALIA WHITE



**VERSALIA BEIGE** 



**VERSALIA SANDUNE** 



**VERSALIA ROSA** 



**VERSALIA ASH** 

01

02

03

04

05





















VERSALIA SANDUNE 800x800 mm









VERSALIA ASH 800x800 mm

#### TECHNICAL SPECIFICATIONS

#### **Double Charge Tiles**

Packing Details					
Size	No. of Tiles Per Carton	Covered Area Per Carton			
(In mm.)		( In Sq. Mtr. )	( In Sq. Ft. )		
800X800 mm (WZ)	3	1.92	20.67		

As per Indian Standard (IS 15622:2017) Group B Ia						
Characteristics	Standard Test Method	IS 15622 Requirements	OBL Norms			
Dimension & Surface Quality						
Deviation in Size (length & Width)	IS 13630 (Part 1) 2017	± 0.1 %	± 0.1 % (Max)			
Deviation in thickness		± 5.0 %	± 4.0 %			
Straightness of sides		± 0.1 %	± 0.1 %			
Squareness		± 0.1 %	± 0.1 %			
Surface Flatness		± 0.5 %	± 0.2 %	☺		
Surface Quality		Min 95% tiles should be free from visible defects	Conforms	©		
Physical Properties						
Water absorption %	IS 13630 (Part 2) 2017	E ≤0.08%	E ≤0.08%			
Modulus of rupture N/mm <sup>2</sup>	IS 13630 (Part 6) 2017	Avg. 35 N/mm2	> 38 N/mm2	⊕⊕		
Breaking Strength N	IS 13630 (Part 6) 2017	Min 1300	> 1300	⊕ ⊕		
Scratch hardness (Moh's Scale)	IS 13630 (Part 13) 2017	5 Min	5 min	⊕ ⊕		
Deep Abrasion	IS 13630 (Part 12):2017	140 Max	100 Max			
Chemical Properties						
Resistance to Staining		Min, Class 2	Conforms	⊕ ⊕		
Resistance to Household Chemicals	- IS 13630 (Part 8):2017	Min, Class AA	Conforms			
Thermal Specifications						
Thermal Shock Resistance	IS 13630 (Part 5):2017	Min. 10 Cycles	Conforms			
Thermal Expansion	IS 13630 (Part 4):2017	Max 6X10'at 100*c	Conforms			
Frost Resistance	IS 13630 (Part 10):2017	10 Cycles pass	Conforms			
Impact Resistance	IS 13630 (Part 14):2017	IS 13630 (Part 14):2017	Conforms			
Bulk Density (gm/cc)	IS 13630 (Part 2):2017	Min.2.2	Conforms			

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.



#### Making Tile Selection Easier



Find tiles similar to a reference image



Tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render\*

www.orientbell.com

#### CORPORATE OFFICE:

Iris House, 16 Business Centre, Nangal Raya, New Delhi-110046, India Tel: +91-11-47119100, Fax: +91 -11-2852 1273

CIN: L14101UP1977PLC021546

#### **REGISTERED OFFICE:**

8 Industrial Area, Sikandrabad-203 205 (UP), India Tel: +91-5735-222-203 / 24, +91-8191004575/ 76 Fax: +91 -5735 222 642

#### **CUSTOMER CARE:**

customercare@orientbell.com
Missed Call: 87507 11111
Whatsapp: 87507 33333

Please join us on social media













