



INSPIRE

800x1600mm | Glazed Vitrified Tiles

About OBL

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs & development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.



Listed on BSE (530365) for 20+ years. And also on NSE (ORIENTBELL).

OBL Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Brand of The Year 2023
(Flooring Idea - Tiles & Ceramics)



Website of The Year 2022
for www.orientbell.com
(India's construction & design industry)



e4m Pride of India Brands 2022
(The Best of Bharat Conference & Awards)



Brand of The Year 2021
(Flooring Idea - Tiles & Ceramics)



Customer Retail Journey Innovation
Winners Future of Retail Summit & Awards 20



CEO with HR Orientation
ZEE BUSINESS
National Human Capital Leadership Congress & Awards

INDEX

800x1600mm | Glazed Vitrified Tiles

Carving / Matte

Carving Breccia Beige	13
Carving Carrara Bianco	06
Carving Glacier Wave Grey	09
Carving Glacier Wave Silver	08
Carving Sofita Marble Beige	14
Carving Softmarbo Creama	12
Carving Statuario Marble	07
Carving Terrazzo Grey DK	11
Carving Terrazzo Grey LT	10

Super Gloss

Super Gloss Black Golden Marble	17
Super Gloss Emperador Brown Marble	18
Super Gloss Portoro White Vein Marble	16


PGVT / Gloss

PGVT Arctic Voyage Marble	24
PGVT Armani Marble Brown	37
PGVT Armani Marble Crema	31
PGVT Armani Marble Grey DK	30
PGVT Armani Marble Grey LT	26
PGVT Botticino Creama	32
PGVT Breccia Marble Beige	35
PGVT Calacatta Bellissimo Marmi	22
PGVT Dyna Beige	34
PGVT Endless Sofita Beige	36
PGVT Endless Carrara Marble	20
PGVT Nile Quartzite Grey	29
PGVT Onyx Ice	23
PGVT Onyx Pearl	33

PGVT Sardonyx Grey Marble	25
PGVT Statuario Streak Vein Marble	21
PGVT Valentino Quartzite Grey	27
PGVT Venus Grey	28

DGVT / Matte

DGVT Sand Beige	45
DGVT Sand Brown DK	47
DGVT Sand Brown LT	46
DGVT Sand Grey DK	42
DGVT Sand Grey LT	41
DGVT Sand Ivory	43
DGVT Sand Mocca	44
DGVT Sand Silver	40





CARVING TERRAZZO GREY LT & DK

9 Exquisite Carving Designs



CARVING RANGE 800x1600mm

INSPIRE

800x1600 mm | GVT / CARVING

Carving Carrara Bianco



G5
F4
R2



Preview Shown : Carving Carrara Bianco

Carving Statuario Marble



Preview Shown : Carving Statuario Marble



INSPIRE

800x1600 mm | GVT / CARVING

Carving Glacier Wave Sliver



G5
F4
R2



Preview Shown : Carving Glacier Wave Silver

Carving Glacier Wave Grey



Preview Shown : Carving Glacier Wave Grey & Silver



INSPIRE

800x1600 mm | GVT / CARVING

Carving Terrazzo Grey LT



G5
F1
R1




Preview Shown : Carving Terrazzo Grey LT

Carving Terrazzo Grey DK



Preview Shown : Carving Terrazzo Grey DK



INSPIRE

800x1600 mm | GVT / CARVING

Carving Softmarbo Creama



G5
F3
R2



Preview Shown : Carving Softmarbo Creama

Carving Breccia Beige



Preview Shown : Carving Breccia Beige



INSPIRE

800x1600 mm | GVT / CARVING

Carving Sofita Marble Beige




G5
F3
R2



Preview Shown : Carving Sofita Marble Beige

Experience the **unparalleled**
elegance of our
Supergloss designs




SUPER GLOSS RANGE

800x1600mm

INSPIRE

800x1600 mm | GVT / SUPER GLOSS

Super Gloss Portoro White Vein Marble



G3
F4
R2



Preview Shown : Super Gloss Portoro White Vein Marble

Super Gloss Black Golden Marble



Preview Shown : Super Gloss Black Golden Marble & DGV T Sand Brown DK




G3
F4
R2

INSPIRE

800x1600 mm | GVT / SUPER GLOSS

Super Gloss Emperor Brown Marble



G3
F4
R2



Preview Shown : Super Gloss Emperor Brown Marble

Elevate your space with stunning gloss finish




PGVT RANGE

800 x 1600 mm

INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Endless Carrara Marble



G3
F4
R2



Preview Shown : PGVT Endless Carrara Marble & Granalt SNP Nero

PGVT Statuario Streak Vein Marble



Preview Shown : PGVT Statuario Streak Vein Marble



INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Calacatta Bellissimo Marmi



G3
F4
R2



Preview Shown : PGVT Calacatta Bellissimo Marmi & Granalt Royal Black

PGVT Onyx Ice



Preview Shown : PGVT Onyx Ice



INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Arctic Voyage Marble



G3
F3
R2




Preview Shown : PGVT Arctic Voyage Marble

PGVT Sardonyx Grey Marble



Preview Shown : PGVT Sardonyx Grey Marble



INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Armani Marble Grey LT



G3
F4
R2



Preview Shown : PGVT Armani Marble Grey LT

INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Valentino Quartzite Grey



Preview Shown : PGVT Valentino Quartzite Grey

G3
F4
R2

INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Venus Grey



G3
F4
R2



Preview Shown : PGVT Venus Grey

INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Nile Quartzite Grey



Preview Shown : PGVT Nile Quartzite Grey



G3
F4
R2

INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Armani Marble Grey DK



G3
F4
R2



Preview Shown : PGVT Armani Marble Grey DK

PGVT Armani Marble Crema



Preview Shown : PGVT Armani Marble Crema



INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Bottocino Creama



G3
F4
R2



Preview Shown : PGVT Bottocino Creama

INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Onyx Pearl



Preview Shown : PGVT Onyx Pearl



G3
F4
R2

INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Dyna Beige



G3
F4
R2



Preview Shown : PGVT Dyna Beige & DGVGT Sand Beige

PGVT Breccia Marble Beige



Preview Shown : PGVT Breccia Marble Beige & Granalt Brown



INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Endless Sofita Beige



G3
F4
R2



Preview Shown : PGVT Endless Sofita Beige

INSPIRE

800x1600 mm | GVT / GLOSS

PGVT Armani Marble Brown




Preview Shown : PGVT Armani Marble Brown

G3
F4
R2



Transform your space into a modern masterpiece
with our Matte design




D G V T R A N G E

800x1600mm

INSPIRE

800x1600 mm | GVT / MATTE

DGVT Sand Silver



G5
F4
R2



Preview Shown : DGVT Sand Silver

INSPIRE

800x1600 mm | GVT / MATTE

DGVT Sand Grey LT



Preview Shown : DGVT Sand Grey LT



G5
F4
R2

INSPIRE

800x1600 mm | GVT / MATTE

DGVT Sand Grey DK



Preview Shown : DGVT Sand Grey DK

INSPIRE

800x1600 mm | GVT / MATTE

DGVT Sand Ivory



Preview Shown : DGVT Sand Ivory




G5
F4
R2

INSPIRE

800x1600 mm | GVT / MATTE

DGVT Sand Mocca




G5
F4
R2



Preview Shown : DGVT Sand Mocca

DGVT Sand Beige



Preview Shown : DGVT Sand Beige, PGVT Breccia Marble Beige & Granalt Brown

INSPIRE

800x1600 mm | GVT / MATTE

DGVT Sand Brown LT



G5
F4
R2




Preview Shown : DGVT Sand Brown LT

DGVT Sand Brown DK



Preview Shown : DGVT Sand Brown DK



TECHNICAL SPECIFICATIONS

Glazed Vitrified Tiles


Packing Details			
Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
800x1600	2	2.56	27.55

Characteristics	Standard as Per ISO-13006 /EN 14411 Group BIA	Mean Value of PGVT	Mean Value of DGVT / CARVING	Test Method
Regulatory Properties				
Deviation in Length & Width	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2
Deviation in Thickness	± 5.0 %	± 4.0 %	± 4.0 %	
Straightness in Side	± 0.5 %	± 0.1 %	± 0.1 %	
Rectangularity	± 0.6 %	± 0.1 %	± 0.1 %	
Surface Flatness	± 0.5 %	± 0.2 %	± 0.2 %	
Color difference	Unaltered	No change	No change	
Glossiness	As per mfg.	Min 90	Min 10	Glossometer
Surface Mechanical Properties				
Water Absorption	< 0.50 %	< 0.20 %		ISO-10545-3
Apparent Densityec	> 2.0 g/cc	> 2.10 g/cc		DIN 51082
Massive Mechanical Properties				
Modulus of Rupture	Min. 35 N/mm ²	Min. 40 N/mm ²		ISO-10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N		
Impact Resistance	As per mfg.	Min. 0.55		ISO-10545-5
Surface Mechanical Properties				
Surface Abrasion of Resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's Hardness	As per mfg.	Min. 4	Min. 5	EN 101
Thermo Hydrometric Properties				
Frost Resistance	No damage	No damage		ISO-10545-12
Thermal Shock Resistance	No damage	No damage		ISO-10545-9
Moisture Expansion	Nil	Nil		ISO-10545-10
Thermal Expansion (COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁻⁶		ISO-10545-8
Crazing Resistance	As per mfg.	Min. 10 Cycle		ISO-10545-11
Chemical Properties				
Chemical Resistance	No damage	No damage		ISO-10545-13
Stain Resistance	Resistant	Resistant		ISO-10545-14
Safety Properties				
Slip Resistance	As per mfg.	> 0.40		ISO-10545-17
Fire Resistance	As per mfg.	Fireproof		N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield PB & CD		ISO-10545-15

NOTE: Certain amount of Size and Shade Variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.


Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

Tile Design & Faces



Each tile design is printed with some variations on different individual tiles. Variation may be in grain structure or how texture appears in the design. This gives a natural look to the surface where tiles are laid and avoids a small repetitive pattern. The number of variations in a design are called faces of a tile

Tile Randomness/Variation



Randomness is a parameter to indicate the scale of difference in different faces of a tile design. Small variations in faces are indicated with R1 and high variation by R4



Making Tile Selection Easier



Find tiles similar to a reference image



Tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render*

www.orientbell.com

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi-110046, India
Tel: +91-11-47119100, Fax: +91 -11-2852 1273

CIN: L14101UP1977PLC021546

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India
Tel: +91-5735-222-203 / 24, +91-8191004575/ 76
Fax: +91 -5735 222 642

CUSTOMER CARE:

customercare@orientbell.com
Call : 87507 11111
Whatsapp : 87507 33333

Please join us on social media

