



Wall Tiles 30x60 CM



About OBL

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall & Floor Tiles. It's roots in the tile industry can be traced as early as 1977.

OBL has always been a pioneer in the Industry with a focus on customer-centric innovation. It was the first to manufacture ultra-vitrified tiles. For OBL, new product design & development is a continuous process. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

OBL has a chain of signature showrooms to display this extensive range of tiles. It is privileged to be associated with premier architects and construction agencies of the country. It counts most leading developers as well as government & public sector institutions as its customers.



At OBL we believe in excellence. The ISO 9001:2015 accreditation for our quality control management systems reflects this quest for manufacturing products that meet international standards. In 2015 our Sikandarabad plant was awarded with prestigious ISI certification for its products.

As early as in May 2000, OBL was awarded the prestigious ISO 14001 certification by the internationally recognised BSI Management Systems, UK. Our manufacturing units are ISO 14001:2015 certified, the most complete and global expression for an environment friendly industrial company.

We believe in making great products in a safe, healthy and environment friendly way. We have been awarded OHSAS 18001 Certification for Health & Safety Standards. No waste water is ever discharged from our factory. OBL won the "Certificate Of Merit" in 'National Energy Conservation Award' 2016 organised by Ministry of Power for saving Power and Fuel consumption.



INDEX

Ceramic Tiles

ODG BOHMIA GRIS DK	01
ODH BOHMIA GEO HL	01
ODH BOHMIA FLORA HL	01
ODG BOHMIA GRIS LT	01
ODM BOHMIA GRIS LT FL	01
ODM MARCO BEIGE DK	02
ODH MARCO BLOOM HL	02
ODH MARCO MERFIL HL	02
ODM MARCO BEIGE LT	02
ODM MARCO BEIGE LT FL	02
ODG EMPRESS IVORY	02
ODH EMPRESS FLORA TOP HL	02
ODH EMPRESS FLORA MIDDLE HL	02
ODH EMPRESS FLORA BOTTOM HL	02
ODM EMPRESS (EC) IVORY FL	02
ODH NORDICS PINK FLORA HL 1	03
ODH NORDICS PINK FLORA HL 2	03
ODG NORDICS WHITE	03
GLACIER (EC) WHITE	03
ODM RAYON BROWN	04
ODH RAYON GOLD HL	04
ODM RAYON BEIGE	04
ODM RAYON BROWN FL	04
ODM BATIK SANDUNE	04
ODH BATIK LEAF HL	04
ODM BATIK CREMA	04
ODM BATIK SANDUNE FL	04
ODM PRINTEX BROWN	06
ODH PRINTEX FLORA HL	06
ODM PRINTEX IVORY	06
ODM PRINTEX (EC) IVORY FL	06
ODM AMELIA GREY DARK	06
ODH AMELIA DECOR HL	06
ODM AMELIA GREY LIGHT	06
ODM AMELIA (EC) GREY LIGHT FL	06
ODG DAFFODIL IVORY	07
ODH DAFFODIL FLORA HL 1	07
ODH DAFFODIL FLORA HL 2	07
ODM DAFFODIL (EC) IVORY FL	07
ODG EMBROIDERY BEIGE DK	08
ODH EMBROIDERY FLORA HL	08
ODG EMBROIDERY BEIGE LT	08
ODM EMBROIDERY (EC) BEIGE LT FL	08
ODG JUNO MULTI DK	08
ODH JUNO MULTI HL	08
ODG JUNO MULTI LT	08
ODM BOHMIA GRIS LT FL	08
ODG LEAVES GREY DK	09
ODH LEAVES FLORA HL	09
ODG LEAVES GREY LT	09
ODM HAZEL (EC) GREY FL	09

ODM JAGNA GREY DARK	09
ODH JAGNA HL	09
ODM JAGNA GREY LIGHT	09
ODM AMELIA (EC) GREY LIGHT FL	09
ODG FRAME MULTI	10
ODG FRAME BIANCO	10
GLACIER (EC) WHITE	10
ODH KOLAM BROWN HL	10
GFT LINA STARWHITE	10
GLACIER (EC) WHITE	10

Glazed Vitrified Tiles

ODM COASTWOOD WENGE	11
ODH COASTWOOD FLORA HL	11
ODM COASTWOOD GREY	11
ODM ZINGA GREY	11
ODH ZINGA CIRCLE HL	11
ODM ZINGA PEARL	11
LAPATO MARTINI BEIGE	12
LAPATO MARTINI FLORA HL	12
LAPATO MARTINI CREAMA	12
LAPATO CARDIFF DK	12
LAPATO CARDIFF HL	12
LAPATO CARDIFF LT	12


Code Description

ODH: Orient Bell Digital Highlighter
ODM: Orient Bell Digital Matte
ODG: Orient Bell Digital Glossy
P-Punch |  - NON DIGITAL

R1: Single Variation | R2: Slight Variation
R3: More Variation | R4: Most Variation


F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face |
F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4 & G5 (Grouping) are as per
technical parameters.



ODG BOHMIA GRIS DK

R3 F3




ODH BOHMIA GEO HL

P R1 F1



ODH BOHMIA FLORA HL

R1 F1



ODG BOHMIA GRIS LT

R3 F3



ODM BOHMIA GRIS LT FL

R3
F3



ODH BOHMIA GEO HL, ODG BOHMIA GRIS DK, ODG BOHMIA GRIS LT & ODM BOHMIA GRIS LT FL



ODM MARCO BEIGE DK

P R4 F4



ODG EMPRESS IVORY

R2 F4



ODH MARCO BLOOM HL

P R1 F1



ODH EMPRESS FLORA TOP HL

P R1 F1




ODH MARCO MERFIL HL

P R1 F1



ODH EMPRESS FLORA MIDDLE HL

P R1 F1



ODM MARCO BEIGE LT


P R4 F4



ODH EMPRESS FLORA BOTTOM HL

P R1 F1


300X300 MM



ODM MARCO BEIGE LT FL

R4
F4

300X300 MM



ODM EMPRESS (EC) IVORY FL

R2
F4




ODH NORDICS PINK FLORA HL 1

R1 F1



ODH NORDICS PINK FLORA HL 2

R1 F1



ODG NORDICS WHITE

R1 F1



GLACIER (EC) WHITE

ND
R1
F1



ODH NORDICS PINK FLORA HL 1, 2 & ODG NORDICS WHITE



ODM RAYON BROWN

P R1 F1



ODM BATIK SANDUNE

R1 F1



ODH RAYON GOLD HL

P R1 F1




ODH BATIK LEAF HL

R1 F1



ODM RAYON BEIGE

P R1 F1



ODM BATIK CREMA

R1 F1



ODM RAYON BROWN FL

R2
F2



ODM BATIK SANDUNE FL

R1
F1



ODH PRINTEX FLORA HL, ODM PRINTEX IVORY




ODH AMELIA DECOR HL, ODM AMELIA GREY DARK & ODM AMELIA GREY LIGHT



ODM PRINTEX BROWN

R2 F4



ODM AMELIA GREY DARK

R2 F4



ODH PRINTEX FLORA HL

P R1 F1




ODH AMELIA DECOR HL

R1 F1



ODM PRINTEX IVORY

R2 F4



ODM AMELIA GREY LIGHT

R2 F4



300X300 MM

R2
F4

ODM PRINTEX (EC) IVORY FL



300X300 MM

R2
F4

ODM AMELIA (EC) GREY LIGHT FL



ODG DAFFODIL IVORY

R2 F2



ODH DAFFODIL FLORA HL 1

R1 F1



ODH DAFFODIL FLORA HL 2

R1 F1



300X300 MM

R2
F2

ODM DAFFODIL (EC) IVORY FL



ODH DAFFODIL FLORA HL 1, 2, ODG DAFFODIL IVORY & ODM DAFFODIL (EC) IVORY FL



ODG EMBROIDERY BEIGE DK

R2 F4



ODG JUNO MULTI DK

P R1 F1



ODH EMBROIDERY FLORA HL

R1 F1




ODH JUNO MULTI HL

P R1 F1



ODG EMBROIDERY BEIGE LT

R2 F4



ODG JUNO MULTI LT

P R1 F1


300X300 MM



ODM EMBROIDERY (EC) BEIGE LT FL

R2 F4

300X300 MM



ODM BOHMIA GRIS LT FL

R3 F3



ODG LEAVES GREY DK

P R1 F1




ODM JAGNA GREY DARK

R4 F4



ODH LEAVES FLORA HL

P R1 F1



ODH JAGNA HL

P R1 F1




ODG LEAVES GREY LT

P R1 F1




ODM JAGNA GREY LIGHT

R4 F4




ODM HAZEL (EC) GREY FL

R1
F1



ODM AMELIA (EC) GREY LIGHT FL

R2
F4




ODG FRAME MULTI

P R1 F1



ODH KOLAM BROWN HL

P R1 F1



ODG FRAME BIANCO

P R1 F1




GFT LINA STARWHITE

P R1 F1



GLACIER (EC) WHITE



GLACIER (EC) WHITE



ODM COASTWOOD WENGE

G5 R2 F4



ODM ZINGA GREY

G5 R2 F4



ODH COASTWOOD FLORA HL

G5 R1 F1



ODH ZINGA CIRCLE HL

G5 R1 F1



ODM COASTWOOD GREY

G5 R2 F3



ODM ZINGA PEARL

G5 R2 F4



ODH ZINGA CIRCLE HL, ODM ZINGA GREY & ODM ZINGA PEARL



LAPATO MARTINI BEIGE

G3 R2 F4



LAPATO CARDIFF DK

G5 R1 F1



LAPATO MARTINI FLORA HL

G3 R1 F1




LAPATO CARDIFF HL

G3 R1 F1



LAPATO MARTINI CREAMA

G3 R2 F4



LAPATO CARDIFF LT

G3 R1 F1



LAPATO MARTINI FLORA HL, LAPATO MARTINI CREAMA & LAPATO MARTINI BEIGE

TECHNICAL SPECIFICATIONS

Glazed Vitrified Tiles

Packing Details					
Size	No. of Tiles Per Carton	Covered Area Per Carton		Thickness	Avg. Weight
(In mm.)		(In Sq. Mtr.)	(In Sq. Ft.)	(In mm.)	In Kg./Carton
300X600 (Wall Tiles)	8	1.44	15.5	8	27

Group B Ia as per ISO 13006:2012 and Group B Ib as per IS 15622:2017					
Characteristics	Test Methods	Requirement as per ISO 13006 ≤ 0.5 Group B Ia	Requirement as per IS 15622:2017 0.08<E ≤ 3% Group B Ib		OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2006		Unrectified	Rectified	
Deviation in Length & Width		±0.6%	± 0.4%	± 0.1 %	± 0.1 %
Deviation in Thickness		±5%	± 5.0 %		± 4 %
Straightness of Sides		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Rectangularity		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Surface Flatness		±0.5%	± 0.5 %		± 0.2 %
Surface Quality		Min. 95 % tiles should be free from visible defects	Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties					
Water Absorption	IS 13630 (Part 2):2006	Avg ≤ 0.5, Individual max, 0.6	Avg 0.08<E ≤ 3, Individual max, 3.3		Avg ≤ 0.5, Individual max, 0.6
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Minimum 35, Individual 32, Min	Avg 30, Individual 27, Min		Avg 38 Min, Individual 35, Min
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1300, Min	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1500 Min
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	Declare Value	0.02, Max		0.02
Scratch Hardness of Surface (Moh's Scale)	NA	NA	5, Min		5 to 8 Depending on Design/Surface
Resistance to Surface Abrasion of glazed tiles (Class I to V)	IS 13630 (Part 11):2006	Test Method Available	Class II, Min		Class-III to Class-V Depending as per Design / Surface
Co-efficient of Linear Thermal Expansion from ambient temperature to 100°C	IS 13630 (Part 4):2006	Test Method Available	7x10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	Test Method Available	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	Test Method Available	4 Cycles@7.5 bar, Min		4 Cycle @ 7.5 Bar Min
Frost Resistance	IS 13630 (Part 10):2006	Required	Required		Resistance
Bulk Density, in (g/cc)	IS 13630 (Part 12):2006	NA	2.0, Min		> 2.1
Impact resistance- Coefficient of restitution	IS 13630 (Part 14):2006	Manufacturer to State	0.55, Min		0.7-0.85
Chemical Properties					
Resistance to staining of glazed tiles	IS 13630 (Part 8):2006	Min, Class 3	Class I, Min		Class-1to 2 Depending on Surface
Resistance to household chemicals		Min, GA	Class AA, Min		Class AA, Min
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)		Test Method Available	Required, if agreed		Resistance

TECHNICAL SPECIFICATIONS Ceramic Tiles

Packing Details					
Size	No. of Tiles Per Carton	Covered Area Per Carton		Thickness	Avg. Weight
(In mm.)		(In Sq. Mtr.)	(In Sq. Ft.)	(In mm.)	In Kg./Carton
300X600 (Digital Wall Tiles)	6	1.08	11.62	9	16.9
300X600 (Non Digital Wall Tiles)	6	1.08	11.63	9	16.9
300X300 (Floor Tiles)	12	1.08	11.62	7.3	16.25
300X300 Rectified	12	1.08	11.62	8.5	16.2

(E > 10 % Group B III) as per IS 15622:2017				
Characteristics	Standard Test Method	IS 15622:2017 E > 10 % (Group B III)		OBL Norms
Dimension & Surface Quality		Unrectified	Rectified	
Deviation in Length & Width	IS 13630 (Part 1):2006	± 0.4%	± 0.2 %	Conforms
Deviation in Thickness		± 5.0 %		± 3.00 %
Straightness of Sides		± 0.2 %	± 0.15 %	Conforms
Rectangularity		± 0.3 %	± 0.2 %	Conforms
Surface Flatness		± 0.3 %		± 0.20 %
Surface Quality		Min. 95 % tiles shall be free from visible defects		Min. 95 % tiles shall be free from visible defects
Physical Properties				
Water Absorption (%)	IS 13630 (Part 2):2006	Average > 10 %		15±2 %
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Min 15, for thickness < 7.5 mm Min 12, for thickness ≥ 7.5 mm		>15
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 200, Min ≥ 7.5 mm thickness: 600, Min		Conforms
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	0.04, Max		Conforms
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13):2006	3, Min		>3
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 (Part 11):2006	Class II, Min		Conforms
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 (Part 4):2006	9×10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	10 cycles, Min		Passed 10 Cycle
Crazing Resistance Glazed Tiles	IS 13630 (Part 9):2006	4 Cycles@7.5 bar, Min		4 Cycle Passed
Impact Resistance- Coefficient of Restitution	IS 13630 (Part 14):2006	0.55, Min		>0.55
Chemical Properties				
Resistance to Staining of Glazed Tiles	IS 13630 (Part 8):2006	Class I, Min		Conforms
Resistance to Household Chemicals		Class AA, Min		Conforms
Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compound)		Required, if agreed		Resistant

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.



भारत सरकार/ GOVERNMENT OF INDIA
केंद्रीय लोक निर्माण विभाग/ CENTRAL PUBLIC WORKS DEPARTMENT
तिरुपति परियोजना अंचल, हैदराबाद/ TIRUPATI PROJECT ZONE, HYDERABAD

NIT No.
01/EE/TPD-I/2018-19
(01/CPM/NSGPZ/2018-19)

Name of work: Construction of Buildings for IIT, Tirupati at permanent campus at Merlapaka Village, Yerpedu Mandal, Chittoor District, Andhra Pradesh. (Phase I, Stage 1) SH: C/o Class Room Building, Engineering Unit/CPWD office and Boys Hostel Block-F including internal Water supply lines, Sanitary Installations, Drainage, Internal Electrical Installations, etc.

NIT Amount:Rs. 21,16,36,528 /- (Composite)
(Civil-Rs. 17,26,17,493 /- + Electrical-Rs. 3,90,19,035 /-)


5)	Ply wood	Kitply, Centuryply, Archidply, Sonear, Greenply, Merino, Anchor Ply.
6)	Laminates	Kitply, Centuryply, Archidply, Sonear, Greenlam, Merino, Formica, Decolam.
7)	Veneers	Kitply, Centuryply, Archidply, Sonear.
8)	Flush Door Shutters	Raavela Doors, Standard Doors, Kitply, Kutty, M/s Nagarjuna Doors., ITPL, Green Ply, Archid Ply, Century, Anchor.
9)	M.S. Rectangular Structural Sections (RHS)	TATA, SAIL, RINL, JINDAL STEEL & POWER Ltd., JSW.
10)	Water Proofing Compound	Ardex Endura, Fosroc, CICO, Pidilite, BASF, Laticrete,
11)	RCC Door Frames	Ambience Industries, Ventura, Pull Cast.
12)	Ceramic Floor /Dado Tiles (Digital Series)	Kajaria, Nitco, H&R Johnson, Somany, Orient Bell , RAK.
13)	Vitrified Tiles	Kajaria, Nitco, H&R Johnson, Mudreshwar Ceramics, Somany, Orient Bell , RAK.
14)	Tile Adhesives	Ardex Endura, Latecrete, Weber, Roff.
15)	Aluminium Extruded sections	Jindal, Hindalco, Indian Aluminium Co.
16)	Aluminium Composite Panels (ACP)	ALSTRONG, ALCOBOND, Euro Bond, Aludecor
17)	Float/Plain/Tinted/Tempere d Glass.	Modi, Saint Gobain, Asahi, Atul, Glower Bell, Hindustan Pilkington.
18)	Structural Glazing	Modi, Saint Gobain, Asahi.
19)	Grout Compound/ Epoxy Grouts	Ardex Endura, Latecrete, Weber, Fosroc, M/s Pidilite Industries, Roff, BASF.
20)	Cement Based Wall putty	Ardex Endura, Birla Wall Care, J.K. Wall putty, Sarah, Asian Paints,
21)	G.I./MS Pipes	TATA/ Prakash Surya/ Jindal/ Zenith/ Apollo.
22)	Gun metal valves	Zoloto, Leader, SANT.
23)	C.I. Sluice Valves	Kirloskar, Leader, Zoloto, BURN, IVS
24)	PTMT fittings/ fixtures	Prayag, Shakti
25)	C.P. Brass fittings/ fixtures	Jaquar (Continental Series), Marc (Oriental Series), Parko, ESS, Kingston, Parryware makes.
26)	U.P.V.C./C.P.V.C pipes & specials	Ashirvad, Prince, Supreme, Finolex, Astral, Sudhakar.
27)	Vitreous China Sanitary ware	Parryware, Neycer, Hindware, Cera, Jaguar.
28)	Stainless Steel Sinks	Nirali, Gilma, Kaff, Hindware, Johnson, Kingston.

Cor NIL Ins NIL
Omi NIL Ovw NIL
AE (P) EE (P)

TENDER ID: 2018_AAI_9081_1

**AIRPORTS AUTHORITY OF INDIA
OLD R. D. BUILDING
SAFDARJUNG AIRPORT
NEW DELHI - 110003**

		BOSCH
		Fasteners India
		Axel
		Mungo
	Vitrified / Ceramic Tiles	H & R Johnson (India) Ltd.
		NITCO Tiles Ltd.
		Somany Tiles Ltd
		Kajaria Ceramics Ltd.
		RAK Ceramics
		Asian Granito India Ltd. (AGL)
		Oracle Granito Ltd.
		Marbito Vitrified Tile
		Oasis Vitrified Tiles
		PAVIT
		Orient-Bell
	Tile Joint Filler, Tile fixing adhesive	Bal Endura (India) Pvt. Ltd.
		Ferrouscrete India Pvt. Ltd.
		MYK Laticrete/Laticrete
		Pidilite Industries Ltd
		Ultra Tech
		FOSROC Chemicals (India) Pvt. Ltd.
		FOSROC India Pvt. Ltd.
	Stone adhesive	Ferrouscrete India Pvt. Ltd.
		Ultra Tech
		Bal Endura
		Pidilite Industries Ltd
	Floor Hardener	STP Ltd.
		Sika India Pvt. Ltd
		BASF India Ltd.
		Pidilite Industries Ltd
		FOSROC Chemicals (India) Pvt. Ltd.
		Ironite
		NITCO Tiles Crop
		Key Resin USA
		Terrazo marble supply USA
	Epoxy flooring	Pergo Ltd.
		Action tesa
		Unitex
		Armstrong World Industries (India) Ltd.
		Modulys
		Milliken
	Wooden laminate flooring	
	Nylon Carpet tile	
6.0 Roofing	Aluminium Standing Seam Roofing system	KALZIP
		Kingspan
		Lexan
		Tuflite
		Dan Pal (India) Pvt. Ltd
		Polygal India Pvt. Ltd
		Sabic (GE Plastics)
	Poly Carbonate Sheet	



2500+

Channel Partners

- Franchise Owned Boutiques
- Channel Partners
- Company Owned Boutiques
- Plants

ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019,
Tel.: +91 172 4624 342

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue,
Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083,
Tel.: +91 44 4213 8687

COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya Road, New Junction, (Opposite
Holiday Inn Hotel) Ernakulam By Pass Road, Cochin-682 031
Tel.: +91 97457 68058

COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram,
Coimbatore-641 002,
Tel.: +91 89799 41666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS Road,
Dehradun-248 001,
Tel.: +91 99970 70347

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027,
Tel.: +91 33 4068 4046/7

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badhshah Nagar Railway
Station, Lucknow-226 006,
Tel.: +91 99847 86404

NEW DELHI

M-47, GK-II, M Block, New Delhi-110 048,
Tel.: +91 11 4068 7468/69

PUNE

Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710, Final Plot No. 401/1,
Shankarasheth Road, Gultekdi, Swargate, Pune-411 037
Tel.: +91 73910 72247

VADODRA DISPLAY CENTRE

78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute,
Old Padra Road, Vadodara-390007, Gujarat
Tel.: +91 98254 14113

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi – 110046, India
Tel: +91-11-47119100, Fax: +91-11-2852 1273

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad – 203 205 (UP), India
Tel: +91-5735-222-203 / 424, +91-8191004575 / 76
Fax: +91-5735 222 642

CUSTOMER CARE:

customer@orientbell.com
Toll Free: 1800 208 1015

CIN: L14101UP1977PLC021546

Please join us on social media



www.orientbell.com

