



MASTER FLOOR CATALOGUE

September 2019, HOSKOTE+WESTZONE





About OBL

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs & development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.

- The ISO 9001:2015 accreditation for our quality control management systems reflects the quest for manufacturing international standard products.
- In 2015 our Sikandarabad plant was awarded with prestigious ISI certification for its products.
- In May 2000, OBL was awarded ISO 14001 certification by the internationally recognised BSI Management Systems, UK.
- Our manufacturing units are ISO 14001:2015 certified, the most complete and global expression for an environment friendly industrial company.
- We have been awarded OHSAS 18001 Certification for Health & Safety Standards. No waste water is ever discharged from our factory.
- We were also awarded with "Certificate Of Merit" in 'National Energy Conservation Award' 2016 organised by Ministry of Power for saving Power and Fuel consumption.




At Orientbell, we understand your needs and propose solutions to support your objectives. With us you can interact with the best tile professionals for best recommendations. Afterall, while tiles is 2-3% of your project cost, it can be a significant proportion of your impact.




For a large auto major, we customised our supply chain to deliver a mix of tiles in just the right proportions for constructing their pan-india service centres. With 10+ tiles uniquely designed for them, their brand experience was consistent.

Visualising the look of a to-be-constructed space tends to be time-consuming & expensive. Secrecy concerns worsen the situation. A team at an upcoming airport was facing this challenge. We used an approximate drawing to visualise the airport and provided them a range of tile designs & laying patterns they could choose from.




With our high standard of corporate governance, 5 manufacturing locations, 2500+ Channel Partners, 3500+ designs we are confident of meeting your needs anywhere & anytime.

WOOD



MARBLE



GRANITE



CEMENT



INDEX

Wood..... 01-10

Marble..... 13-58

Marble-Big Size..... 13-28

Marble..... 29-48

Marble-Granite..... 49-58

Cement..... 61-68

Texture/Plain/Mosaic..... 71-82


Texture..... 71-78

Plain..... 79-81


Mosaic..... 82-82

Pavers..... 85-94


Technical Specifications..... 95-101




TEXTURE




PLAIN



MOSAIC



PAVERS




Listed on BSE (530365) for 20+ years.
And also on NSE (ORIENTBELL).





WOOD



600x1200 MM



200x1200 MM



800x600 MM



600x600 MM



395x395 MM



300x300 MM

INDEX-WOOD

WOOD | 600X1200 MM

DGVT ARTICO WOOD BROWN 01

WOOD | 800X800 MM

DGVT FOREST WOOD 02
DGVT VENEER WOOD 02

WOOD | 600X600 MM

DGVT ANTIQUE WOOD 03
DGVT LYON WOOD 03

FOREVER TILES | 600X600 MM

BDC WOOD SQUARE 05
BDW ALASKA WOOD NATURAL 05
BDW ALDER BROWN 05
BDW HOOVER BROWN 04
BDW HOOVER IVORY 04
BDW KOA PLANK BROWN 04
BDW KOA PLANK WENGE 04
BDW MAGIC WOOD BROWN 05
BDW RUBRA STRIP BROWN 05
BDW RUBRA STRIP MULTI 05
BDW TEXAS BROWN 05
BDW VORTEX WOOD BROWN 06
BDW WALNUT WOOD 05

WOOD | 395X395 MM

BDW ALASKA WOOD NATURAL 07
BDW HOOVER BROWN 07
IROKO RW 07
ROSE BROWN 08

WOOD | 300X300 MM

BDM BRAZIL WOOD 07
GOLDEN TEAK 08

PLANKS | 200X1200 MM

PLANK HAVANA WOOD BEIGE 09
PLANK HAVANA WOOD BROWN 09
PLANK PIMLICO WOOD BEIGE 09
PLANK PIMLICO WOOD CAFE 09



Code Description

DGVT- Digital Glazed Vitrified Tiles | BDC- Orientbell Digital Ceramic | BDM- Orientbell Digital Matte

BDW- Orientbell Digital Wood | P-Punch | EXL- Exclusive | DLX- Deluxe | R- Regular | A- Alpha

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters

MT
MATTE

GL
GLOSS

P
PUNCH

D
DIGITAL

ND
NON DIGITAL



West Zone Tiles

WOOD




600x1200 MM



Shown tile is Matte



600x1200 MM
D6VT Artico Wood Brown



600X1200 MM | D6VT ARTICO WOOD BROWN





800x800 MM
DGVt Veneer Wood



800X800 MM | DGVt VENEER WOOD




800X800 MM | DGVt FOREST WOOD




All shown tiles are Matte



WOOD



600X600 MM | DGV T LYON WOOD



600X600 MM | DGV T ANTIQUE WOOD



600x600 MM



All shown tiles are Matte



600x600 MM
DGV T Lyon Wood

DLX P



D

DIGITAL

G5

F4

R4

600X600 MM | BDW HOOVER BROWN

DLX P



D

DIGITAL

G5

F4

R4

600X600 MM | BDW HOOVER IVORY

EXL P



D

DIGITAL


G5

F2

R2

600X600 MM | BDW KOA PLANK BROWN

EXL P



D

DIGITAL

G5

F2

R2

600X600 MM | BDW KOA PLANK WENGE



600x600 MM
BDW Hoover Brown



600x600 MM



All shown tiles are Matte

WOOD

EXL



D
DIGITAL
G5
F1
R1

600X600 MM | BDW ALDER BROWN


EXL P



D
DIGITAL
G5
F2
R2

600X600 MM | BDW RUBRA STRIP BROWN


EXL P



D
DIGITAL
G5
F1
R1

600X600 MM | BDW TEXAS BROWN

EXL



D
DIGITAL
G5
F3
R3

600X600 MM | BDW WALNUT WOOD


EXL



D
DIGITAL
G5
F1
R1

600X600 MM | BDC WOOD SQUARE


EXL P



D
DIGITAL
G5
F2
R2

600X600 MM | BDW RUBRA STRIP MULTI


DLX P



D
DIGITAL
G5
F4
R4

600X600 MM | BDW MAGIC WOOD BROWN

EXL P



D
DIGITAL
G5
F4
R4

600X600 MM | BDW ALASKA WOOD NATURAL




600x600 MM



All shown tiles are Matte



DLX



D
DIGITAL
G5
F2
R2

600X600 MM | BDW VORTEX WOOD BROWN

With the right flooring,
vintage look never goes out of style!

600x600 MM
BDW Vortex Wood Brown




Shown tile is Matte



WOOD


EXL



D
DIGITAL
G4
F2
R2

395X395 MM | IROKO RW


DLX P



D
DIGITAL
G4
F4
R4

395X395 MM |
BDW ALASKA WOOD NATURAL


DLX P



D
DIGITAL
G4
F4
R4

395X395 MM |
BDW HOOVER BROWN

DLX P



D
DIGITAL
G4
F1
R1

300X300 MM |
BDM BRAZIL WOOD

300x300 MM
BDM Brazil Wood



395x395 MM




300x300 MM




All shown tiles are Matte





395X395 MM | ROSE BROWN



300X300 MM | GOLDEN TEAK

395x395 MM
Rose Brown

All shown tiles are Matte



300x300 MM



395x395 MM

PLANKS



200X1200 MM | PLANK PIMLICO WOOD BEIGE



200X1200 MM | PLANK PIMLICO WOOD CAFE



200X1200 MM | PLANK HAVANA WOOD BEIGE



200X1200 MM | PLANK HAVANA WOOD BROWN



200x1200 MM


All shown tiles are Matte



200x1200 MM
PLANK Pimlico Wood Beige



MARBLE




1200x2400 MM



800x1600 MM



1200x1200 MM



800x1200 MM



600x1200 MM



1000x1000 MM



800x800 MM



600x600 MM



395x395 MM

INDEX-MARBLE

MARBLE/BIG SIZE

BIG SIZE | 1200X2400 MM

PGVT MARMI ERAMOSA	15
PGVT MARMOS GREY	15
PGVT STATUARIO SUMMER WHITE	14
PGVT TRAVERTINO PEARL	14
PGVT WILLIAM GREY	16

BIG SIZE | 800X1600 MM

PGVT BOTTOCHINO NEO	18
PGVT CLASSIC ONYX	18
PGVT LOUISE GRANITE	20
PGVT MARCA CORONA BEIGE	20
PGVT NIVEA REAL	18
PGVT PULPIS MARFIL	17
PGVT STATUARIO SUPER	17
PGVT TRAVERTINO TITANIUM	17

BIG SIZE | 1200X1200 MM

PGVT DYNA FANTASTICO	24
PGVT DESERT SNOW	24
PGVT EMPERADOR PREMIUM	22
PGVT MYSTERY BIANCO	21
PGVT STATUARIO GLACIER	21

DOUBLE CHARGE | 800X1200 MM

CRESENT BIANCO	25
DRAGON NERO	25
MERLIN BIANCO	25
ROSA WHITE	25

DOUBLE CHARGE | 1000X1000 MM

TROPICANA NATURAL	28
TROPICANA SUPER WHITE	28

MARBLE

SUPER GLOSS | 600X1200 MM

SUPER GLOSS EMPERADOR BROWN	29
SUPER GLOSS MARQUINA BLUE	29
SUPER GLOSS MONACO GREY	29
SUPER GLOSS WAVE BLUE MARBLE	29

PGVT | 600X1200 MM

PGVT AUTHENTIC IVORY	31
PGVT AUTHENTIC GREY LIGHT	31
PGVT STYLE STATUARIO	31
PGVT SUPER WHITE	31

DOUBLE CHARGE | 800X800 MM

CARIBBEAN BLACK	33
LUCENT GOLD	34
LUSTRO VOLCANO	34
LUCENT WHITE	34
LUSTRO BROWN	34
SIGMA CREAMA	34
TROPICANA WHITE	33

PGVT | 800X800 MM

PGVT AQUA MARINA MARBLE	35
PGVT EMPRESS BEIGE	35
PGVT EMPRESS CREAMA	35
PGVT SPARKLE WHITE	35
PGVT SWAN MARBLE	35

PGVT | 600X600 MM

PGVT AKRON GREY	38
PGVT ELECTO BROWN	38
PGVT LAVENTINA CREAMA	38
PGVT REAL STATUARIO	38

PDC | 600X600 MM

PDC AMINA	40
PDC ANGELA	40
PDC ATARA	40
PDC BAGOTA	40
PDC KASSIA	40
PDC KERIS	40
PDC ROYALE WHITE	40
PDC SPENCER	40
PDC VERSA	40

NANO | 600X600 MM

NANO 003	42
NANO 004	42
NANO 005	42
NANO EDEN	42
NANO HOMER BEIGE	42
NANO IVORY	41
NANO ORBIT	42
NANO RIVO	42
NANO VINEAR	42

PVT | 600X600 MM

10201	43
10205	44
10211	43
10212	43
10214	44
10232	44
10234	44
10240	43
10241	43
10242	43
10247	43
10248	44
12203	44

12206	44
12220	43
PVT 003	44

FOREVER TILES | 600X600 MM

BDM FRANJO IVORY	46
FEDARO BROWN	46
FEDARO GREY	46
FEDARO IVORY	46

FOREVER TILES | 395X395 MM

BDM MADURA BEIGE	47
BDM MADURA IVORY	47

MARBLE | 395X395 MM

DENMARK COFFEE	48
DENMARK CREAMA	48
GENOVA	48
MILO	48
NAPOLI	48
PAVONA BEIGE	48
SPRING BROWN	48

MARBLE/GRANITE

DOUBLE CHARGE | 800X800 MM

CANTO CREAMA	49
CANTO DK BLACK	50
CANTO DK COFFEE	50
CANTO OCEAN	49
NU CANTO BEIGE	50

DOUBLE CHARGE | 600X600 MM

CANTO ALMOND	51
CANTO BEIGE	52
CANTO CREAMA	52
CANTO GREEN	51
CANTO OCEAN	52
CANTO RED	51
LARA CREAMA	56
LARA GOLD	56
LARA ROSA	56
LARA SILVER	56
NU CANTO ASH	56
NU CANTO AZUL	51
NU CANTO CARBON	56
NU CANTO CHOCO	56
NU CANTO ROSSA	56
RIVER BEIGE	57
RIVER BLUE	57
RIVER CHOCO	57
RIVER CREAMA	57
RIVER PEARL	57
RIVER RED	57
RIVER SMOKY	57
STAR DK BLACK	53
STAR DK BROWN	53
STAR DK GREEN	53
STAR DK MULTI	53
STAR DK ORANGE	53
STAR DK RED	53
STAR IVORY	52
STAR ORANGE	52
STAR PINK	52
STAR SANDUNE	52
STAR WHITE	52

Code Description

PGVT- Polished Glazed Vitrified Tiles | PDC-Printed Double Charge | BDM- Orientbell Digital Matte

PVT- Polished Vitrified Tiles | P- Punch | EXL- Exclusive | DLX- Deluxe | R- Regular | A- Alpha

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters



West Zone Tiles



1200x2400 MM
PGVT Statuario Summer White




1200X2400 MM | PGVT STATUARIO SUMMER WHITE



1200X2400 MM | PGVT TRAVERTINO PEARL



All shown tiles are Glossy



1200x2400 MM

MARBLE-BIG SIZE

1200x2400 MM



All shown tiles are Glossy




1200X2400 MM | PGVT MARMOS GREY



1200X2400 MM | PGVT MARMERI ERAMOSA





1200X2400 MM | PGVT WILLIAM GREY



1200x2400 MM
PGVT William Grey


MARBLE-BIG SIZE



800X1600 MM | PGVT STATUARIO SUPER



800X1600 MM | PGVT TRAVERTINO TITANIUM



800X1600 MM | PGVT PULPIS MARFIL



800x1600 MM




All shown tiles are Glossy



800X1600 MM | PGVT BOTTOCHINO NEO



800X1600 MM | PGVT NIVEA REAL



800X1600 MM | PGVT CLASSIC ONYX

All shown tiles are Glossy




800X1600 MM

MARBLE-BIG SIZE




800x1600 MM
PGVT Louise Granite

800x1600 MM
PGVT Marca Corona Beige



800X1600 MM | PGVT LOUISE GRANITE



800X1600 MM | PGVT MARCA CORONA BEIGE

All shown tiles are Glossy




800x1600 MM

MARBLE-BIG SIZE



1200X1200 MM | PGVT MYSTERY BIANCO



1200X1200 MM | PGVT STATUARIO GLACIER



All shown tiles are Glossy



1200X1200 MM | PGVT EMPERADOR PREMIUM



1200x1200 MM
PGVT Emperador Premium


MARBLE-BIG SIZE



1200x1200 MM
PGVT Dyna Fantastico




1200X1200 MM | PGVT DYNA FANTASTICO



1200X1200 MM | PGVT DESERT SNOW

All shown tiles are Glossy




1200x1200 MM


MARBLE-BIG SIZE




Double Charge Tiles



800X1200 MM | ROSA WHITE



800X1200 MM | MERLIN BIANCO



800X1200 MM | DRAGON NERO



800X1200 MM | CRESENT BIANCO



800x1200 MM



All shown tiles are Glossy




800x1200 MM
Merlin Bianco


MARBLE-BIG SIZE



1000x1000 MM
Tropicana Natural



1000X1000 MM | TROPICANA NATURAL




1000X1000 MM | TROPICANA SUPER WHITE

All shown tiles are Glossy




1000x1000 MM


SUPER GLOSS MARBLE




600X1200 MM | SUPER GLOSS WAVE BLUE MARBLE



600X1200 MM | SUPER GLOSS EMPERADOR BROWN



600X1200 MM | SUPER GLOSS MONACO GREY



600X1200 MM | SUPER GLOSS MARQUINA BLUE



All shown tiles are Glossy




600x1200 MM
Super Gloss Emperador Brown



600x1200 MM
Super Gloss Wave Blue Marble




MARBLE




600X1200 MM | PGVT SUPER WHITE



600X1200 MM | PGVT STYLE STATUARIO



600X1200 MM | PGVT AUTHENTIC IVORY



600X1200 MM | PGVT AUTHENTIC GREY LIGHT



All shown tiles are Glossy



600x1200 MM
PGVT Authentic Grey Light

600x1200 MM
PGVT Authentic Ivory



Double Charge Tiles



800x800 MM




All shown tiles are Glossy



800x800 MM
Tropicana White




800X800 MM | CARIBBEAN BLACK



800X800 MM | TROPICANA WHITE



800X800 MM | LUCENT GOLD



800X800 MM | LUSTRO VOLCANO



800X800 MM | SIGMA CREAMA



800X800 MM | LUCENT WHITE



800X800 MM | LUSTRO BROWN

All shown tiles are Glossy




800x800 MM

MARBLE




800X800 MM | PGVT SPARKLE WHITE




800X800 MM | PGVT EMPRESS CREAMA



800X800 MM | PGVT AQUA MARINA MARBLE



800X800 MM | PGVT SWAN MARBLE



800X800 MM | PGVT EMPRESS BEIGE

800x800 MM




All shown tiles are Glossy



800x800 MM
PGVT Aqua Marina Marble




600x600 MM
PGVT Akron Grey




600X600 MM | PGVT AKRON GREY



600X600 MM | PGVT REAL STATUARIO



600X600 MM | PGVT LAVENTINA CREAMA



600X600 MM | PGVT ELECTO BROWN



600x600 MM
PGVT Electro Brown




All shown tiles are Glossy




600x600 MM



600x600 MM
PDC Royale White




600X600 MM | PDC ROYALE WHITE



600X600 MM | PDC BAGOTA



600X600 MM | PDC ANGELA



600X600 MM | PDC KASSIA




600X600 MM | PDC SPENCER




600X600 MM | PDC VERSA



600X600 MM | PDC AMINA



600X600 MM | PDC KERIS



600X600 MM | PDC ATARA



All shown tiles are Glossy



600x600 MM

MARBLE-NANO




600x600 MM




Shown tile is Glossy




600x600 MM
Nano Ivory



600X600 MM | NANO IVORY



600X600 MM | NANO 004



600X600 MM | NANO RIVO




600X600 MM | NANO 003



600X600 MM | NANO HOMER BEIGE



600X600 MM | NANO 005



600X600 MM | NANO ORBIT



600X600 MM | NANO EDEN



600X600 MM | NANO VINEAR




All shown tiles are Glossy



600x600 MM


MARBLE-POLISHED VITRIFIED TILES




600X600 MM | 10201




600X600 MM | 10241




600X600 MM | 10247



600X600 MM | 10240




600X600 MM | 10242



600X600 MM | 10211



600X600 MM | 12220



600X600 MM | 10212



600x600 MM



All shown tiles are Glossy



600X600 MM | 10205




600X600 MM | 10234




600X600 MM | 10232




600X600 MM | 10248




600X600 MM | 10214



600X600 MM | PVT 003



600X600 MM | 12206



600X600 MM | 12203



All shown tiles are Glossy



600x600 MM



600x600 MM
BDM Franjo Ivory



600X600 MM | BDM FRANJO IVORY

D
DIGITAL
G5
F4
R3



600X600 MM | FEDARO BROWN

D
DIGITAL
G5
F4
R3



600X600 MM | FEDARO GREY

D
DIGITAL
G5
F4
R3



600X600 MM | FEDARO IVORY

D
DIGITAL
G5
F4
R3



600x600 MM
Fedaro Grey



All shown tiles are Matte




395x395 MM

☐ All shown tiles are Matte

 395x395 MM
BDM Madura Beige

 395x395MM
BDM Madura Ivory


EXL



D
DIGITAL
G4
F1
R1

395X395 MM | BDM MADURA IVORY

EXL




D
DIGITAL
G4
F1
R1


395X395 MM | BDM MADURA BEIGE




395x395 MM
Genova




395X395 MM | GENOVA




395X395 MM | SPRING BROWN




395X395 MM | DENMARK CREMA




395X395 MM | DENMARK COFFEE



395X395 MM | MILO



395X395 MM | NAPOLI



395X395 MM | PAVONA BEIGE

Bring spaces to life with outstanding flooring options.

All shown tiles are Matte



395x395 MM



Double Charge Tiles




800x800 MM




All shown tiles are Glossy



800x800 MM
Canto Ocean



800X800 MM | CANTO OCEAN




800X800 MM | CANTO CREAMA




800x800 MM
NU Canto Beige



800X800 MM | CANTO DK BLACK




800X800 MM | CANTO DK COFFEE



800X800 MM | NU CANTO BEIGE



All shown tiles are Glossy



800x800 MM



Double Charge Tiles



600x600 MM



All shown tiles are Glossy



600x600 MM
Canto Almond




600X600 MM | CANTO ALMOND



600X600 MM | CANTO RED



600X600 MM | NU CANTO AZUL



600X600 MM | CANTO GREEN





600X600 MM | CANTO OCEAN



600X600 MM | STAR ORANGE




600X600 MM | STAR SANDUNE



600X600 MM | STAR IVORY




600X600 MM | CANTO BEIGE



600X600 MM | CANTO CREAMA



600X600 MM | STAR PINK



600X600 MM | STAR WHITE



All shown tiles are Glossy



600x600 MM


MARBLE-GRANITE



Double Charge Tiles




600X600 MM | STAR DK GREEN



600X600 MM | STAR DK BLACK



600X600 MM | STAR DK BROWN



600X600 MM | STAR DK MULTI



600X600 MM | STAR DK ORANGE



600X600 MM | STAR DK RED

600x600 MM



All shown tiles are Glossy



600x600 MM
Star DK Black




600x600 MM
NU Canto Carbon




600x600 MM
NU Canto Rossa





600X600 MM | NU CANTO CARBON




600X600 MM | NU CANTO CHOCO




600X600 MM | LARA SILVER




600X600 MM | LARA CREMA




600X600 MM | NU CANTO ROSSA



600X600 MM | NU CANTO ASH



600X600 MM | LARA GOLD



600X600 MM | LARA ROSA



All shown tiles are Glossy




600x600 MM

MARBLE-GRANITE



Double Charge Tiles




600X600 MM | RIVER SMOKY




600X600 MM | RIVER PEARL




600X600 MM | RIVER CREAMA



600X600 MM | RIVER RED



600X600 MM | RIVER BLUE



600X600 MM | RIVER CHOCO



600X600 MM | RIVER BEIGE



600x600 MM



All shown tiles are Glossy



600x600 MM
River Choco



600x600 MM
River Pearl





CEMENT



800x1600 MM



600x600 MM



395x395 MM



300x300 MM

INDEX-CEMENT

DGVT | 800X1600 MM

DGVT AVELON GREY	61
DGVT VALVET BEIGE	61

FOREVER TILES | 600X600 MM

BDC ITALICA IVORY	63
-------------------	----

FULL BODY VITRIFIED TILES | 600X600 MM

SAHARA BEIGE	64
SAHARA CREAMA	64
SAHARA GRIS	64
SAHARA NERO	64

DGVT | 600X600 MM

DGVT ALCORA CREAMA	66
DGVT ALCORA GREY	66
DGVT MILANO BEIGE	66
DGVT MILANO BROWN	66
DGVT MUNICH IVORY	66
DGVT MUNICH OAK	66

CEMENT | 395X395 MM

TANNER COTTO	67
VESTA BROWN	67
VESTA GREY	67
VESTA SLATE	67

CEMENT | 300X300 MM

BRAZIL BRICK	68
BRAZIL COFFEE BRN	68
BDM FUJI NATURAL	67
BDM RIVER PEBBLE MULTI	67



Code Description

BDM- Orientbell Digital Matte | DGVT- Digital Glazed Vitrified Tiles

BDC- Orientbell Digital Ceramic | P-Punch | R-Regular | EXL-Exclusive | DLX-Deluxe | A-Alpha

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters

MT

MATTE

GL

GLOSS

P

PUNCH

D

DIGITAL

ND

NON DIGITAL




West Zone Tiles

CEMENT



800X1600 MM | DGV T AVELON GREY



800X1600 MM | DGV T VALVET BEIGE



800x1600 MM



All shown tiles are Matte



800x1600 MM
D&VT Avelon Grey



600x600 MM



Shown tile is Matte



600x600 MM
BDC Italica Ivory

EXL



D
DIGITAL
G5
F4
R3

600X600 MM | BDC ITALICA IVORY




600x600 MM
Sahara Beige

Full Body Vitrified Tiles




600X600 MM | SAHARA BEIGE



600X600 MM | SAHARA NERO



600X600 MM | SAHARA GRIS




600X600 MM | SAHARA CREAMA

All shown tiles are Matte







600x600 MM
DGV Munich Oak



600X600 MM | DGVT MUNICH IVORY



600X600 MM | DGVT ALCORA CREAMA



600X600 MM | DGVT MILANO BEIGE



600X600 MM | DGVT MUNICH OAK



600X600 MM | DGVT ALCORA GREY



600X600 MM | DGVT MILANO BROWN

All shown tiles are Matte



600x600 MM



395x395 MM



300x300 MM




All shown tiles are Matte



395x395 MM
Tanner Cotto


EXL P



D
DIGITAL
G4
F4
R4

395X395 MM | VESTA BROWN


EXL P



D
DIGITAL
G4
F4
R4

395X395 MM | VESTA SLATE


EXL P



D
DIGITAL
G4
F4
R4

395X395 MM | TANNER COTTO


EXL P



D
DIGITAL
G4
F4
R4

395X395 MM | VESTA GREY


EXL P



D
DIGITAL
G4
F4
R4

300X300 MM |
BDM FUJI NATURAL

EXL P



D
DIGITAL
G4
F1
R1


300X300 MM |
BDM RIVER PEBBLE MULTI



300x300 MM
Brazil Brick



R P



D

DIGITAL


G4

F1

R1

300X300 MM | BRAZIL BRICK

R P



D

DIGITAL

G4

F1

R1

300X300 MM |
BRAZIL COFFEE BRN

All shown tiles are Matte



300x300 MM



TEXTURE / PLAIN/MOSAIC

 395x395 MM
 300x300 MM
 295x295 MM

INDEX-TEXTURE/PLAIN/MOSAIC

TEXTURE

TEXTURE | 395X395 MM

CLOUDY COPPER 71

TEXTURE | 300X300 MM

BDM CARPETO GRIS 73
BDM CURIO MULTI 73
BDM HOGGAR BROWN 72
BDM HEXA MULTI 72
CLOUDY COPPER 71
CRYSTAL BROWN 73
GAQARD MAGENTA 73
GLITTER BEIGE 74
GLITTER BLUE 74
GLITTER BROWN 74
GLITTER CREMA 74
PORTICO TAN 73
QUARTZO BLUE 73
QUARTZO CREAM 73
QUARTZO GRE 73
QUARTZO GREEN 73
QUARTZO IVORY 73
QUARTZO PINK 73
SAND BROWN 73

ANTI SKID TEXTURE | 300X300 MM

BDM CRUZE IVORY 76
BDM FUSION BROWN 75
BDM FUSION COFFEE 75
BDM FUSION IVORY 75
DENIM CAFÉ 76
DENIM NERO 76

ANTI SKID TEXTURE | 295X295 MM

ANTI SKID BLUE 78
ANTI SKID BROWN 78
ANTI SKID CAFÉ 78
ANTI SKID GREEN 78
ANTI SKID IVORY 78

ANTI SKID PISTA 78
ANTI SKID PINK 78
ANTI SKID SLATE 78
ANTI SKID SILVER 78
ANTI SKID WENGE 78
ANTI SKID WHITE 78

PLAIN

PLAIN | 395X395 MM

IVORY 79
MOON IVORY EDGE-CUT 79

PLAIN | 300X300 MM

COOL TILE- WHITE 80

PLAIN | 300X300 MM

GREY 81
IVORY 81
NERO BLACK 81
SORRENTO BLUE 81
TERRA BROWN 81
WHITE 81

MOSAIC

MOSAIC | 300X300 MM

BDM MOSAIC BLUE 82
BDM MOSAIC BROWN 82
BDM NATA IVORY 82



Code Description

BDM- Orientbell Digital Matte | R-Regular | EXL-Exclusive | DLX-Deluxe | A-Alpha | P-Punch

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters

MT
MATTE

GL
GLOSS

P
PUNCH

D
DIGITAL

ND
NON DIGITAL




West Zone Tiles



Every space, magical.
Pour magic into spaces.



300X300 MM |
CLOUDY COPPER



395X395 MM | CLOUDY COPPER

395x395 MM



300x300 MM




All shown tiles are Matte

395x395 MM
Cloudy Copper



EXL P



D

DIGITAL


G4

F4

R4

300X300 MM |
BDM HOGGAR BROWN

EXL P



D

DIGITAL

G4

F4

R4

300X300 MM |
BDM HEXA MULTI







300x300 MM
BDM HOGGAR BROWN

All shown tiles are Matte



300x300 MM



300x300 MM

☐ All shown tiles are Matte




300x300 MM
Glitter Brown



Embrace a new style of living.


R P



ND
NON DIGITAL
G5
R4

300X300 MM | GLITTER BROWN


R P



ND
NON DIGITAL
G5
R4

300X300 MM | GLITTER BEIGE


R P



ND
NON DIGITAL
G5
R4

300X300 MM | GLITTER CREMA

R P



ND
NON DIGITAL
G5
R4

300X300 MM | GLITTER BLUE


All shown tiles are Matte



300x300 MM

Anti-Skid Series

R P



D
DIGITAL


G4

F4

R4

300X300 MM |
BDM FUSION COFFEE

R P



D
DIGITAL


G4

F4

R4

300X300 MM |
BDM FUSION BROWN

R P



D
DIGITAL

G4

F4

R4

300X300 MM |
BDM FUSION IVORY

300x300 MM



All shown tiles are Matte



300x300 MM
BDM Fusion Brown



300x300 MM
Denim Nero

Anti-Skid
Texture




DLX [P]



ND
NON DIGITAL
G5
R6

300X300 MM | DENIM CAFE


DLX [P]



ND
NON DIGITAL
G5
R6

300X300 MM | DENIM NERO

EXL [P]



D
DIGITAL
G4
F3
R4

300X300 MM |
BDM CRUZE IVORY

All shown tiles are Matte




300x300 MM




295x295 MM
Anti Skid Blue







295X295 MM | ANTI SKID BROWN




295X295 MM | ANTI SKID SILVER




295X295 MM | ANTI SKID BLUE



295X295 MM | ANTI SKID PINK




295X295 MM | ANTI SKID CAFE




295X295 MM | ANTI SKID SLATE




295X295 MM | ANTI SKID IVORY




295X295 MM | ANTI SKID GREEN



295X295 MM | ANTI SKID PISTA



295X295 MM | ANTI SKID WHITE



295X295 MM | ANTI SKID WENG

All shown tiles are Matte



295x295 MM




395x395 MM




All shown tiles are Matte

395x395 MM
Ivory Edge-Cut



395X395 MM | IVORY



395X395 MM | IVORY EDGE-CUT

Spaces, dressed to impress.



ORIENTBELL Cool Tiles have an amazing Solar Reflective Index (SRI) value of 103.

They reflect solar heat which helps bring the inside building temperature down upto 7-8 degrees Celsius, reducing cooling requirement and savings costs while helping in the fight against global warming.

PRODUCT BENEFITS



Better Indoor
Comfort



Savings on
Electricity Bill



Lower Emission of
Greenhouse & CFC Gases



Reduces Load on
Cool Appliances



ND
NON DIGITAL
G4
R1

300x300 MM |
COOL TILE-WHITE

300X300 MM
Cool Tile-White

Shown tiles is Matte

300x300 MM



300x300 MM



All shown tiles are Matte



300x300 MM
Ivory

DLX



300X300 MM | NERO BLACK

ND
NON DIGITAL
G4
R1

A



300X300 MM | GREY

ND
NON DIGITAL
G4
R1

A



300X300 MM | IVORY

ND
NON DIGITAL
G4
R1

R



300X300 MM | TERRA BROWN

ND
NON DIGITAL
G4
R1


R



300X300 MM | SORRENTO BLUE

ND
NON DIGITAL
G4
R1

A



300X300 MM | WHITE

ND
NON DIGITAL
G4
R1



300x300 MM
BDM Nata Ivory




EXL P



D
DIGITAL
G4
F1
R1

300X300 MM |
BDM NATA IVORY


EXL P



D
DIGITAL
G4
F1
R1

300X300 MM |
BDM MOSAIC BLUE

EXL P



D
DIGITAL
G4
F1
R1

300X300 MM |
BDM MOSAIC BROWN

All shown tiles are Matte



300x300 MM

PAVERS

300x300 MM



INDEX-PAVERS

VITREOUS PARKING TILES | 300X300 MM

GARDENA BIANCO	88
GARDENA GRIS	88
HEXA CARAMEL	86
HEXA DOVE	86
HEXA EARTHY	86
HULK GRIS	88
HEXA HAZEL	85
HEXA IRON	86
HULK MULTI	88
HEXA NERO	86
HEXA SANDUNE	86
HULK SANDUNE	88
HEXA SHADOW	86
HEXA SKY	86
KASO COFFEE	90
KASO COTTO	90
KASO EARTH	90
KASO GRIS	90
KASO MIST	90
KASO MULTI	90
NEBULA BROWN	87
NEBULA CAFÉ	87
NEBULA GRIS	87
NEBULA MULTI	87
NEBULA SANDUNE	87
ODP STONEX BROWN	88
ODP STONEX COTTO	88
ODP STONEX MULTI	88
RIBBED BROWN	87
RIBBED COTTO	87
RIBBED GRIS	87
RIBBED IVORY	87
RIBBED MULTI	87
SUBWAY ANTIQUE	89
SUBWAY BROWN	89
STRIP COTTO	88
SUBWAY GRIS	89
SUBWAY SANDUNE	89

PAVERS | 300X300 MM

CAPSULE IVORY (17301)	94
CHAX IVORY (17601)	93
COIN IVORY (17401)	94
CAPSULE TERRACOTTA (17303)	94
CHEX TERRACOTTA (17603)	93
COIN TERRACOTTA (17403)	94
PAV HEXO BROWN	92
PAV HEXO GREY	92
PAV OCTO FLORA	92
PAV OCTO MULTI	92
PAV ROCKY BLACK	92
PAV ROCKY BEIGE	92
PAV ROCKY GREY	92
PAV TOMBY GREY	92
PAV TOMBY MULTI	92
PAV WAVO BROWN	92
PAV WAVO MULTI	92
PLAIN IVORY (17101)	94
PLAIN TERRACOTTA (17103)	94
STAR IVORY (17201)	94
STAR TERRACOTTA (17203)	94



Code Description

ODP- Orientbell Digital Porcelain | P-Punch

R-Regular | EXL-Exclusive | DLX-Deluxe | A-Alpha

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters



MATTE



GLOSS



PUNCH



DIGITAL



NON DIGITAL



West Zone Tiles



300x300 MM



All shown tiles are Matte



300x300 MM
Hexa Hazel




The Pattern
Representation



D
DIGITAL
F1
R1

300X300 MM | HEXA HAZEL




D
DIGITAL
F1
R1

300X300 MM | HEXA EARTHY



D
DIGITAL
F1
R1

300X300 MM | HEXA SHADOW



D
DIGITAL
F1
R1

300X300 MM | HEXA DOVE



D
DIGITAL
F1
R1

300X300 MM | HEXA SKY




D
DIGITAL
F1
R1

300X300 MM | HEXA CARAMEL




D
DIGITAL
F1
R1

300X300 MM | HEXA IRON




D
DIGITAL
F1
R1

300X300 MM | HEXA SANDUNE




D
DIGITAL
F1
R1


300X300 MM | HEXA NERO




300X300 MM | RIBBED GRIS




300X300 MM | RIBBED COTTO




300X300 MM | RIBBED BROWN



300X300 MM | RIBBED MULTI



300X300 MM | RIBBED IVORY



300X300 MM | NEBULA GRIS



300X300 MM |
NEBULA BROWN SUPER



300X300 MM |
NEBULA SANDUNE



300X300 MM |
NEBULA MULTI




300X300 MM | NEBULA CAFE

300x300 MM



All shown tiles are Matte




300X300 MM | HULK MULTI




300X300 MM | HULK GRIS




300X300 MM | HULK SANDUNE



300X300 MM | GARDENA GRIS




300X300 MM |
GARDENA BIANCO



300X300 MM |
ODP STONEX BROWN



300X300 MM |
ODP STONEX MULTI



300X300 MM |
ODP STONEX COTTO



300X300 MM | STRIP COTTO

All shown tiles are Matte



300x300 MM



300x300 MM



All shown tiles are Matte



300x300 MM
Subway Gris


A P



D
DIGITAL
G5
R2

300X300 MM |
SUBWAY SANDUNE

A P



D
DIGITAL
G5
R2

300X300 MM |
SUBWAY BROWN

A P



D
DIGITAL
G5
R2

300X300 MM | SUBWAY GRIS

A P




D
DIGITAL
G5
R2

300X300 MM | SUBWAY ANTIQUE


Stand on solid, stunning ground.




300x300 MM
Kaso Cotto




300X300 MM | KASO MIST




300X300 MM | KASO MULTI




300X300 MM | KASO EARTH



300X300 MM | KASO COTTO



300X300 MM | KASO COFFEE




300X300 MM | KASO GRIS

All shown tiles are Matte


300x300 MM



300x300 MM
PAV Hexo Grey



300X300 MM |
PAV ROCKY GREY




300X300 MM |
PAV ROCKY BEIGE




300X300 MM |
PAV ROCKY BLACK




300X300 MM |
PAV OCTO MULTI




300X300 MM |
PAV OCTO FLORA




300X300 MM |
PAV WAVO MULTI



300X300 MM |
PAV WAVO BROWN



300X300 MM |
PAV HEXO BROWN



300X300 MM |
PAV HEXO GREY



300X300 MM |
PAV TOMBY MULTI



300X300 MM |
PAV TOMBY GREY



All shown tiles are Matte



300x300 MM

PAVERS



300x300 MM




All shown tiles are Matte



300x300 MM
Chex Terracotta




300x300 MM
Chex Ivory




300X300 MM | CHAX IVORY
(17601)




300X300 MM | CHEX
TERRACOTTA (17603)




300X300 MM | CAPSULE
IVORY (17301)




300X300 MM | PLAIN
IVORY (17101)



300X300 MM | COIN
IVORY (17401)




300X300 MM | STAR
IVORY (17201)




300X300 MM | CAPSULE
TERRACOTTA (17303)



300X300 MM | PLAIN
TERRACOTTA (17103)



300X300 MM | COIN
TERRACOTTA (17403)



300X300 MM | STAR
TERRACOTTA (17203)

All shown tiles are Matte



300x300 MM

TECHNICAL SPECIFICATONS

Ceramic Tiles

Packing Details

Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. Ft.)
600x600 (HSK)	4	1.44	15.5
395x395 (HSK)	8	1.25	13.45
300x300 (HSK)	15	1.35	14.5

As Per Indian Standards (IS 15622:2017) Group B IIa

Characteristics	Testing Methods	Required as per IS 15622:2017 3 < E ≤ 6 % (Group B II a)		OBL Norms
Dimension & Surface Quality	IS 13630 Part 1/ ISO 10545-2	Unrectified	Rectified	
Deviation in Length & Width		± 0.4 %	± 0.1 %	Conforms
Deviation in Thickness		± 5.0 %		±4.0%
Straightness of Sides		± 0.3 %	± 0.1 %	Conforms
Rectangularity		± 0.3 %	± 0.1 %	Conforms
Surface Flatness		± 0.5 %		± 0.3 % 😊😊
Surface Quality		Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties				
Water Absorption	IS 13630 Part 2/ ISO 10545-3	Avg 3 < E ≤ 6, Individual Max,6.2		5-6%
Modulus of Rupture in [N/mm ²]	IS 13630 Part 6/ ISO 10545-4	Avg 22, Individual 20, Min		>28 😊😊
Breaking Strength in N		< 7.5 mm thickness: 600, Min ≥ 7.5 mm thickness: 1000, Min		>1000 😊
Moisture Expansion in mm/m	IS 13630 Part 3	0.03, Max		0.02
Scratch Hardness of Surface (Mohs)	IS 13630 Part 13	4, Min		Min 5
Resistance to Surface Abrasion of glazed tiles (Class I to V)	IS 13630 Part 11/ ISO 10545-7	Class II, Min		PEI Class 3-5 (depending on surface)
Co-efficient of Linear Thermal Expansion from ambient temperature to 100°C	IS 13630 Part 4/ ISO 10545-8	9x10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 Part 5	10 cycles, Min		Passed 😊
Crazing Resistance	IS 13630 Part 9/ ISO 10545-9	4 Cycles@7.5 bar, Min		Passed 😊
Frost Resistance	IS 13630 Part 10	Required, if agreed		NA
Impact resistance- Coefficient of restitution	IS 13630 Part 14	0.55, Min		Conforms
Chemical Properties				
Stain Resistance	IS 13630 Part 8/ ISO 10545-13 and ISO 10545-14	Class I, Min		Conforms
Resistance to household chemicals		Class AA, Min		Conforms
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)		Required, if agreed		Min Class AA

TECHNICAL SPECIFICATONS

Anti Skid Tiles

Packing Details

Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
295x295 (HSK)	10	0.87	9.36

As Per Indian Standards (IS 15622:2017) Group B IIa

Characteristics	Testing Methods	Required as per IS 15622:2017 3 < E ≤ 6 % (Group B II a)		OBL Norms
Dimension & Surface Quality		Unrectified	Rectified	
Deviation in Length & Width	IS 13630 Part 1/ ISO 10545-2	± 0.4 %	± 0.1 %	Conforms
Deviation in Thickness		± 5.0 %		±4.0%
Straightness of Sides		± 0.3 %	± 0.1 %	Conforms
Rectangularity		± 0.3 %	± 0.1 %	Conforms
Surface Flatness		± 0.5 %		± 0.3 % 😊😊
Surface Quality		Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties				
Water Absorption	IS 13630 Part 2/ ISO 10545-3	Avg 3 < E ≤ 6, Individual Max,6.2		5-6%
Modulus of Rupture in [N/mm ²]	IS 13630 Part 6/ ISO 10545-4	Avg 22, Individual 20, Min		>28 😊😊
Breaking Strength in N		< 7.5 mm thickness: 600, Min ≥ 7.5 mm thickness: 1000, Min		>1000 😊😊
Moisture Expansion in mm/m	IS 13630 Part 3	0.03, Max		0.02
Scratch Hardness of Surface (Mohs)	IS 13630 Part 13	4, Min		Min 5 😊😊
Resistance to Surface Abrasion of glazed tiles (Class I to V)	IS 13630 Part 11/ ISO 10545-7	Class II, Min		PEI Class 3-5 (depending on surface) 😊😊
Co-efficient of Linear Thermal Expansion from ambient temperature to 100°C	IS 13630 Part 4/ ISO 10545-8	9x10 ⁻⁶ K ⁻¹ ,Max		Conforms
Thermal Shock Resistance	IS 13630 Part 5	10 cycles, Min		Passed
Crazing Resistance	IS 13630 Part 9/ ISO 10545-9	4 Cycles@7.5 bar, Min		Passed
Frost Resistance	IS 13630 Part 10	Required, if agreed		NA
Impact resistance- Coefficient of restitution	IS 13630 Part 14	0.55, Min		Conforms
Chemical Properties				
Stain Resistance	IS 13630 Part 8/ ISO 10545-13 and ISO 10545-14	Class I, Min		Conforms
Resistance to household chemicals		Class AA, Min		Conforms
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)		Required, if agreed		Min Class AA

TECHNICAL SPECIFICATONS

Glazed Vitrified Tiles

Packing Details			
Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. ft.)
1200X2400 (West Zone)	1	2.88	31
800X1600 (West Zone)	2	2.56	27.56
1200X1200 (West Zone)	2	2.88	31
600X1200 (West Zone)	2	1.44	15.5
200X1200 (West Zone)	6	1.44	15.5
800X800 (West Zone)	3	1.92	20.67
600X600 (West Zone)	4	1.44	15.5

Group B Ia as per ISO 13006:2012 and Group B Ib as per IS 15622:2017					
Characteristics	Test Methods	Requirement as per ISO 13006 ≤ 0.5 Group B Ia	Requirement as per IS 15622:2017 0.08<E ≤ 3% Group B Ib		OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2006		Unrectified	Rectified	
Deviation in Length & Width		±0.6%	± 0.4%	± 0.1 %	± 0.1 %
Deviation in Thickness		±5%	± 5.0 %		± 4 %
Straightness of Sides		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Rectangularity		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Surface Flatness		±0.5%	± 0.5 %		± 0.2 % 😊😊
Surface Quality		Min. 95 % tiles should be free from visible defects	Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties					
Water Absorption	IS 13630 (Part 2):2006	Avg ≤ 0.5, Individual max, 0.6	Avg 0.08<E ≤ 3, Individual 3.3, Max		Avg ≤ 0.5, Individual max, 0.6
Modulus of Rupture in [N/mm²]	IS 13630 (Part 6):2006	Minimum 35, Individual 32, Min	Avg 30, Individual 27, Min		Avg 38 Min, Individual 35, Min 😊😊
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1300, Min	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1500, Min 😊😊
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	Declare Value	0.02, Max		< 0.02
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13):2006	NA	5, Min		5 to 8 Depending on Design/Surface 😊
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 (Part 11):2006	Test Method Available	Class II, Min		Class-III to Class-V Depending as per Design / Surface
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 (Part 4):2006	Test Method Available	7×10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	Test Method Available	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	Test Method Available	4 Cycles@7.5 bar, Min		4 Cycle @ 7.5 Bar Min 😊
Frost Resistance	IS 13630 (Part 10):2006	Required	Required		Resistance
Bulk Density, in (g/cc)	IS 13630 (Part 12):2006	NA	2.0, Min		> 2.1
Impact Resistance- Coefficient of Restitution	IS 13630 (Part 14):2006	Manufacturer to State	0.55, Min		0.7-0.85
Chemical Properties					
Resistance to Staining of Glazed Tiles	IS 13630 (Part 8):2006	Min, Class 3	Class I, Min		Conforms
Resistance to Household Chemicals		Min, GA	Class AA, Min		Conforms
Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compounds)		Test Method Available	Required, if agreed		Conforms

TECHNICAL SPECIFICATONS

Double Charge | Nano Tech | Polished Vitrified Tiles | Printed Double Charge

Packing Details			
Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. ft.)
1000X1000 (West Zone)	2	2.00	21.53
800X1200 (West Zone)	2	1.92	20.67
800X800 (West Zone)	3	1.92	20.67
600X600 (West Zone)	4	1.44	15.50

As per Indian Standard (IS 15622:2017) Group B Ia			
Characteristics	Standard Test Method	IS 15622 Requirements	OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2017		
Deviation in Length & Width		±0.1%	± 0.1 %
Deviation in Thickness		±5.0%	± 3.0 %
Straightness of Sides		±0.1%	± 0.1 %
Squareness		±0.1%	± 0.1 %
Surface Flatness		±0.50%	± 0.2 % ☺☺
Surface Quality		Min. 95 % tiles should be free from visible defects	Conforms
Physical Properties			
Water Absorption %	IS 13630 (Part 2):2017	E ≤ 0.08	E ≤ 0.05 ☺
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2017	Avg≥35 N/mm ²	>35 N/mm ² ☺
Breaking Strength in N	IS 13630 (Part 6):2017	Min 1300	>1300 ☺
Scratching Resistance	IS 13630 (Part 13):2017	Min 5	≥ 5
Deep Abrasion	IS 13630 (Part 12):2017	140 Max	100 Max ☺
Chemical Properties			
Resistance to Staining	IS 13630 (Part 8):2017	Min, Class 2	Conforms
Resistance to Household Chemicals		Min, Class AA	Conforms
Thermal Specifications			
Thermal Shock Resistance	IS 13630 (Part 5):2017	Min 10 Cycles	Conforms
Thermal Expansion	IS 13630 (Part 4):2017	Max 6X10 ⁻⁶ at 100°c (K ⁻¹)	Conforms
Frost Resistance	IS 13630 (Part 10):2017	10 Cycles pass	Conforms
Impact Resistance	IS 13630 (Part 14):2017	0.55 minimum	Conforms
Bulk Density (gm/cc)	IS 13630 (Part 2):2017	Min 2.2	Conforms

TECHNICAL SPECIFICATONS

Full Body Vitrified Tiles

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. ft.)
600X600 (West Zone)		1.44	15.50

As per Indian Standard (IS 15622:2017) Group B Ib			
Characteristics	Standard Test Method	IS 15622 Requirements	OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2017		
Deviation in Length & Width		±0.1%	± 0.1 %
Deviation in Thickness		±5.0%	± 4.0 %
Straightness of Sides		±0.1%	± 0.1 %
Squareness		±0.1%	± 0.1 %
Surface Flatness		±0.50%	± 0.20 % 😊😊
Surface Quality		Min. 95 % tiles should be free from visible defects	Conforms
Physical Properties			
Water Absorption %	IS 13630 (Part 2):2017	0.08 < E ≤ 3	E ≤ 0.5 😊
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2017	Avg ≥ 30 N/mm ²	>35 N/mm ² 😊😊
Breaking Strength in N	IS 13630 (Part 6):2017	Min 1100	>1300 😊😊
Scratching Resistance	IS 13630 (Part 13):2017	Min 5	≥ 5 😊😊
Abrasion Resistance	IS 13630 (Part 12):2017	Max 175	Max 90 😊
Chemical Properties			
Resistance to Staining	IS 13630 (Part 7):2017	Min, Class 1	Conforms
Resistance to Household Chemicals		Min, Class AA	Conforms
Thermal Specifications			
Thermal Shock Resistance	IS 13630 (Part 5):2017	Min 10 Cycles	Conforms
Thermal Expansion	IS 13630 (Part 4):2017	Max 6X10 ⁻⁶ at 100° c (K ⁻¹)	Conforms
Frost Resistance	IS 13630 (Part 10):2017	Required	Conforms
Impact Resistance	IS 13630 (Part 14):2017	0.55 minimum	Conforms
Bulk Density (gm/cc)	IS 13630 (Part 2):2017	Min 2.2	Conforms

TECHNICAL SPECIFICATONS

Parking Vitrified Tiles



Packing Details			
Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. ft.)
300X300-Digital (West Zone)	8	0.72	7.75
300X300-Non Digital (West Zone)	10	0.9	9.69

As Per Indian Standard (IS 15622:2017) Group B Ib			
Characteristics	Standard Test Method	Group B Ib	OBL Norms
Dimension & Surface Quality			
Deviation in Length & Width	IS 13630 (Part 1):2017	± 0.1 %	±0.1%
Deviation in Thickness		± 5.0 %	±5.0%
Straightness of Sides		± 0.1 %	±0.1%
Squareness		± 0.1 %	±0.1%
Surface Flatness		± 0.5 %	±0.3% 😊
Surface Quality		Min. 95 % tiles should be free from visible defects	Conforms
Physical Properties			
Water Absorption %	IS 13630 (Part 2):2017	0.08 < E ≤ 3	Less than 2%
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2017	Avg 30 N/mm ²	Avg 35 N/mm ² 😊
Breaking Strength in N		1100, Min	Not less than 1500 😊
Scratching Resistance	IS 13630 (Part 13):2017	Min 5 Mohs	Conforms 😊
Abrasion Resistance	IS 13630 (Part 11):2017	Class II	PEI V 😊
Chemical Properties			
Resistance to Staining	IS 13630 (Part 8):2017	Class 1, Min	Class 1
Resistance to Household Chemicals and Swimming Pool water cleaners		Class AA, Min	Class AA
Resistance to acids and alkali's (with the expectation of hydrofluoric acid and its compounds)		Required if agreed	Conforms

TECHNICAL SPECIFICATONS

Vitreous Parking Tiles



Packing Details

Size	No. of Tiles	Covered Area Per Carton	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
300x300	10	0.9	9.68

As per ISO 13006:2012 (Group B Ia) and as IS 15627:2017 (Group B Ib)

Characteristics	Testing Methods	Required as per ISO 13006 E ≤ 0.5 (Group B Ia)	Required as per IS 15627:2017 0.08 < E ≤ 3 % (Group B Ib)	OBL Values
Dimension & Surface Quality			Unrectified Rectified	
Deviation in Length & Width	IS 13630 (Part 1):2006	± 0.60 %	± 0.4 % ± 0.1 %	± 0.10 %
Deviation in Thickness		± 5.0 %	± 5.0 %	± 4.0 %
Straightness of Sides		± 0.5 %	± 0.3 % ± 0.1 %	± 0.10 %
Rectangularity		± 0.6 %	± 0.3 % ± 0.1 %	± 0.10 % 😊 😊
Surface Flatness		± 0.5 %	± 0.5 %	± 0.2 % 😊 😊
Surface Quality		Min. 95 % tiles should be free from visible defects	Min. 95 % tiles should be free from visible defects	Conforms 😊 😊
Physical Properties				
Water Absorption	IS 13630 (Part 2):2006	Avg ≤ 0.5%, Individual 0.6 max	Avg 0.08<E ≤ 3, Individual 3.3, Max	Av < 3%
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Avg 35, Individual 32, Min	Avg 30, Individual 27, Min	> 35 😊 😊
Breaking Strength in N	IS 13630 (Part 6):2006	1300	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min	1500 Min 😊 😊
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	Test Method Available	0.02, Max	Conforms
Scratch Hardness of Surface (Mohs)	IS 13630 (Part 13):2006	N.A	5, Min	5-8 depends on surface 😊 😊
Resistance to Surface Abrasion of glazed tiles (Class I to V)	IS 13630 (Part 11):2006	Report Abrasion Class & Cycle Passed	Class II, Min	3-5 as per design/surface 😊 😊
Co-efficient of Linear Thermal Expansion from ambient temperature to 100°C	IS 13630 (Part 4):2006	Test Method Available	7x10 ⁻⁶ K ⁻¹ , Max	Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	Test Method Available	10 cycles, Min	Passed
Crazing Resistance	IS 13630 (Part 9):2006	Required	4 Cycles@7.5 bar, Min	Passed
Frost Resistance	IS 13630 (Part 10):2006	Required	Required	Resistance
Impact resistance- Coefficient of restitution	IS 13630 (Part 14):2006	N.A	0.55, Min	Conforms
Chemical Properties				
Stain Resistance	IS 13630 (Part 8):2006	Test Method Available	Class I, Min	Min. Class-I
Resistance to household chemicals		Min.UB	Class AA, Min	Min. Class-AA
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)		Test Method Available	Required, if agreed	Required, if agreed

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019,
Tel.: +91 172 4624 342

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue,
Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083,
Tel.: +91 44 4213 8687

COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya Road, New Junction,
(Opposite Holiday Inn Hotel) Ernakulam By Pass Road, Cochin-682 031
Tel.: +91 97457 68058

COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram,
Coimbatore-641 002,
Tel.: +91 89799 41666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS Road,
Dehradun-248 001,
Tel.: +91 97197 01064

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027,
Tel.: +91 33 4068 4046/7

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badshah Nagar Railway
Station, Lucknow-226 006,
Tel.: +91 99847 86404

NEW DELHI

M-47, GK-II, M Block, New Delhi-110 048,
Tel.: +91 11 4068 7468/69

PUNE


Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710,
Final Plot No. 401/1, Shankarasheth Road,
Gultekdi, Swargate, Pune-411 037
Tel.: +91 73910 72247

VADODRA DISPLAY CENTRE

78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute,
Old Padra Road, Vadodra-390 007, Gujarat
Tel.: +91 98254 14113

A Network of
2500+
Channel Partners

-  Franchise Owned Boutiques
-  Channel Partners
-  Company Owned Boutiques
-  Plants



Make small spaces look bigger with Orientbell tiles

Big solutions for small bathrooms



orientbell
tiles

WhatsApp : 87507 11111 | Missed Call : 87507 33333

Listed on BSE (530365) for 20+ years.
And also on NSE (ORIENTBELL).

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi – 110046, India
Tel: +91-11-47119100

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad – 203 205 (UP), India
Tel: +91-5735-222-203 / 424, +91-8191004575 / 76



www.orientbell.com

CIN: L14101UP1977PLC021546

