PAVER TILES

300x300mm

With New Geometric Designs For Laying In Infinite Ways!

orientbell tiles

OBL Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate

Website Of the Year-Jan 2020
for www.orientbell.com
(India's construction & design industry)

Brand Of the Year-Jan 2021
(Flooring Idea-Tiles & Ceramic)

Best Omnichannel Retail Model
Winners Future of Retail Summit & Awards 2020

Customer Retail Journey Innovation
Winners Future of Retail Summit & Awards 2020

CEO with HR Orientation
ZEE BUSINESS
National Human Capital Leadership Congress & Awards

I N D E X

PAVER & PARKING TILES | 300X300 mm

NEW DESIGNS

HP Basket Weave Square Beige	01
HP Basket Weave Grey Plus	03
HP Basket Weave Path Blue	05
HP Button Ivory	14
HP Button Terracotta	14
HP Capsule Ivory	13
HP Capsule Terracotta	13

HP Pebble Frame Brown	10
HP Pebble Frame Multi	11
HP Pebble Frame Wood Grass	12
HP Plain Ivory	15
HP Plain Terracotta	15
HP Hulk Terracotta	16
HP Hulk Ivory	16
HP Wavo Beige	07
HP Wavo Blue	08
HP Wavo Grey Multi	09

CURRENT POPULAR DESIGNS

Gardena Gris	23
Hexa Caramel	18
Hexa Dove	18
Hexa Earthy	18
Hexa Hazel	17
Hexa Iron	18
Hexa Nero	18
Hexa Sandune	18
Hexa Shadow	18
Hexa Sky	18
Hulk Gris	23
Hulk Multi	23
Hulk Sandune	23
Kaso Coffee	21
Kaso Cotto	22
Kaso Earth	21
Kaso Gris	21
Kaso Multi	21
Nebula Café	20
Nebula Gris	20
Nebula Multi	20
Nebula Sandune	20
ODP Stonex Brown	23
ODP Stonex Multi	23
Ribbed Brown	20
Ribbed Cotto	20
Ribbed Gris	20
Ribbed Ivory	20
Ribbed Multi	19
Subway Antique	21
Subway Brown	21
Strip Cotto	23
Subway Gris	21
Subway Sandune	21

Elevation Wall Tile Shown: SEM HILLOCK STONE MULTI

Tile Carpet

HP BASKET WEAVE
GREY PLUS

NEW ARRIVAL

300x
300 mm

Shown tile is Matte

Make different patterns by rotating the tiles

Use of spacer recommended for such patterns.

Tile Carpet

HP BASKET WEAVE
SQUARE BEIGE

300x
300 mm

Shown tile is Matte

NEW ARRIVAL

Make different patterns by rotating the tiles

Use of spacer recommended for such patterns.

Elevation Wall Tile Shown: SEG BRICK GREY

Tile Carpet

HP BASKET WEAVE
PATH BLUE

NEW ARRIVAL

300x
300 mm

Shown tile is Matte

Make different patterns by rotating the tiles

Use of spacer recommended for such patterns.

Tile Carpet

HP WAVO BEIGE

300x
300 mm

Shown tile is Matte

orientbell tiles

Tile Carpet

HP WAVO BLUE

Shown tile is Matte 300x 300 mm

Tile Carpet

HP WAVO GREY MULTI

300x
300 mm

Shown tile is Matte

Tile Carpet

HP PEBBLE FRAME BROWN

Shown tile is Matte 300x 300 mm

Tile Carpet

HP PEBBLE FRAME MULTI

300x
300 mm

Shown tile is Matte

orientbell tiles

Tile Carpet

HP PEBBLE FRAME WOOD GRASS

Shown tile is Matte

300x 300 mm

Tile Carpet

HP CAPSULE IVORY

HP CAPSULE TERRACOTTA

NEW ARRIVAL

300x 300 mm

Shown tile is Matte

orientbell tiles

Tile Carpet

HP BUTTON IVORY

HP BUTTON TERRACOTTA

NEW ARRIVAL

Shown tile is Matte

300x 300 mm

Tile Carpet

HP HULK IVORY

HP HULK TERRACOTTA

300x
300 mm

Shown tile is Matte

orientbell tiles

Tile Carpet

HP PLAIN IVORY

HP PLAIN TERRACOTTA

Shown tile is Matte 300x 300 mm

Tile Carpet

HEXA HAZEL

300x
300 mm

Shown tile is Matte

HEXA DOVE

HEXA SKY

HEXA SANDUNE

HEXA NERO

HEXA EARTHY

HEXA SHADOW

HEXA CARAMEL

HEXA IRON

Shown tile is Matte 300x 300 mm

Tile Carpet

RIBBED MULTI

300x
300 mm

Shown tile is Matte

RIBBED GRIS

RIBBED BROWN

RIBBED COTTO

RIBBED IVORY

NEBULA GRIS

NEBULA SANDUNE

NEBULA MULTI

NEBULA CAFE

Shown tile is Matte 300x 300 mm

KASO MULTI

KASO EARTH

KASO GRIS

KASO COFFEE

SUBWAY GRIS

SUBWAY BROWN

SUBWAY SANDUNE

SUBWAY ANTIQUE

300x
300 mm

Shown tile is Matte

Tile Carpet

KASO COTTO

Shown tile is Matte 300x 300 mm

STRIP COTTO

HULK MULTI

HULK GRIS

HULK SANDUNE

GARDENA GRIS

ODP STONEX BROWN

ODP STONEX MULTI

300x
300 mm

Shown tile is Matte

TECHNICAL SPECIFICATIONS Paver & Parking Tiles

Packing Details			
Size	**No. of Tiles**	**Covered Area Per Carton**	
(In mm.)	Per Carton	(In Sq. Mtr.)	(In Sq. Ft.)
300x300 (HSK)	10	0.9	9.68

As per IS0 13006:2012 (Group B Ia) and as IS 15627:2017 (Group B Ib)					
Characteristics	**Testing Methods**	**Required as per ISO 13006 E ≤ 0.5 (Group B Ia)**	**Required as per IS 15622:2017 3 < E ≤ 6 % (Group BIIa**		**OBL Values**
Dimension & Surface Quality			Unrectified	Rectified	
Deviation in Length & Width	IS 13630 (Part 1):2006	± 0.60 %	± 0.4 %	± 0.1 %	± 0.10 %
Deviation in Thickness		± 5.0 %	± 5.0 %		± 4.0 %
Straightness of Sides		± 0.5 %	± 0.3 %	± 0.1 %	± 0.10 %
Rectangularity		± 0.6 %	± 0.3 %	± 0.1 %	± 0.10 % ☺☺
Surface Flatness		± 0.5 %	± 0.5 %		± 0.2 % ☺☺
Surface Quality		Min. 95 % tiles should be free from visible defects	Min. 95 % tiles should be free from visible defects		Conforms ☺☺
Physical Properties					
Water Absorption	IS 13630 (Part 2):2006	Avg ≤ 0.5%, Individual 0.6 max	Avg 3 <E ≤ 6, Individual 6.2 Max		Av < 4.5%
Modulus of Rupture in [N/mm^2]	IS 13630 (Part 6):2006	Avg 35, Individual 32, Min	Avg 22, Individual 20, Min		> 30 ☺☺
Breaking Strength in N	IS 13630 (Part 6):2006	1300	< 7.5 mm thickness: 600, Min ≥ 7.5 mm thickness: 1000, Min		1300 Min ☺☺
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	Test Method Available	0.02, Max		Conforms
Scratch Hardness of Surface (Mohs)	IS 13630 (Part 13):2006	N.A	5, Min		Min 8 ☺☺
Resistance to Surface Abrasion of glazed tiles (Class I to V)	IS 13630 (Part 11):2006	Report Abrasion Class & Cycle Passed	Class II, Min		PEI Class V ☺☺
Co-efficient of Linear Thermal Expansion from ambiant temperature to 100°C	IS 13630 (Part 4):2006	Test Method Available	$7x10^{-6}K^{-1}$,Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	Test Method Available	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	Required	4 Cycles@7.5 bar, Min		Passed
Frost Resistance	IS 13630 (Part 10):2006	Required	Required		Resistance
Impact resistance- Coefficient of restitution	IS 13630 (Part 14):2006	N.A	0.55, Min		Conforms
Chemical Properties					
Stain Resistance	IS 13630 (Part 8):2006	Test Method Available	Class I, Min		Min. Class-1
Resistance to household chemicals		Min.UB	Class AA, Min		Min. Class-AA
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)		Test Method Available	Required, if agreed		Required, if agreed

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

orientbell tiles

Making Tile Selection Easier

SameLook

Find tiles similar to a reference image

TriaLook

Tiles selected by you in your room

QuickLook

Visualise selected tiles & get a quote

TruLook

Share layout for a personalised render*

www.orientbell.com

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi-110046, India
Tel: +91-11-47119100, Fax: +91 -11-2852 1273

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India
Tel: +91-5735-222-203 / 24, +91-8191004575/ 76
Fax: +91 -5735 222 642

CUSTOMER CARE:

customercare@orientbell.com
Missed Call : 87507 11111
Whatsapp : 87507 33333

CIN: L14101UP1977PLC021546

Please join us on social media

OBL/ 300x3000 MM/ HSK Paver Tiles Cataloge/March/2021