

INSPIRE

600 x 600 MM 2.0

OBL Awards & Accolades

Realty+ recognizes the best of the best within the ranks of Indian Real Estate



Website of the Year
for www.orientbell.com
(India's construction & design industry)



Integrated Brand Campaign of the Year
for "Chote Bathroom ke Bade Upay"
(India's construction & design industry)



Best Omnichannel retail Model
Winners Future of Retail Summit & Awards 2020



Customer Retail Journey Innovation
Winners Future of Retail Summit & Awards 2020



CEO with HR Orientation
ZEE BUSINESS
National Human Capital Leadership Congress & Awards



Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs & development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.


To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.



- The ISO 9001:2015 accreditation for our quality control management systems reflects the quest for manufacturing international standard products.
- In 2015 our Sikandarabad plant was awarded with prestigious ISI certification for its products.
- In May 2000, OBL was awarded ISO 14001 certification by the internationally recognised BSI Management Systems, UK.
- Our manufacturing units are ISO 14001:2015 certified, the most complete and global expression for an environment friendly industrial company.
- We have been awarded OHSAS 18001 Certification for Health & Safety Standards. No waste water is ever discharged from our factory.
- We were also awarded with "Certificate Of Merit" in 'National Energy Conservation Award' 2016 organised by Ministry of Power for saving Power and Fuel consumption.



**Listed on BSE (530365) for 20+ years.
And also on NSE (ORIENTBELL).**



INDEX

What Inspires us	01-02
DGVT Cementum Crema	03-08-09-10-12
DGVT Cemento Gris	09-23
DGVT Cemento Sand	08
DGVT Chevron Weave	03
DGVT Jungi Bronze	05
DGVT Jungi Multi	06
DGVT Prime Dyna Beige	09
DGVT Travertine Beige	07
PGVT Botticino Marfil	16
PGVT Carrara Bianco Marble	20
PGVT Emperador Beige	15
PGVT Elegant Statuario	19
PGVT Maksi Dot Flake Multi	18
PGVT Natural Onyx Brown BM	11-24
PGVT Onyx Grey BM	23
PGVT Prime Dyna Grey	17
PGVT Travertine Brown	21
PGVT Travertine Crema	21
PGVT Silver Falls Natural Beige	13-18
PGVT Silver Falls Natural Grey	14
PGVT Sky Onyx Multi BM	22
Satin Onyx Silver	04

Presenting to you

INSPIRE

What Inspires us?

Nature continues to amaze us with its offerings. As we explore, we realize there is so much to see, so much to appreciate. Even the surface of THE MOON is an inspiration that we have explored.

Man, nature's supreme creation, has also created wonders that awe inspired us. The stone blocks used in making the great pyramids or the Coliseum in Rome are few examples.

Inspired by the world around us, we introduce INSPIRE 600X600 mm.

Through this range, we intend to INSPIRE Builders, Architects, Interior Designers, You and US.



Inspired by
Granite mountains
DGV Natural Rock Grey Dark



Inspired by the
cave rocks of early men
DGV Natural Rock Beige



Inspired by the
surface of "The Moon"
DGV Natural Rock Grey Light





Preview Shown: DGVT Chevron Weave & DGVT Cementum Crema_600X600 mm



DGVT Chevron Weave



DGVT Cementum Crema

Shown tiles are matte

Shown tile is matte



Satin Onyx Silver



Preview Shown: Satin Onyx Silver_600X600 mm



Preview Shown: DGVJ Jungi Bronze_600X600 mm



DGVJ Jungi Bronze

Shown tile is matte

Shown tile is matte



DGV Jungi Multi



Preview Shown: DGV Jungi Multi_600X600 mm & DGV Oak Wenge Wood 195x1200 mm



Preview Shown: DGV T Travertine Beige_600X600 mm & Rocker Line Art Beige HL_600X1200 mm



DGV T Travertine Beige

Shown tile is matte

Shown tiles are matte



DGVT Cemento Sand



DGVT Cementum Crema



Preview Shown: DGVT Cemento Sand & DGVT Cementum Crema_600X600 mm



Preview Shown: DGVТ Cementum Crema & DGVТ Cemento Gris _600X600 mm & Rocker Line Art Beige HL_600X1200 mm



DGVТ Cementum Crema



DGVТ Cemento Gris

Shown tiles are matte

Shown tile is matte




DGV Cementum Crema



Preview Shown: DGV Cementum Crema_600X600 mm



Preview Shown: PGVT Natural Onyx Brown BM & DGMT Prime Dyna Beige_600X600 mm



PGVT Natural Onyx Brown BM



DGMT Prime Dyna Beige

Shown tiles are glossy & matte

Shown tile is matte



DGV Cementum Crema



Preview Shown: DGV Cementum Crema_600X600 mm



Preview Shown: PGVT Silver Falls Natural Beige_600X600 mm



PGVT Silver Falls Natural Beige

Shown tile is glossy

Shown tile is glossy




PGVT Silver Falls Natural Grey



Preview Shown: PGVT Silver Falls Natural Grey_600X600 mm



Preview Shown: PGVT Emperor Beige_600X600 mm & Rocker Smoky Linex Grey HL_600x1200mm



PGVT Emperor Beige

Shown tile is glossy

Shown tile is glossy



PGVT Botticino Marfil



Preview Shown: PGVT Botticino Marfil_600X600 mm



Preview Shown: PGVT Prime Dyna Grey_600X600 mm. Super Gloss White Strips Super Black_600X1200 mm & EHM Stacked Stone White_300X600 mm



PGVT Prime Dyna Grey

Shown tile is glossy

Shown tiles are glossy



PGVT Maksi Dot Flake Multi




PGVT Silver Falls Natural Beige



Preview Shown: PGVT Maksi Dot Flake Multi & PGVT Silver Falls Natural Beige _600X600 mm




Preview Shown: PGVT Elegant Statuario_600X600 mm & DGVV Veneer Teak Wood_195X1200 mm



PGVT Elegant Statuario

Shown tile is glossy

Shown tile is glossy



PGVT Carrara Bianco Marble



Preview Shown: PGVT Carrara Bianco Marble & DGVT Vitara Bianco_600X600 mm



Preview Shown: PGVT Travertine Crema & PGVT Travertine Brown_600X600 mm



PGVT Travertine Crema



PGVT Travertine Brown

Shown tiles are glossy

Shown tile is glossy



PGVT Sky Onyx Multi BM



Preview Shown: PGVT Sky Onyx Multi BM_600X600 mm




Preview Shown: PGVT Onyx Grey BM_600X600 mm



PGVT Onyx Grey BM

Shown tile is glossy

Shown tile is glossy



PGVT Natural Onyx Brown BM



Preview Shown: PGVT Natural Onyx Brown BM_600X600 mm

TECHNICAL SPECIFICATIONS

Glazed Vitrified Tiles

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. ft.)
600X600 (SKD)	4	1.44	15.5

Group B Ia as per ISO 13006:2012 and Group B Ib as per IS 15622:2017					
Characteristics	Test Methods	Requirement as per ISO 13006 ≤ 0.5 Group B Ia	Requirement as per IS 15622:2017 0.08<E ≤ 3% Group B Ib		OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2006		Unrectified	Rectified	
Deviation in Length & Width		±0.6%	± 0.4%	± 0.1 %	± 0.1 %
Deviation in Thickness		±5%	± 5.0 %		± 4 %
Straightness of Sides		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Rectangularity		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Surface Flatness		±0.5%	± 0.5 %		± 0.2 % 😊 😊
Surface Quality		Min. 95 % tiles should be free from visible defects	Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties					
Water Absorption	IS 13630 (Part 2):2006	Avg ≤ 0.5, Individual max, 0.6	Avg 0.08<E ≤ 3, Individual 3.3, Max		Avg ≤ 0.5, Individual max, 0.6
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Minimum 35, Individual 32, Min	Avg 30, Individual 27, Min		Avg 38 Min, Individual 35, Min 😊 😊
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1300, Min	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1500, Min 😊 😊
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	Declare Value	0.02, Max		< 0.02
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13):2006	NA	5, Min		5 to 8 Depending on Design/Surface
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 (Part 11):2006	Test Method Available	Class II, Min		Class-III to Class-V Depending as per Design / Surface 😊
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 (Part 4):2006	Test Method Available	7×10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	Test Method Available	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	Test Method Available	4 Cycles@7.5 bar, Min		4 Cycle @ 7.5 Bar Min 😊
Frost Resistance	IS 13630 (Part 10):2006	Required	Required		Resistance
Bulk Density, in (g/cc)	IS 13630 (Part 12):2006	NA	2.0, Min		> 2.1
Impact Resistance- Coefficient of Restitution	IS 13630 (Part 14):2006	Manufacturer to State	0.55, Min		0.7-0.85
Chemical Properties					
Resistance to Staining of Glazed Tiles	IS 13630 (Part 8):2006	Min, Class 3	Class I, Min		Conforms
Resistance to Household Chemicals		Min, GA	Class AA, Min		Conforms
Resistance to Acids and Alkalies (with exception of hydrofluoric acid and its compounds)		Test Method Available	Required, if agreed		Conforms

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

Application Areas



BEDROOM



LIVING ROOM



DINING ROOM




OFFICE







KITCHEN



COMMERCIAL SPACES



A Network of
2500+
Channel Partners

-  Franchise Owned Boutiques
-  Channel Partners
-  Company Owned Boutiques
-  Plants

ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019,
Tel.: +91 172 4624 342

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue,
Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083,
Tel.: +91 44 4213 8687

COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya Road, New Junction, (Opposite
Holiday Inn Hotel) Ernakulam By Pass Road, Cochin-682 031
Tel.: +91 97457 68058

COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram,
Coimbatore-641 002,
Tel.: +91 89799 41666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS Road,
Dehradun-248 001,
Tel.: +91 97197 01064

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027,
Tel.: +91 33 4068 4046/7

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badshah Nagar Railway
Station, Lucknow-226 006,
Tel.: +91 99847 86404

NEW DELHI

M-47, GK-II, M Block, New Delhi-110 048,
Tel.: +91 11 4068 7468/69

PUNE

Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710, Final Plot No. 401/1,
Shankarasheth Road, Gultekdi, Swargate, Pune-411 037
Tel.: +91 73910 72247

VADODRA DISPLAY CENTRE

78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute,
Old Padra Road, Vadodara-390007, Gujarat
Tel.: +91 98254 14113



Making Tile Selection Easier



Find tiles similar to a reference image



Try floor tiles selected by you in your room



Visualise selected tiles & get a quote



Share layout for a personalised render*

www.orientbell.com

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi-110046, India
Tel: +91-11-47119100, Fax: +91 -11-2852 1273

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad-203 205 (UP), India
Tel: +91-5735-222-203 / 24, +91-8191004575/ 76
Fax: +91 -5735 222 642

CUSTOMER CARE:

customer care@orientbell.com
Missed Call : 87507 11111
Whatsapp : 87507 33333

CIN: L14101UP1977PLC021546

Please join us on social media

