# INSPIR

orientbell

# orientbell

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs & development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.



- The ISO 9001:2015 accreditation for our quality control management systems reflects the quest for manufacturing international standard products.
- In 2015 our Sikandarabad plant was awarded with prestigious ISI certification for its products.
- In May 2000, OBL was awarded ISO 14001 certification by the internationally recognised BSI Management Systems, UK.
- Our manufacturing units are ISO 14001:2015 certified, the most complete and global expression for an environment friendly industrial company.
- We have been awarded OHSAS 18001 Certification for Health & Safety Standards. No waste water is ever discharged from our factory.
- We were also awarded with "Certificate Of Merit" in 'National Energy Conservation Award' 2016 organised by Ministry of Power for saving Power and Fuel consumption.















Listed on BSE (530365) for 20+ years. And also on NSE (ORIENTBELL).

# INDEX

## 600x1200 MM

DGVT CEMENTOM GRIS	4 1
DGVT CEMENTUM CAMEL	43
DGVT CLASSIC MARFIL	44
PGVT BRECCIA BROWN	39
PGVT BROWN STREAK BIANCO	19
PGVT CALACATTA NATURA	17
PGVT CARRARA NATURA	15
PGVT EMPERADOR BEIGE	
PGVT EMPERADOR GREY LIGHT	32
PGVT LIMESTONE SILVER GREY	37
PGVT MONACO BROWN	25
PGVT MONACO CHOKO	27
PGVT MONACO GREY	28
PGVT ONYX BEIGE	
PGVT OMANI BEIGE MARBLE	
PGVT ONYX CROSSCUT SMOKY	
PGVT SOAPSTONE BROWN	34
PGVT SOAPSTONE SMOKY	33
PGVT STATUARIO NATURA	
PGVT TRAVERTINE BEIGE	
PGVT TRAVERTINE BROWN	
PGVT TRAVERTINE CLASSIC BRONZE	07
PGVT TRAVERTINE GREY	
PGVT TRAVERTINE ONYX	
PGVT VENATO BEIGE	
PGVT VENEZIA CLASSIC BEIGE	
PGVT VENEZIA CLASSIC GREY	
ROCKER CLASSIC MARFIL	40
SATIN ONYX WHITE	
SUPER GLOSS ARCTIC BLACK	
SUPER GLOSS EMPERADOR DARK	
SUPER GLOSS IGNEOUS ROCK	
SUPER GLOSS MARQUINA BLACK	45
SUPER GLOSS MARMI GRAFITE	47
SUPER GLOSS PIETRA GREY	40



## THE STORY: STATUE OF DAVID BY MICHELANGELO

Back in 1500's, the Cathedral in Florence (France) had asked various renaissance artists to convert a block of marble into a statue of religious significance.

Most of the popular artists refused to touch the block as it had lots of imperfections; would have spoiled their reputation.

Michelangelo, who was only 26 that time, was commissioned by the church to work on the marble block. When asked what he saw in the block, his reply was a STATUE (and not the imperfections that others saw).

And thus came out the statue of David, a 14ft. marble wonder that's regarded as one of the greatest masterpieces ever created by mankind.

# PRESENTING TO YOU INSPIR

What inspires us? There are lot of things that can provide inspiration.

Seeing other people accomplish great things

Seeing other people over-come adversity



Or hearing inspirational quotes from great people



Human anatomy, one of nature's best creation is what inspired Michelangelo. The beauty of nature can also be truly inspirational!

Inspired by nature, OBL introduces **INSPIRE** where our creations take inspiration from the best that nature has to offer; from the Statuario of Italy to the Emperador's of Turkeys to the Sand Stones of Australia.

Crafted with finesse, **INSPIRE** range of Glazed vitrified tiles have 35 designs, with a wide spectrum of finishes including Satin and innovative Rockers. The range focuses on **1200X600 MM** size as customers are looking at ease of application & minimum grouts, just like marble slabs. The colour shades and hues of the tiles have been specially selected to appeal to the distinctive customer tastes.

## TRAVERTINE

Every colour has a purpose

PGVT TRAVERTINE BROWN

Commonly preferred for floors and bathrooms.



PGVT TRAVERTINE ONYX

Works well as kitchen backsplash, countertops, retaining walls and as bathroom wall highlighters.



PGVT TRAVERTINE CLASSIC BRONZE

Commonly preferred for bathrooms, kitchen, living areas and verandahs.



PGVT TRAVERTINE BEIGE

Commonly preferred for all types of flooring and walls.



PGVT TRAVERTINE GREY


Commonly preferred for flooring and walls. Also used for bathrooms and kitchen backsplashes.





#### **PGVT TRAVERTINE BROWN**

Commonly preferred for floors and bathrooms.







**PGVT TRAVERTINE BROWN** 



**Application Areas** 


















#### **PGVT TRAVERTINE ONYX**

Works well as kitchen backsplash, countertops, retaining walls and as bathroom wall highlighters.



Travertine and Onyx are from the same family of marbles. Travertine under extremely high pressure becomes an Onyx!





PGVT TRAVERTINE ONYX



**Application Areas** 















### PGVT TRAVERTINE CLASSIC BRONZE

Commonly preferred for bathrooms, kitchen, living areas and verandahs.







PGVT TRAVERTINE CLASSIC BRONZE









**Application Areas** 















#### PGVT TRAVERTINE BEIGE

Commonly preferred for all types of flooring and walls.







**PGVT TRAVERTINE BEIGE** 



**Application Areas** 

















#### PGVT TRAVERTINE GREY

Commonly preferred for flooring and walls. Also used for bathrooms and kitchen backsplashes.









**PGVT TRAVERTINE GREY** 



**Application Areas** 




















#### PGVT STATUARIO NATURA

Works beautifully as large tile option, countertop slab, book matched backsplash or wall panel.





















#### PGVT Statuario Natura-The story of continuous vein




**PGVT STATUARIO NATURA** 

The best of Statuario's are whitest white and have continuous veins running end to end of the slab. We built that into our tiles.













#### PGVT CARRARA NATURA

Works beautifully as floor tile for hallways, bedrooms, kitchen or bathroom areas. Also used for kitchen backsplashes and fireplace surrounds.









PGVT CARRARA NATURA









**Application Areas** 



















#### PGVT CALACATTA NATURA

Commonly used for kitchen or bathroom countertops, fireplace surrounds, large tiled floors, wall slabs and backsplashes.










PGVT CALACATTA NATURA



**Application Areas** 






















#### PGVT BROWN STREAK BIANCO

Used as countertops, kitchen backsplashes, bathroom highlighters and jacuzzi surrounds.









PGVT BROWN STREAK BIANCO



**Application Areas** 















#### PGVT ONYX CROSSCUT SMOKY




#### All marble blocks are cut in 2 ways that determines the pattern in a layout:

- •Vein Cut (Horizontal Cut) is when the slab is cut parallel to the ground. This type of cut showcases lines or layers in similar color.
- •Cross Cut (Vertical Cut) is when the slab is cut perpendicular to the ground. The veins and layers of the stone create the cloudy look of the marble.







PGVT ONYX CROSSCUT SMOKY



**Application Areas** 




















#### SATIN ONYX WHITE























**Application Areas** 



#### **PGVT ONYX BEIGE**





**Application Areas** 


















#### **PGVT MONACO BROWN**







PGVT MONACO BROWN



**Application Areas** 















#### **PGVT MONACO CHOKO**

























#### **PGVT MONACO GREY**











**Application Areas** 















#### PGVT OMANI BEIGE MARBLE



Preview Shown: PGVT Omani Beige Marble & PGVT Emperador Grey Light





PGVT OMANI BEIGE MARBLE



**Application Areas** 















#### PGVT EMPERADOR BEIGE


























### PGVT EMPERADOR GREY LIGHT





















## PGVT SOAPSTONE SMOKY

























## **PGVT SOAPSTONE BROWN**





























## PGVT VENEZIA CLASSIC BEIGE



















## PGVT VENEZIA CLASSIC GREY



















## PGVT LIMESTONE SILVER GREY



























## PGVT VENATO BEIGE

























## **PGVT BRECCIA BROWN**


























## ROCKER CLASSIC MARFIL



















# Ш

## **DGVT CEMENTUM GRIS**









**DGVT CEMENTUM GRIS** 



**Application Areas** 























## DGVT CEMENTUM CAMEL




























## DGVT CLASSIC MARFIL





























## SUPER GLOSS MARQUINA BLACK




<u>45</u>







SUPER GLOSS MARQUINA BLACK

















## SUPER GLOSS MARMI GRAFITE

























## SUPER GLOSS IGNEOUS ROCK



























## SUPER GLOSS PIETRA GREY
























## SUPER GLOSS ARCTIC BLACK





















## SUPER GLOSS EMPERADOR DARK




Super Gloss Emperador Dark & PGVT Onyx Crosscut Smoky





SUPER GLOSS EMPERADOR DARK



**Application Areas** 
















### TECHNICAL SPECIFICATIONS Glazed Vitrified Tiles

	Packing Deta	ils		
Size	No. of Tiles	Covered Area Per Carton		
( In mm. )	Per Carton	( In Sq. Mtr. )	( In Sq. ft. )	
600X1200 (SKD)	2	1.44	15.5	

Characteristics	Test Methods	Requirement as per ISO 13006 ≤ 0.5 Group B Ia	Requirement as per IS 15622:2017 0.08 <e 3%="" b="" group="" ib<="" th="" ≤=""><th colspan="2">OBL Norms</th></e>		OBL Norms	
Dimension & Surface Quality			Unrectified	Rectified		
Deviation in Length & Width		±0.6%	± 0.4%	± 0.1 %	± 0.1 %	
Deviation in Thickness	_	±5%	± 5.0 % ± 0.3 % ± 0.1 %		± 4 %	
Straightness of Sides	Ī	±0.5%			± 0.1 %	
Rectangularity	- IS 13630 (Part 1):2006 -	±0.5%	± 0.3 %	± 0.1 %	± 0.1 %	
Surface Flatness		±0.5%	± 0.	5 %	± 0.2 %	0
Surface Quality		Min. 95 % tiles should be free from visible defects	Min. 95 % tiles should be free from visible defects		Conforms	
Physical Properties						
Water Absorption	IS 13630 (Part 2):2006	Avg ≤ 0.5, Individual max, 0.6	Avg 0.08 <e 3,="" 3.3,="" individual="" max<="" td="" ≤=""><td>Avg ≤ 0.5, Individual max, 0.6</td><td></td></e>		Avg ≤ 0.5, Individual max, 0.6	
Modulus of Rupture in [N/mm²]	IS 13630 (Part 6):2006	Minimum 35, Individual 32, Min	Avg 30, Individual 27, Min		Avg 38 Min, Individual 35, Min	0
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1300, Min	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1 <i>5</i> 00 Min	(
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	Declare Value	0.02, Max		< 0.02	
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13):2006	NA	5, Min		5 to 8 Depending on Design/Surface	
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 (Part 11):2006	Test Method Available	Class II, Min		Class-III to Class-V Depending as per Design / Surface	
Co-efficient of Linear Thermal Expansion from ambiant temperature to 100°C	IS 13630 (Part 4):2006	Test Method Available	7x10°K¹, Max		Conforms	
Thermal Shock Resistance	IS 13630 (Part 5):2006	Test Method Available	10 cycles, Min		Passed	
Crazing Resistance	IS 13630 (Part 9):2006	Test Method Available	4 Cycles@7.5 bar, Min		4 Cycle @ 7.5 Bar Min	
Frost Resistance	IS 13630 (Part 10):2006	Required	Required		Resistance	
Bulk Density, in (g/cc)	IS 13630 (Part 12):2006	NA	2.0, Min		> 2.1	
Impact Resistance- Coefficient of Restitution	IS 13630 (Part 14):2006	Manufacturer to State	0.55, Min		0.7-0.85	
Chemical Properties						
Resistance to Staining of Glazed Tiles		Min, Class 3	Class	l, Min	Conforms	
Resistance to Household Chemicals	IS 13630 (Part 8):2006	Min, GA	Class AA, Min		Conforms	
Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compounds)		Test Method Available	Required, if agreed		Conforms	

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.



### **ORIENT BELL TILE BOUTIQUE**

### **CHANDIGARH**

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019, Tel.: +91 172 4624 342

### **CHENNAI**

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue, Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083, Tel.: +91 44 4213 8687

### COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya Road, New Junction, (Opposite Holiday Inn Hotel) Ernakulam By Pass Road, Cochin-682 031 Tel.: +91 97457 68058

### COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram, Coimbatore-641 002, Tel.: +91 89799 41666

### **DEHRADUN**

Duggal Complex (Near Kamla Palace Hotel), GMS Road, Dehradun-248 001, Tel.: +91 97197 01064

### **KOLKATA**

8/1, Burdwan Road, Alipore, Kolkata-700 027, Tel.: +91 33 4068 4046/7

### **LUCKNOW**

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badhshah Nagar Railway Station, Lucknow-226 006, Tel.: +91 99847 86404

### **NEW DELHI**

M-47, GK-II, M Block, New Delhi-110 048, Tel.: +91 11 4068 7468/69

### PUNE

Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710, Final Plot No. 401/1, Shankarasheth Road, Gultekdi, Swargate, Pune-411 037 Tel.: +91 73910 72247

### **VADODRA DISPLAY CENTRE**

78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute, Old Padra Road, Vadodara-390007, Gujarat Tel.: +91 98254 14113



Big solutions for small bathrooms



Listed on BSE (530365) for 20+ years. And also on NSE (ORIENTBELL).

CORPORATE OFFICE:

Nangal Raya, New Delhi – 110046, India Iris House, 16 Business Centre, Tel: +91-11-47119100

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad – 203 205 (UP), India Tel: +91-5735-222-203 / 424, +91-8191004575 / 76









