



borientbell
tiles

Colour Inspirations

WALL TILES **2020**

250x375 & 200x300 MM CERAMIC TILES

About OBL


Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall and Floor Tiles. Established in 1977, OBL has been a pioneer in the Industry with a focus on customer-centric innovation.

First to manufacture ultra-vitrified tiles, new product designs & development is a continuous process at OBL. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

To display extensive range of tiles, we have a chain of signature showrooms. Privileged to be associated with premier architects and construction agencies of the country, it also counts most leading developers as well as government & public sector institutions as its customers.



- The ISO 9001:2015 accreditation for our quality control management systems reflects the quest for manufacturing international standard products.
- In 2015 our Sikandarabad plant was awarded with prestigious ISI certification for its products.
- In May 2000, OBL was awarded ISO 14001 certification by the internationally recognised BSI Management Systems, UK.
- Our manufacturing units are ISO 14001:2015 certified, the most complete and global expression for an environment friendly industrial company.
- We have been awarded OHSAS 18001 Certification for Health & Safety Standards. No waste water is ever discharged from our factory.
- We were also awarded with "Certificate Of Merit" in 'National Energy Conservation Award' 2016 organised by Ministry of Power for saving Power and Fuel consumption.





Creating Solutions for Schools



Tile Mural-Periodic Table



Tile Mural-Suryanamaskar

There are 1.6+ million schools in India. The top 100 thousand schools benefit from the innovation trending in the education space.

However, for the 1 million schools at the bottom of the pyramid, the quality of basic education remains a challenge. Lack of textbooks, parent & student apathy compound the problem.

To make an impact on learning outcomes we designed tiles having educational content that is relevant for all classes. These tiles, applied as a mural on a classroom wall, create a positive learning environment as well as keep the walls looking clean with minimal maintenance requirements.

As a part of our CSR initiative, this unique range of educational tiles has revamped quite a few schools in Delhi, UP and Rajasthan. The impact makes the effort worthwhile.

Impact on Learning Outcomes

36%

increase in enrolments
in just 2 years

31%

reduction in absenteeism,
reduced from 53% to 12%
in 2 years



Increased performance
in exams

- ✓ Creates an interactive learning experience
- ✓ Enables quick revision of topics
- ✓ Active visual learning while on the move.
- ✓ Increased retention of complex concepts
- ✓ Reduces violence & bullying in school premises.
- ✓ Scribble proof

* Data collected from schools revamped by Orientbell as part of their CSR initiative.



DIGITAL
CERAMIC TILES
250x375 MM
& 200x300 MM
MATTE | GLOSS

Small is beautiful



Matte



Polished



Ceramic



Interior



Non Repetitive
Patterns



Rectified



Commercial



Digital



MATTE



GLOSS

INDEX

250x375 MM Digital Ceramic Tiles


ODG ATENUS BLACK	08	ODH KHADI SPOT HL	01
ODG ATENUS GRIS	08	ODG KHADI GRIS DK	01
		ODG KHADI GRIS LT	01
ODH BAMBO BROWN HL	03		
ODM BAMBO BROWN DK	03	ODH LEWIS BLUE HL	09
ODM BAMBO BROWN LT	03	ODH LEWIS GZHEL HL	09
		ODG LEWIS BLUE DK	09
ODH BOHMIA SQUARE HL	05	ODG LEWIS BLUE LT	09
ODG BOHMIA DK	05		
ODG BOHMIA LT	05	ODH LEWIS BROWN HL	05
		ODG LEWIS BROWN DK	05
ODH BORIS HL	02	ODG LEWIS BROWN LT	05
ODG BORIS BROWN	02		
ODG BORIS BEIGE	02	ODH MILLER WAVE HL	09
		ODG MILLER BLUE DK	09
ODH BOTTACHINO FLORA HL	05	ODG MILLER BLUE LT	09
ODG BOTTACHINO BROWN	05		
ODG BOTTACHINO BEIGE	05	ODH MOJI FLORA HL	08
		ODG MOJI CREMA	08
ODH CAIRA HL	04		
ODG CAIRA BROWN	04	ODH MOZI MULTI HL	10
ODG CAIRA BEIGE	04	ODG MOZI BIANCO	10
ODH COLIN HL	07	ODH ONYX BETA HL	03
ODG COLIN LIGHT	07	ODG ONYX GOLD DK	03
		ODG ONYX BROWN LT	03
ODH CORKY SPOT HL	04		
ODG CORKY BROWN DK	04	ODH PENTA MULTI HL	05
ODG CORKY BROWN LT	04	ODH PETAL MULTI HL	06
ODH COSTA BEIGE HL	04	ODH ROGER HL	01
ODG COSTA BEIGE DK	04	ODH ROGER VINTAGE HL	01
ODG COSTA BEIGE LT	04	ODH ROGER GRASSY HL	01
		ODH ROGER PENTA HL	01
ODH DIAMOND MULTI HL	10	ODG ROGER DARK	01
ODG DIAMOND BIANCO	10	ODG ROGER LIGHT	01
ODG DIAMOND SANDUNE	06	ODH RIOS BAR HL	06
ODG DIAMOND CREMA	06	ODH RIOS MOSA HL	06
		ODH RIOS STAR MULTI HL	06
ODH DOLA BROWN HL	04	ODH RIOS LEAF MULTI HL	06
ODG DOLA BROWN DK	04	ODG RIOS BROWN DK	06
ODG DOLA BROWN LT	04	ODG RIOS BROWN LT	06
ODH FANTASIA HL	06	ODH SANDRA HL	02
		ODG SANDRA DARK	02
ODH GALAXY FLOWERS HL	10	ODG SANDRA LIGHT	02
ODH GALAXY FLORA HL	10		
ODG GALAXY BIANCO	10	ODH SISLEY STRIP HL	09
ODG GALAXY BLUE	10	ODG SISLEY FLORA DK	09
		ODG SISLEY FLORA LT	09
ODH GANGA BETA HL	10		
ODH GANGA STAR FLORA HL	10	ODH STAFI HL	05
ODG GANGA BIANCO	10	ODG STAFI BROWN	05
		ODG STAFI BEIGE	05
ODH GLITTER SPOT HL	06		
ODH GEOMETRY TRIANGLE HL	06	ODH STATUARIO HL	10
		ODG STATUARIO BIANCO	10
ODG GRACE WOOD BROWN	03		
ODG GRACE WOOD BEIGE	03	ODH TRIANGLE MULTI FLORA HL	01
ODH HIBISCUS FLOWERS HL	06	ODG TRUE BROWN DK	08
		ODG TRUE BROWN LT	08
ODH HONEY SPOT HL	01		
IVORY OT 4372	10		
ODH KENTE FLORA HL	09		
ODG KENTE BLUE DK	09		
ODG KENTE BLUE LT	09		

200x300 MM Non Digital Ceramic Tiles

ELITE BROWN	11
ELITE BLUE	11
ELITE GREY	11
LORENO GOLD	11
MELODY BROWN	11
MELODY GREY	11
PLAIN OCEAN BLUE	12
PLAIN BURGUNDY	12
PLAIN BLACK	12
PLAIN MANGO YELLOW	12
PLAIN IVORY	11
PLAIN SAPHIRE	11
PLAIN WHITE	11
PICASSO BEIGE	11
PICASSO PINK	11
PICASSO PINK DURO	11
PICASSO BLUE	11
SQUARE BROWN	11
SQUARE BLUE	11
TEXTILE IVORY	11

Code Description

ODH - Orientbell Digital Highlighter
ODM - Orientbell Digital Matte
ODG - Orientbell Digital Glossy

P - Punch |  - NON DIGITAL


R1 - No Variation | R2 - Slight Variation
R3 - More Variation | R4 - Most Variation

F1 - 1 Face | F2 - 2 Faces | F3 - 3 Faces | F4 - 4 Faces
F5 - 5 Faces | F6 - 6 Faces | F7 - 7 Faces | F8 - 8 Faces

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters



ODG ROGER DARK R2 F2



ODG ROGER LIGHT R2 F2

MULTIPLICA Effect

More Choices for your Favorite Shades



ODH ROGER VINTAGE HL P R1 F1




ODH ROGER GRASSY HL P R1 F1




ODH ROGER PENTA HL P R1 F1



ODH ROGER HL P R1 F1




ODG KHADI GRIS DK R1 F1




ODG KHADI GRIS LT R1 F1

MULTIPLICA Effect

More Choices for your Favorite Shades



ODH HONEY SPOT HL R1 F1



ODH KHADI SPOT HL R1 F1




ODH TRIANGLE MULTI FLORA HL R1 F1

250x375 MM

All shown tiles are Glossy



ODG SANDRA DARK R2 F2




ODG SANDRA LIGHT R2 F2




ODH SANDRA HL P R1 F1



ODG BORIS BROWN R3 F2



ODG BORIS BEIGE R3 F2



ODH BORIS HL P R1 F1

250x375 MM

All shown tiles are Glossy



ODH SANDRA HL, ODG SANDRA DARK & ODG SANDRA LIGHT



ODM BAMBO BROWN DK MT R4 F4



ODM BAMBO BROWN LT MT R4 F4



ODG ONYX GOLD DK GL R3 F3



ODG ONYX BROWN LT GL R3 F3



ODH BAMBO BROWN HL MT P R1 F1



ODM WOODEN MOSAIC MT P R1 F1




ODH ONYX BETA HL GL P R1 F1



ODG GRACE WOOD BROWN GL P R1 F1



ODG GRACE WOOD BEIGE GL P R1 F1



ODG WOODY BROWN GL P R1 F1



ODG WOODY BEIGE GL P R1 F1



ODG WOODY BROWN & ODG WOODY BEIGE



ODG CORKY BROWN DK R2 F2



ODG CORKY BROWN LT R2 F2



ODG DOLA BROWN DK R4 F4




ODG DOLA BROWN LT R4 F4



ODH CORKY SPOT HL P R1 F1



ODH DOLA BROWN HL P R1 F1



ODG COSTA BEIGE DK R3 F2



ODG COSTA BEIGE LT R3 F2



ODG CAIRA BROWN R1 F1



ODG CAIRA BEIGE R1 F1



ODH COSTA BEIGE HL P R1 F1



ODH CAIRA HL P R1 F1

All shown tiles are Glossy




250X375 MM



ODG STAFI BROWN R3 F2



ODG STAFI BEIGE R3 F2




ODG BOTTACHINO BROWN R3 F3



ODG BOTTACHINO BEIGE R3 F3




ODH STAFI HL P R1 F1



ODH BOTTACHINO FLORA HL P R1 F1



ODG BOHMIA DK R3 F3




ODG BOHMIA LT R3 F3

MULTIPLICA Effect
More Choices for your Favorite Shades



ODG LEWIS BROWN DK P R1 F1



ODG LEWIS BROWN LT P R1 F1



ODH BOHMIA SQUARE HL P R1 F1



ODH PENTA MULTI HL P R1 F1




ODH LEWIS BROWN HL P R1 F1

250x375 MM

All shown tiles are Glossy



ODG RIOS BROWN DK R4 F4



ODG RIOS BROWN LT R4 F4



ODG DIAMOND SANDUNE R1 F1




ODG DIAMOND CREMA R1 F1



ODH RIOS MOSA HL P R1 F1



ODH RIOS BAR HL P R1 F1




ODH GLITTER SPOT HL P R1 F1



ODH FANTASIA HL P R1 F1



ODH HIBISCUS FLOWERS HL P R1 F1



ODH RIOS STAR MULTI HL P R1 F1



ODH PETAL MULTI HL P R1 F1



ODH GEOMETRY TRIANGLE HL P R1 F1



ODH RIOS LEAF MULTI HL P R1 F1

All shown tiles are Glossy



250X375 MM

250x375 MM



ODG VIRGINIA WOOD LT R1 F1



ODG VIRGINIA WOOD DK R3 F2

MULTIPLICA Effect


More Choices for your Favorite Shades



ODH VIRGINIA WOOD HL R1 F1



ODH VIRGINIA ARROW HL R1 F1



ODH VIRGINIA PEBBLE HL R1 F1



ODH VIRGINIA WOOD MULTI HL R1 F1




ODG COLIN LIGHT




ODH COLIN HL

250x375 MM

All shown tiles are Glossy



ODG ATENUS BLACK P R1 F1




ODG ATENUS GRIS P R1 F1



ODH MOJI FLORA HL P R1 F1



ODG MOJI CREMA P R1 F1



ODG TRUE BROWN DK P R1 F1



ODG TRUE BROWN LT P R1 F1

All shown tiles are Glossy

250X375 MM



ODH MOJI FLORA HL & ODG MOJI CREMA


250x375 MM



ODG KENTE BLUE DK R1 F1




ODG KENTE BLUE LT R1 F1




ODG MILLER BLUE DK R3 F3




ODG MILLER BLUE LT R3 F3




ODH KENTE FLORA HL P R1 F1



ODH MILLER WAVE HL P R1 F1




ODG LEWIS BLUE DK P R1 F1




ODG LEWIS BLUE LT P R1 F1

MULTIPLICA Effect

More Choices for your Favorite Shades




ODG SISLEY FLORA DK P R1 F1



ODG SISLEY FLORA LT P R1 F1



ODH LEWIS GZHEL HL P R1 F1




ODH LEWIS BLUE HL P R1 F1



ODH SISLEY STRIP HL P R1 F1

250x375 MM


All shown tiles are Glossy



ODG GALAXY BIANCO P R1 F1



ODG GALAXY BLUE P R1 F1




ODG GANGA BIANCO P R1 F1



ODH GALAXY FLOWERS HL P R1 F1




ODH GALAXY FLORA HL P R1 F1




ODH GANGA STAR FLORA HL P R1 F1



ODH GANGA BETA HL P R1 F1



ODH DIAMOND MULTI HL P R1 F1




ODG DIAMOND BIANCO P R1 F1




ODH STATUARIO HL P R1 F1




ODG STATUARIO BIANCO R4 F4




ODH MOZI MULTI HL P R1 F1



ODG MOZI BIANCO P R1 F1



WHITE OT 4371 ND




IVORY OT 4372 ND

All shown tiles are Glossy

250X375 MM

200x300 MM




PLAIN WHITE




ELITE BLUE



ELITE GREY



PICASSO BLUE



PLAIN SAPPHIRE




MELODY GREY




LORENO GOLD



MELODY BROWN




PLAIN IVORY




TEXTILE IVORY



ELITE BROWN



SQUARE BROWN




PICASSO BEIGE



PICASSO PINK



PICASSO PINK DURO



SQUARE BLUE



All shown tiles are Glossy & Non Digital



PLAIN OCEAN BLUE



PLAIN BURGUNDY



PLAIN BLACK



PLAIN MANGO YELLOW

All shown tiles are Glossy & Non Digital  200X300 MM



PICASSO PINK DURO & PICASSO PINK

TECHNICAL SPECIFICATIONS Digital Ceramic Wall Tiles

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. Ft.)
250X375 (Digital Wall Tiles)	8	0.75	8.07

(E > 10 % Group B III) as per IS 15622:2017				
Characteristics	Standard Test Method	IS 15622:2017 E > 10 % (Group B III)		OBL Norms
		Unrectified	Rectified	
Dimension & Surface Quality				
Deviation in Length & Width	IS 13630 (Part 1):2006	± 0.4%	± 0.2 %	Conforms
Deviation in Thickness		± 5.0 %		± 3.00 %
Straightness of Sides		± 0.2 %	± 0.15 %	Conforms
Rectangularity		± 0.3 %	± 0.2 %	Conforms
Surface Flatness		± 0.3 %		± 0.20 % 😊😊
Surface Quality		Min. 95 % tiles shall be free from visible defects		Min. 95 % tiles shall be free from visible defects
Physical Properties				
Water Absorption (%)	IS 13630 (Part 2):2006	Average > 10 %		15±2 % 😊
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Min 15, for thickness < 7.5 mm Min 12, for thickness ≥ 7.5 mm		>15 😊
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 200, Min ≥ 7.5 mm thickness: 600, Min		Conforms 😊
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	0.04, Max		Conforms
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13):2006	3, Min		>3
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 (Part 11):2006	Class II, Min		Conforms
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 (Part 4):2006	9x10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	10 cycles, Min		Passed 10 Cycle
Crazing Resistance Glazed Tiles	IS 13630 (Part 9):2006	4 Cycles@7.5 bar, Min		4 Cycle Passed 😊😊
Impact Resistance- Coefficient of Restitution	IS 13630 (Part 14):2006	0.55, Min		>0.55
Chemical Properties				
Resistance to Staining of Glazed Tiles	IS 13630 (Part 8):2006	Class I, Min		Conforms
Resistance to Household Chemicals		Class AA, Min		Conforms
Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compound)		Required, if agreed		Resistant

TECHNICAL SPECIFICATIONS Non Digital Ceramic Wall Tiles

Packing Details			
Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. Ft.)
250X375	9	0.84	9.04
200X300	15	0.90	9.69

(E > 10 % Group B III) as per IS 15622:2017				
Characteristics	Standard Test Method	IS 15622:2017 E > 10 % (Group B III)		OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2006	Unrectified	Rectified	
Deviation in Length & Width		$\pm 0.4\%$	$\pm 0.2\%$	Conforms
Deviation in Thickness		$\pm 5.0\%$		$\pm 3.00\%$
Straightness of Sides		$\pm 0.2\%$	$\pm 0.15\%$	Conforms
Rectangularity		$\pm 0.3\%$	$\pm 0.2\%$	Conforms
Surface Flatness		$\pm 0.3\%$		$\pm 0.20\%$ 😊 😊
Surface Quality		Min. 95 % tiles shall be free from visible defects		Min. 95 % tiles shall be free from visible defects
Physical Properties				
Water Absorption (%)	IS 13630 (Part 2):2006	Average > 10 %		15 \pm 2 % 😊
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Min 15, for thickness < 7.5 mm Min 12, for thickness \geq 7.5 mm		>15 😊
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 200, Min \geq 7.5 mm thickness: 600, Min		Conforms 😊
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	0.04, Max		Conforms
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13):2006	3, Min		>3
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 (Part 11):2006	Class II, Min		Conforms
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 (Part 4):2006	9x10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	10 cycles, Min		Passed 10 Cycle
Crazing Resistance Glazed Tiles	IS 13630 (Part 9):2006	4 Cycles@7.5 bar, Min		4 Cycle Passed 😊 😊
Impact Resistance- Coefficient of Restitution	IS 13630 (Part 14):2006	0.55, Min		>0.55
Chemical Properties				
Resistance to Staining of Glazed Tiles	IS 13630 (Part 8):2006	Class I, Min		Conforms
Resistance to Household Chemicals		Class AA, Min		Conforms
Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compound)		Required, if agreed		Resistant

NOTE: Certain amount of Size and Shade variation is inherent in all ceramic products. Within the limits of printed material, the colors and aesthetics of the products correspond closely to those of illustrated products. Prospective customers are advised to inspect a sample of the tile before ordering and laying. At all points of time, the company liability is restricted to the purchase value of tiles.

Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to delete & change, any of the items, colors, sizes & technical specifications without any prior notice.

ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg,
Chandigarh-160 019,
Tel.: +91 172 4624 342

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam,
Badshah Nagar Railway Station, Lucknow-226 006,
Tel.: +91 99847 86404

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st
Avenue, Ashok Nagar, (Above Kotak Mahindra Bank),
Chennai-600 083,
Tel.: +91 44 4213 8687

NEW DELHI

M-47, GK-II, M Block, New Delhi-110 048,
Tel.: +91 11 4068 7468/69

PUNE

Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710,
Final Plot No. 401/1, Shankarasheth Road, Gultekdi,
Swargate, Pune-411 037
Tel.: +91 73910 72247

COCHIN

"SURYA GAYATRI", Building No. 32/8, B3, Puthiya
Road, New Junction, (Opposite Holiday Inn Hotel)
Ernakulam By Pass Road, Cochin-682 031,
Tel.: +91 97457 68058

VADODRA DISPLAY CENTRE

78-79, 2nd Floor, Surya Kiran Complex, Beside Banker
Heart Institute, Old Padra Road,
Vadodara-390 007, Gujarat
Tel.: +91 98254 14113

COIMBATORE


11, 1st Floor, Venkata Samy Road (East), R.S. Puram,
Coimbatore-641 002,
Tel.: +91 89799 41666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS
Road, Dehradun-248 001,
Tel.: +91 97197 01064

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027,
Tel.: +91 33 4068 4046/7



A Network of

2500+

Channel Partners

 Franchise Owned Boutiques

 Channel Partners

 Company Owned Boutiques

 Plants

Make small spaces look bigger with Orientbell tiles

Big solutions for small bathrooms



orientbell
tiles

WhatsApp : 87507 11111 | Missed Call : 87507 33333

Listed on BSE (530365) for 20+ years.

And also on NSE (ORIENTBELL).

CIN: L14101UP1977PLC021546

CORPORATE OFFICE:

Iris House, 16 Business Centre,
Nangal Raya, New Delhi – 110046, India

Tel: +91-11-47119100

REGISTERED OFFICE:

8 Industrial Area, Sikandrabad – 203 205 (UP), India
Tel: +91-5735-222-203 / 424, +91-8191004575 / 76



www.orientbell.com

