



orientbell
tiles

SKD FLOOR TILES
COLLECTION **2020**
600X600 MM



About OBL

Orient Bell Limited (OBL) is amongst the largest manufacturers of Wall & Floor Tiles. It's roots in the tile industry can be traced as early as 1977.

OBL has always been a pioneer in the Industry with a focus on customer-centric innovation. It was the first to manufacture ultra-vitrified tiles. For OBL, new product design & development is a continuous process. As a result it has an extensive range of tiles with various finishes & textures. It has 4 patent-pending technologies: Forever Tiles, GermFree Tiles, Cool Tiles & Life Tiles.

OBL has a chain of signature showrooms to display this extensive range of tiles. It is privileged to be associated with premier architects and construction agencies of the country. It counts most leading developers as well as government & public sector institutions as its customers.



Introduction of new identity


Received ISI mark for
Sikandarabad
manufactured products.

Merger completed with Bell
Ceramics and company renamed
to Orient Bell Limited, with
2 brands and 3 plants.

Orient acquires Bell Ceramics

1st Indian manufacturer to
hire a European as a Chief
Product & Solution Designer.

1st Channel Partner
Owned OBTB launch
Shiv Ram Tiles Company, Patna

1st bonus for
shareholders issued in
the ratio of 1:1.

Mr. M.K.Daga, veteran tile
technologist takes over the
management.

2018

New Production Line in Sikandarabad Plant
for big sizes of Glazed Vitrified Tiles

2017

Equity Partnership with Proton.

2016

Won the "Certificate of Merit" in
National Energy Conservation
Award'2016 organized by Ministry
of Power for Saving Power and
Fuel Consumption.

2015

2013

OBL files 4th Patent
(Pending Registration).

Company Owned
OBTB Launch in Dehradun.

2012

2011

Awarded Power Brand Status.

2010

2009

Enters the luxury home décor
segment. Records the highest
profit growth in the industry.

2008

2007

2nd Bonus for shareholders
issued in the ratio of 5:4.

2005

2004

Accredited with ISO
9001:2000 and OHSAS
18000:1999.

2000

1994

Joins forces with SACMI,
Impianti SPA, Italy for
technical interaction.

1993

1977

Incorporated as a
Public Limited Company.



At OBL we believe in excellence. The ISO 9001:2015 accreditation for our quality control management systems reflects this quest for manufacturing products that meet international standards. In 2015 our Sikandarabad plant was awarded with prestigious ISI certification for its products.

As early as in May 2000, OBL was awarded the prestigious ISO 14001 certification by the internationally recognised BSI Management Systems, UK. Our manufacturing units are ISO 14001:2015 certified, the most complete and global expression for an environment friendly industrial company.

We believe in making great products in a safe, healthy and environment friendly way. We have been awarded OHSAS 18001 Certification for Health & Safety Standards. No waste water is ever discharged from our factory.

OBL won the "Certificate Of Merit" in 'National Energy Conservation Award' 2016 organised by Ministry of Power for saving Power and Fuel consumption.



Marble



West Zone Tiles

Code Description

DGVT-Digital Glazed Vitrified Tiles | PGVT- Polished Glazed Vitrified Tiles | OT-Orient Tile | PCG- Porcelain Gloss

ODG-Orientbell Digital Gloss | ODM- Orientbell Digital Matte | ODP- Orientbell Digital Porcelain

OEM- Orientbell Elevation Matte | DC-Double Charge | PDC-Printed Double Charge | PVT-Polished Vitrified Tiles

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters

INDEX

Statuario Marble

600X600 MM PGVT REAL STATUARIO	01
600X600 MM PGVT KOLKOTA BIANCO	01
600X600 MM PGVT MAKRANA BIANCO	01
600X600 MM PGVT STATUARIO ULTRA	01
600X600 MM PGVT CARARA ELEGANCE	01
600X600 MM PCG CARRARA VENATO MARBLE	01
600X600 MM PCG SUPER WHITE STATUARIO	01

Travertine Marble

600X600 MM PGVT MARVEL BIANCO	03
600X600 MM PGVT S TRAVERTINO BEIGE	03

Super Gloss Marble

600X600 MM SUPER GLOSS TAURUS BROWN	06
600X600 MM SUPER GLOSS RAINFOREST	06
600X600 MM SUPER GLOSS PORTORO GOLD	06
600X600 MM SUPER GLOSS MYSTIC BROWN	06
600X600 MM SUPER GLOSS TAURUS BLACK	06
600X600 MM SUPER GLOSS NEGRO MARBLE	06

Bookmatch Marble

600X600 MM PGVT MARIANA MARBLE-A	07
600X600 MM PGVT MARIANA MARBLE-B	07
600X600 MM PCG ARABESCATO STATUARIO BM	07
600X600 MM PGVT COSMOS MARBLE-A	08
600X600 MM PGVT COSMOS MARBLE-B	08
600X600 MM PCG ONYX BLUE BM	09
600X600 MM PCG RADIANT ONYX BM	09

Marble

600X600 MM PGVT ONIXO BEIGE	12
600X600 MM PGVT ONYX VERDE	12
600X600 MM PGVT PORINO IVORY	12
600X600 MM PGVT PORINO BEIGE	12
600X600 MM DGV T PERLATO BROWN	12
600X600 MM DGV T PERLATO IVORY	12
600X600 MM PGVT PARADISE	13
600X600 MM PGVT TURIN BROWN	13
600X600 MM PGVT ROSALIE BEIGE	13
600X600 MM PGVT MORACCO BEIGE	14
600X600 MM PGVT DEMRE BEIGE	14
600X600 MM PGVT DEMRE BROWN	14
600X600 MM PGVT BOLOGNA CREMA	14
600X600 MM DGV T DEBONA OFFWHITE	14
600X600 MM PGVT ISTAN BROWN	14
600X600 MM PGVT GROOVE CREAMA	14
600X600 MM DGV T TALI IVORY	14

600X600 MM PGVT ISTAN IVORY	16
600X600 MM SATIN SOFTMARBO	16
600X600 MM ROCKER ANTIQUE MARBLE	16
600X600 MM SATIN CALACATTA MARBLE	16
600X600 MM ROCKER GRAFTON BROWN	16
600X600 MM PGVT ELECTO BROWN	16
600X600 MM PGVT LAVENTINA CREAMA	16
600X600 MM PGVT AKRON GREY	16
600X600 MM PCG SWAN MARBLE	17
600X600 MM PCG ONYX PEARL	17
600X600 MM PCG ALICANTE BROWN MARBLE	18
600X600 MM PCG BOTTOCHINO LIGHT	18
600X600 MM PCG CALCUTTA GOLD MARBLE	18
600X600 MM PCG CRYSTAL ONYX	18
600X600 MM PCG ERAMOSA MARBLE	18
600X600 MM PCG GIALLO SIENA LIGHT	18
600X600 MM PCG ONYX MULTI	18
600X600 MM PCG ONYX RIVER	18

Printed Double Charge

600X600 MM PDC KASSIA	19
600X600 MM PDC BAGOTA	19
600X600 MM PDC ROYALE WHITE	19
600X600 MM PDC SPENCER	19
600X600 MM PDC AMINA	19
600X600 MM PDC KERIS	19
600X600 MM PDC ANGELA	19
600X600 MM PDC ATARA	19

Nano

600X600 MM NANO RIVO	21
600X600 MM NANO IVORY	22
600X600 MM NANO 004	22
600X600 MM NANO 003	22
600X600 MM NANO HOMER BEIGE	22
600X600 MM NANO 005	22
600X600 MM NANO ORBIT	22
600X600 MM NANO EDEN	22
600X600 MM NANO VINEAR	22

Polished Vitrified Tiles

600X600 MM 10201	23
600X600 MM 10241	23
600X600 MM 10247	23
600X600 MM 10240	23
600X600 MM 10242	23
600X600 MM 10211	23

600X600 MM 12220	23
600X600 MM 10212	24
600X600 MM 10234	24
600X600 MM 10232	24
600X600 MM PVT 003	24
600X600 MM 12206	24
600X600 MM 12203	24

Forever Tiles

600X600 MM AMO BROWN	25
600X600 MM AMO GREY	25
600X600 MM ODP MORRIS CREMA	26
600X600 MM ODP MORRIS BEIGE	26
600X600 MM SABBIA BEIGE	26
600X600 MM SABBIA BROWN	26
600X600 MM ODP OPAL CREMA	26
600X600 MM WINNER ROSSA	28
600X600 MM WINNER BIANCO	28
600X600 MM WINNER GOLD	28
600X600 MM WINNER CREMA	28
600X600 MM STAR SANDUNE	30
600X600 MM STAR IVORY	30
600X600 MM STAR ORANGE	30
600X600 MM STAR WHITE	30
600X600 MM STAR PINK	30
600X600 MM STAR GREEN DK	32
600X600 MM STAR BLACK DK	32
600X600 MM STAR BROWN DK	32
600X600 MM STAR MULTI DK	32
600X600 MM STAR ORANGE DK	32
600X600 MM STAR RED DK	32
600X600 MM RIVER BLUE	34
600X600 MM RIVER SMOKY	34
600X600 MM RIVER PEARL	34
600X600 MM RIVER CRAEMA	34
600X600 MM RIVER CHOCO	34
600X600 MM RIVER BEIGE	34
600X600 MM RIVER RED	34
600X600 MM CANTO CREAMA	35
600X600 MM CANTO BEIGE	35
600X600 MM CANTO BEIGE	36
600X600 MM CANTO OCEAN	36
600X600 MM CANTO RED	36
600X600 MM NU CANTO AZUL	36
600X600 MM CANTO GREEN	36
600X600 MM CANTO JAISALMER	36
600X600 MM CANTO ALMOND	38


600X600 MM NU CANTO CARBON	38
600X600 MM NU CANTO CHOCO	38
600X600 MM LARA SILVER	38
600X600 MM LARA CREMA	38
600X600 MM NU CANTO ROSSA	38
600X600 MM NU CANTO ASH	38
600X600 MM LARA GOLD	38
600X600 MM LARA ROSA	38



600X600 MM | PGVT REAL STATUARIO



600X600 MM | PGVT KOLKOTA BIANCO



600X600 MM | PGVT MAKRANA BIANCO



600X600 MM | PGVT STATUARIO ULTRA



600X600 MM | PGVT CARARA ELEGANCE



600X600 MM | PCG CARRARA VENATO MARBLE




600X600 MM | PCG SUPER WHITE STATUARIO



All shown tiles are Glossy





600X600 MM



GL
GLOSS
G3
R2
F4


600X600 MM | PGVT MARVEL BIANCO




GL
GLOSS
G3
R2
F5

600X600 MM | PGVT S TRAVERTINO BEIGE





SUPER GLOSS TAURUS BROWN & PGVT ISTAN IVORY



G3
R2
F4

600X600 MM
SUPER GLOSS TAURUS BROWN



G3
R2
F4

600X600 MM
SUPER GLOSS RAINFOREST



G3
R2
F4

600X600 MM
SUPER GLOSS PORTORO GOLD



G3
R2
F4

600X600 MM
SUPER GLOSS MYSTIC BROWN



G3
R2
F4

600X600 MM
SUPER GLOSS TAURUS BLACK




G3
R2
F4

600X600 MM
SUPER GLOSS NEGRO MARBLE


All shown tiles are Glossy



Tile Faces
representation




Tile Faces
representation



All shown tiles
are Glossy



Bookmatch
laying drawing



600X600 MM | PGVT MARIANA MARBLE-A



600X600 MM | PGVT MARIANA MARBLE-B



600X600 MM | PCG ARABESCATO
STATUARIO BM

Tile Faces
representation



600X600 MM
PGVT COSMOS MARBLE-A

G3
R1



600X600 MM
PGVT COSMOS MARBLE-B


G3
R1

Bookmatch
laying drawing

All shown tiles
are Glossy



600X600 MM



PGVT COSMOS MARBLE A & B


Tile Faces
representation



All shown tiles
are Glossy




Bookmatch
laying drawing



G3
F1
R1

600X600 MM | PCG ONYX BLUE BM

Tile Faces
representation



G3
F1
R1

600X600 MM | PCG RADIANT ONYX BM





PGVT ONIXO BEIGE



GL
GLOSS
G3
R3
F4

600X600 MM | PGVT ONIXO BEIGE



GL
GLOSS
G3
R2
F4

600X600 MM | PGVT ONYX VERDE



GL
GLOSS
G3
R3
F3

600X600 MM | PGVT PORINO IVORY



GL
GLOSS
G3
R3
F3

600X600 MM | PGVT PORINO BEIGE



MT
MATTE
G5
R3
F3

600X600 MM | PGVT PERLATO BROWN



MT
MATTE
G5
R3
F3

600X600 MM | PGVT PERLATO IVORY



600X600 MM



PGVT PORINO IVORY




G3
R2
F4

600X600 MM | PGVT PARADISE



G3
R2
F2

600X600 MM | PGVT TURIN BROWN



G3
R2
F2

600X600 MM | PGVT ROSALIE BEIGE

PGVT PARADISE

All shown tiles are Glossy



600X600 MM



GL
GLOSS
G3
R2
F3

600X600 MM | PGVT MORACCO BEIGE



GL
GLOSS
G3
R2
F3

600X600 MM | PGVT DEMRE BEIGE




GL
GLOSS
G3
R2
F3

600X600 MM | PGVT DEMRE BROWN



GL
GLOSS
G3
R2
F3

600X600 MM | PGVT BOLOGNA CREMA



MT
MATTE
G5
R2
F4

600X600 MM | DGV T DEBONA OFFWHITE




GL
GLOSS
G3
R2
F2

600X600 MM | PGVT ISTAN BROWN



GL
GLOSS
G3
R2
F4

600X600 MM | PGVT GROOVE CREAMA




MT
MATTE
G5
R2
F2

600X600 MM | DGV T TALI IVORY






PGVT ISTAN IVORY



600X600 MM | PGVT ISTAN IVORY



600X600 MM | SATIN SOFTMARBO



600X600 MM | ROCKER ANTIQUE MARBLE




600X600 MM | SATIN CALACATTA MARBLE



600X600 MM | ROCKER GRAFTON BROWN



600X600 MM | PGVT ELECTO BROWN



600X600 MM | PGVT LAVENTINA CREAMA



600X600 MM | PGVT AKRON GREY



600X600 MM



G3
F4
R3

600X600 MM | PCG SWAN MARBLE



G3
F4
R3


600X600 MM | PCG ONYX PEARL

All shown tiles are Glossy



600X600 MM

PCG SWAN MARBLE



G3
F4
R3

600X600 MM
PCG ALICANTE BROWN MARBLE



G3
F4
R3

600X600 MM
PCG BOTTOCHINO LIGHT



G3
F4
R3

600X600 MM
PCG CALCUTTA GOLD MARBLE



G3
F4
R3

600X600 MM | PCG CRYSTAL ONYX



G3
F4
R3

600X600 MM
PCG ERAMOSA MARBLE



G3
F4
R3

600X600 MM
PCG GIALLO SIENA LIGHT



G3
F4
R3

600X600 MM | PCG ONYX MULTI




G3
F4
R3


600X600 MM | PCG ONYX RIVER

All shown tiles are Glossy







600X600 MM | PDC KASSIA




600X600 MM | PDC BAGOTA




600X600 MM | PDC ROYALE WHITE



600X600 MM | PDC SPENCER




600X600 MM | PDC AMINA



600X600 MM | PDC KERIS



600X600 MM | PDC ANGELA



600X600 MM | PDC ATARA



600X600 MM



All shown tiles are Glossy




PDC ROYALE WHITE






Shown tile is Glossy

Make every home a living room.




600X600 MM | NANO RIVO

NANO RIVO



600X600 MM | NANO IVORY



600X600 MM | NANO 004




600X600 MM | NANO 003



600X600 MM | NANO HOMER BEIGE



600X600 MM | NANO 005



600X600 MM | NANO ORBIT



600X600 MM | NANO EDEN



600X600 MM | NANO VINEAR




All shown tiles are Glossy



600X600 MM


MARBLE-POLISHED VITRIFIED TILES




600X600 MM | 10201




600X600 MM | 10241



600X600 MM | 10247




600X600 MM | 10240




600X600 MM | 10242



600X600 MM | 10211



600X600 MM | 12220



All shown tiles are Glossy




600X600 MM | 10212



600X600 MM | 10234




600X600 MM | 10232



600X600 MM | PVT 003



600X600 MM | 12206



600X600 MM | 12203

All shown tiles are Glossy



600X600 MM



600X600 MM | AMO BROWN

ND
NON DIGITAL

G5

R3

F4



600X600 MM | AMO GREY

ND
NON DIGITAL

G5

R3

F4



600X600 MM

All shown tiles are Matte



AMO BROWN



SABBIA BEIGE & SABBIA BROWN



G5
R3
F4

600X600 MM | ODP MORRIS CREMA



G5
R3
F4

600X600 MM | ODP MORRIS BEIGE



ND
NON DIGITAL
G5
R3
F4

600X600 MM | SABBIA BEIGE



ND
NON DIGITAL
G5
R3
F4

600X600 MM | SABBIA BROWN




G5
R2
F2

600X600 MM | ODP OPAL CREMA



WINNER GOLD



WINNER ROSSA

Double Charge Tiles



600X600 MM | WINNER ROSSA



600X600 MM | WINNER BIANCO




600X600 MM | WINNER GOLD



600X600 MM | WINNER CREMA

All shown tiles are Glossy





STAR SANDUNE



600X600 MM | STAR SANDUNE



600X600 MM | STAR IVORY



600X600 MM | STAR ORANGE



600X600 MM | STAR WHITE



600X600 MM | STAR PINK

All shown tiles are Glossy




600X600 MM



STAR DK BLACK



600X600 MM | STAR GREEN DK



600X600 MM | STAR BLACK DK



600X600 MM | STAR BROWN DK



600X600 MM | STAR MULTI DK



600X600 MM | STAR ORANGE DK



600X600 MM | STAR RED DK

All shown tiles are Glossy




600X600 MM



RIVER BLUE



600X600 MM | RIVER BLUE



600X600 MM | RIVER SMOKY



600X600 MM | RIVER CRAEMA



600X600 MM | RIVER PEARL



600X600 MM | RIVER CHOCO




600X600 MM | RIVER BEIGE




600X600 MM | RIVER RED

All shown tiles are Glossy






Double Charge Tiles



600X600 MM | CANTO CREAMA



600X600 MM | CANTO BEIGE


CANTO BEIGE

All shown tiles are Glossy



600X600 MM

Double Charge Tiles



600X600 MM | CANTO OCEAN



600X600 MM | CANTO RED



600X600 MM | NU CANTO AZUL




600X600 MM | CANTO GREEN



600X600 MM | CANTO JAISALMER



600X600 MM | CANTO ALMOND



All shown tiles are Glossy



CANTO ALMOND



NU CANTO ROSSA & NU CANTO CARBON




600X600 MM | NU CANTO CARBON



600X600 MM | NU CANTO CHOCO



600X600 MM | LARA SILVER



600X600 MM | LARA CREMA




600X600 MM | NU CANTO ROSSA



600X600 MM | NU CANTO ASH



600X600 MM | LARA GOLD



600X600 MM | LARA ROSA

All shown tiles are Glossy



600X600 MM

Cement



600X600 MM

MT
MATTE

GL
GLOSS

FU
FUSION

P
PUNCH

D
DIGITAL

ND
NON DIGITAL



West Zone Tiles



INDEX

CEMENT

600X600 MM PGVT SPICE GRIS	51
600X600 MM DGVТ BARCA GREY	51
600X600 MM DGVТ BARCA SLATE	51
600X600 MM DGVТ VITARA BIANCO	52
600X600 MM DGVТ VITARA IVORY	52
600X600 MM PCM LINE SQUARE BEIGE	53
600X600 MM PCM LINE SQUARE BROWN	53
600X600 MM PCM GLACIER WHITE	54
600X600 MM PCM GLACIER BROWN	54
600X600 MM PCM GLACIER GREY	54
600X600 MM PGVT MYRA IVORY	55
600X600 MM DGVТ JUNGІ BROWN	55
600X600 MM DGVТ MODENA SLATE	55
600X600 MM DGVТ MODENA GREY	55
600X600 MM DGVТ DERBY SILVER	55
600X600 MM PGVT TRIBECA GREY	55
600X600 MM DGVТ ZABBI CREAM	56
600X600 MM DGVТ REAL IVORY	56
600X600 MM DGVТ ROCCO BROWN	56
600X600 MM DGVТ MUNICH IVORY	57
600X600 MM DGVТ MUNICH OAK	57
600X600 MM DGVТ ALCORA CREAMA	57
600X600 MM DGVТ ALCORA GREY	57
600X600 MM DGVТ MILANO BEIGE	57
600X600 MM DGVТ MILANO BROWN	57

Full Body Vitrified Tiles

600X600 MM SAHARA BEIGE	58
600X600 MM SAHARA NERO	58
600X600 MM SAHARA GRIS	58
600X600 MM SAHARA CREAMA	58
600X600 MM SAHARA P KOTA GREEN	58

Cement-Slate

600X600 MM BLENDА GREY	59
600X600 MM BLENDА IVORY	59

Cement-Stone

600X600 MM ODP URBAN ROCK	60
-----------------------------	----

Code Description

DGVТ-Digital Glazed Vitrified Tiles | PCM- Porcelain Matte

ODM- Orientbell Digital Matte | ODP- Orientbell Digital Porcelain | OEM-Orientbell Elevation Matte

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation


F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters



GL
GLOSS
G3
R2
F4

600X600 MM | PGVT SPICE GRIS



MT
MATTE
G5
R2
F3

600X600 MM | DGVT BARCA GREY



MT
MATTE
G5
R2
F3

600X600 MM | DGVT BARCA SLATE



600X600 MM

PGVT SPICE GRIS




G5
R2
F3

600X600 MM | DGVIT VITARA BIANCO



G5
R2
F3

600X600 MM | DGVIT VITARA IVORY



All shown tiles are Matte



DGVIT VITARA BIANCO



G5
F1
R1

600X600 MM
PCM LINE SQUARE BEIGE



G5
F1
R1

600X600 MM
PCM LINE SQUARE BROWN



600X600 MM

All shown
tiles are Matte



PCM LINE SQUARE BEIGE



PCM GLACIER WHITE



G5
F4
R3

600X600 MM | PCM GLACIER WHITE



G5
F4
R3

600X600 MM | PCM GLACIER BROWN




G5
F4
R3

600X600 MM | PCM GLACIER GREY

All shown
tiles are Matte



600X600 MM



600X600 MM | PGVT MYRA IVORY

GL
GLOSS
G3
R2
F4



600X600 MM | DGVJ JUNGJ BROWN

MT
MATTE
G5
R2
F2



600X600 MM | DGVJ MODENA SLATE

MT
MATTE
G5
R2
F3



600X600 MM | DGVJ MODENA GREY

MT
MATTE
G5
R2
F3



600X600 MM | DGVJ DERBY SILVER

MT
MATTE
G5
R2
F2



600X600 MM | PGVT TRIBECA GREY

GL
GLOSS
G3
R2
F4



600X600 MM



PGVT MYRA IVORY



DGVT ROCCO BROWN



G5
R2
F2

600X600 MM | DGVT ZABBI CREAM



G5
R2
F3


600X600 MM | DGVT REAL IVORY



G5
R3
F2

600X600 MM | DGVT ROCCO BROWN

All shown tiles are Matte



600X600 MM



600X600 MM | DGV T MUNICH IVORY



600X600 MM | DGV T MUNICH OAK



600X600 MM | DGV T ALCORA CREAMA




600X600 MM | DGV T ALCORA GREY



600X600 MM | DGV T MILANO BEIGE



600X600 MM | DGV T MILANO BROWN




All shown tiles are Matte




Full Body Vitrified Tiles



600X600 MM | SAHARA BEIGE



600X600 MM | SAHARA NERO



600X600 MM | SAHARA GRIS



600X600 MM | SAHARA CREAMA



600X600 MM | SAHARA P KOTA GREEN



600X600 MM

All shown tiles are Matte



SAHARA BEIGE



BLENDA GREY



600X600 MM | BLENDA GREY

G5
R2
F2



600X600 MM | BLENDA IVORY

G5
R2
F2

All shown
tiles are Matte
& Non Digital



600X600 MM



With our tiles the possibilities are endless.



600X600 MM | ODP URBAN ROCK

P
G5
R2
F4

ODP URBAN ROCK

Shown tile
is Matte



600X600 MM

Wood



600X600 MM

MT

MATTE

GL

GLOSS

FU

FUSION

P

PUNCH

D

DIGITAL

ND

NON DIGITAL



West Zone Tiles



INDEX

WOOD




600X600 MM PCM NATURAL PINE WOOD	63
600X600 MM PCM VINTAGE OAK WOOD	63
600X600 MM DGV T ROSEWOOD SANDUNE	63
600X600 MM DGV T ROSEWOOD BROWN	63
600X600 MM DGV T CYPRESS WOOD CREAMA	63
600X600 MM DGV T CYPRESS WOOD ASH	63
600X600 MM LAPATO MAHAGONY BROWN	64
600X600 MM LAPATO CEDAR BROWN	64
600X600 MM DGV T RIO WOOD	64
600X600 MM DGV T YELLOW BIRCH WOOD	64
600X600 MM BAMBO	65
600X600 MM TEAK NATURAL	65
600X600 MM ODP WOOD STRIP NATURAL	65
600X600 MM BURMA TEAK LIGHT	65
600X600 MM ODP JOBILLO BEIGE	65
600X600 MM ANDES CREMA	65
600X600 MM ODP EBANO BEIGE	65
600X600 MM PEDAZO	65
600X600 MM TEAK WENGE	65
600X600 MM ANDES BROWN	65
600X600 MM ODP LINERO WOOD BROWN	65
600X600 MM ODP ASTER WOOD BROWN	65
600X600 MM DGV T LYON WOOD	66
600X600 MM DGV T ANTIQUE WOOD	66

Code Description

DGV T-Digital Glazed Vitrified Tiles | OT-Orient Tiles | PCM- Porcelain Matte
ODM- Orientbell Digital Matte | ODP- Orientbell Digital Porcelain | ODW-Orientbell Digital Wood
R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation
F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face
G1, G2, G3, G4, G5 (Grouping) are as per technical parameters



PCM VINTAGE OAK WOOD

600X600 MM
PCM NATURAL PINE WOODG5
F4
R3600X600 MM
PCM VINTAGE OAK WOODG5
F4
R3600X600 MM | DGV
ROSEWOOD SANDUNEG5
R2
F3600X600 MM | DGV
ROSEWOOD BROWNG5
R2
F3600X600 MM | DGV
CYPRESS WOOD CREAMAG5
R2
F4600X600 MM | DGV
CYPRESS WOOD ASHG5
R2
F3All shown tiles
are Matte

600X600 MM

A warmer tone keeps the
living room glam yet cozy.



G3
R3
F3

600X600 MM | LAPATO
MAHAGONY BROWN



G3
R2
F3

600X600 MM | LAPATO CEDAR BROWN



G5
R2
F2

600X600 MM | DGV T RIO WOOD





G5
R2
F4

600X600 MM | DGV T
YELLOW BIRCH WOOD



All shown tiles
are Matte





600X600 MM | BAMBO

ND
NON DIGITAL
G5
R1
F4



600X600 MM | TEAK NATURAL

ND
NON DIGITAL
G5
R2
F4



600X600 MM | ODP WOOD STRIP NATURAL

D
DIGITAL
G5
R1
F1



600X600 MM | BURMA TEAK LIGHT

ND
NON DIGITAL
G5
R3
F4




600X600 MM | ODP JOBILLO BEIGE

D
DIGITAL
G5
R1
F2




600X600 MM | ANDES CREMA

ND
NON DIGITAL
G5
R2
F4



600X600 MM | ODP EBANO BEIGE

D
DIGITAL
G5
R2
F4



600X600 MM | PEDAZO

ND
NON DIGITAL
G5
R2
F4




600X600 MM | TEAK WENGE

ND
NON DIGITAL
G5
R2
F4



600X600 MM | ANDES BROWN

ND
NON DIGITAL
G5
R2
F4



600X600 MM | ODP LINERO WOOD BROWN

D
DIGITAL
G5
R1
F1



600X600 MM | ODP ASTER WOOD BROWN

D
DIGITAL
G5
R1
F1

All shown tiles
are Matte





DGVT LYON WOOD



G5
F3

600X600 MM | DGVT LYON WOOD



G5
F1

600X600 MM | DGVT ANTIQUE WOOD

All shown tiles
are Matte



600X600 MM

Stylized, Texture & Plain



MT
MATTE

GL
GLOSS

FU
FUSION

P
PUNCH

D
DIGITAL

ND
NON DIGITAL



West Zone Tiles



INDEX

STYLIZED

600X600 MM DGV	T MOSAIC ART DÉCOR-A	69
600X600 MM DGV	T MOSAIC ART DÉCOR-B	69
600X600 MM PGV	T ILLUSION ART	70
600X600 MM PGV	T BLOSSOM MOSAIC	70
600X600 MM DGV	T ANKARA MULTI	70
600X600 MM DGV	T NORMAN MULTI	70
600X600 MM DGV	T ROYALE FLORA BROWN	70
600X600 MM R	OCKER OPORTO DECOR	70
600X600 MM PGV	T FLAKES MULTI MICA	70
600X600 MM DGV	T ENCAUSTIC MULTI	70
600X600 MM PCG	S SQUARE MULTI WOOD	81
600X600 MM PCG	S MOORISH WOOD	81
600X600 MM PCG	S CLASSICAL WOODEN	81
600X600 MM PCG	S ENCAUSTIC WOOD	81
600X600 MM PCG	S GOTHIC STYLE	81
600X600 MM PCG	S 3D VENN BLUE WAVE	81
600X600 MM PCG	S 3D WHITE DIAMONDS	81
600X600 MM PCG	S 3D SILVER LEAF	81

TEXTURE & PLAIN

600X600 MM LAPATO	BIBLO BEIGE	83
600X600 MM LAPATO	BIBLO BROWN	83
600X600 MM DGV	T YARN CREAMA	83
600X600 MM LAPATO	DIVA GREY LIGHT	83
600X600 MM GABRRO	BIANCO	84
600X600 MM ADAMS	CREMA	84
600X600 MM ADAMS	BROWN	84
600X600 MM S	NOW WHITE	84

Code Description

DGV

T-Digital Glazed Vitrified Tiles | ODG-Orientbell Digital Glossy | ODP-Orientbell Digital Porcelain

R1-No Variation | R2-Slight Variation | R3-More Variation | R4- Most Variation

F1-1 Face | F2-2 Face | F3-3 Face | F4-4 Face | F5-5 Face | F6-6 Face | F7-7 Face | F8-8 Face

G1, G2, G3, G4, G5 (Grouping) are as per technical parameters



PGVT ILLUSION ART & PGVT STATUARIO ULTRA



600X600 MM | PGVT ILLUSION ART

FU
G3
F1
R1



600X600 MM | PGVT BLOSSOM MOSAIC

FU
G3
F1
R1

All shown
tiles are Glossy




600X600 MM



600X600 MM | DGVT ANKARA MULTI

MT
MATTE
G5
R1
F1



600X600 MM | DGVT NORMAN MULTI

MT
MATTE
G5
R1
F1



600X600 MM | DGVT ROYALE FLORA BROWN

MT
MATTE
G5
R1
F1



600X600 MM | ROCKER OPORTO DECOR

MT
MATTE
FU
G5
F1
R1



600X600 MM | PGVT FLAKES MULTI MICA

GL
GLOSS
FU
G3
F1
R1



600X600 MM | DGVT ENCAUSTIC MULTI

MT
MATTE
FU
G5
F1
R1



600X600 MM | DGVT MOSAIC ART DÉCOR-A

FU
G5
F1
R1



600X600 MM | DGVT MOSAIC ART DÉCOR-B

FU
G5
F1
R1



600X600 MM



PCG SQUARE MULTI WOOD



G3
F1
R1

600X600 MM | PCG SQUARE MULTI WOOD



G3
F1
R1

600X600 MM | PCG MOORISH WOOD



G3
F1
R1

600X600 MM | PCG CLASSICAL WOODEN



G3
F1
R1

600X600 MM | PCG ENCAUSTIC WOOD



G3
F1
R1

600X600 MM | PCG GOTHIC STYLE



G3
F1
R1

600X600 MM | PCG 3D VENN BLUE WAVE



G3
F1
R1

600X600 MM | PCG 3D WHITE DIAMONDS



G3
F1
R1

600X600 MM | PCG 3D SILVER LEAF

All shown tiles are Glossy





LAPATO BIBLO BEIGE




G3
R1
F1

600X600 MM | LAPATO BIBLO BEIGE




G3
R1
F1

600X600 MM | LAPATO BIBLO BROWN



G5
R2
F4

600X600 MM | DGVY YARN CREAMA



G3
R1
F1


600X600 MM | LAPATO DIVA GREY LIGHT

All shown tiles are Matte







ADAMS CREMA & ADAMS BROWN




600X600 MM | GABRRO BIANCO



600X600 MM | ADAMS CREMA



600X600 MM | ADAMS BROWN



600X600 MM | SNOW WHITE

All shown tiles are Matte



TECHNICAL SPECIFICATIONS

Glazed Vitrified Tiles

Packing Details			
Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. ft.)
600X1200 (SKD)	2	1.44	15.5
600X600 (SKD)	4	1.44	15.5

Group B Ia as per ISO 13006:2012 and Group B Ib as per IS 15622:2017					
Characteristics	Test Methods	Requirement as per ISO 13006 ≤ 0.5 Group B Ia	Requirement as per IS 15622:2017 0.08<E ≤ 3% Group B Ib		OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2006		Unrectified	Rectified	
Deviation in Length & Width		±0.6%	± 0.4%	± 0.1 %	± 0.1 %
Deviation in Thickness		±5%	± 5.0 %		± 4 %
Straightness of Sides		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Rectangularity		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Surface Flatness		±0.5%	± 0.5 %		± 0.2 % 😊😊
Surface Quality		Min. 95 % tiles should be free from visible defects	Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties					
Water Absorption	IS 13630 (Part 2):2006	Avg ≤ 0.5, Individual max, 0.6	Avg 0.08<E ≤ 3, Individual 3.3, Max		Avg ≤ 0.5, Individual max, 0.6
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Minimum 35, Individual 32, Min	Avg 30, Individual 27, Min		Avg 38 Min, Individual 35, Min 😊😊
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1300, Min	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1500, Min 😊😊
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	Declare Value	0.02, Max		< 0.02
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13):2006	NA	5, Min		5 to 8 Depending on Design/Surface
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 (Part 11):2006	Test Method Available	Class II, Min		Class-III to Class-V Depending as per Design / Surface 😊
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 (Part 4):2006	Test Method Available	7×10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	Test Method Available	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	Test Method Available	4 Cycles@7.5 bar, Min		4 Cycle @ 7.5 Bar Min 😊
Frost Resistance	IS 13630 (Part 10):2006	Required	Required		Resistance
Bulk Density, in (g/cc)	IS 13630 (Part 12):2006	NA	2.0, Min		> 2.1
Impact Resistance- Coefficient of Restitution	IS 13630 (Part 14):2006	Manufacturer to State	0.55, Min		0.7-0.85
Chemical Properties					
Resistance to Staining of Glazed Tiles	IS 13630 (Part 8):2006	Min, Class 3	Class I, Min		Conforms
Resistance to Household Chemicals		Min, GA	Class AA, Min		Conforms
Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compounds)		Test Method Available	Required, if agreed		Conforms

TECHNICAL SPECIFICATIONS

Glazed Vitrified Tiles

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. ft.)
600X600 (West Zone)	4	1.44	15.5

Group B Ia as per ISO 13006:2012 and Group B Ib as per IS 15622:2017					
Characteristics	Test Methods	Requirement as per ISO 13006 ≤ 0.5 Group B Ia	Requirement as per IS 15622:2017 0.08<E ≤ 3% Group B Ib		OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2006		Unrectified	Rectified	
Deviation in Length & Width		±0.6%	± 0.4%	± 0.1 %	± 0.1 %
Deviation in Thickness		±5%	± 5.0 %		± 4 %
Straightness of Sides		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Rectangularity		±0.5%	± 0.3 %	± 0.1 %	± 0.1 %
Surface Flatness		±0.5%	± 0.5 %		± 0.2 %
Surface Quality		Min. 95 % tiles should be free from visible defects	Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties					
Water Absorption	IS 13630 (Part 2):2006	Avg ≤ 0.5, Individual max, 0.6	Avg 0.08<E ≤ 3, Individual 3.3, Max		Avg ≤ 0.5, Individual max, 0.6
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Minimum 35, Individual 32, Min	Avg 30, Individual 27, Min		Avg 38 Min, Individual 35, Min
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1300, Min	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1500, Min
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	Declare Value	0.02, Max		< 0.02
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13):2006	NA	5, Min		5 to 8 Depending on Design/Surface
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 (Part 11):2006	Test Method Available	Class II, Min		Class-III to Class-V Depending as per Design / Surface
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 (Part 4):2006	Test Method Available	7x10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	Test Method Available	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	Test Method Available	4 Cycles@7.5 bar, Min		4 Cycle @ 7.5 Bar Min
Frost Resistance	IS 13630 (Part 10):2006	Required	Required		Resistance
Bulk Density, in (g/cc)	IS 13630 (Part 12):2006	NA	2.0, Min		> 2.1
Impact Resistance- Coefficient of Restitution	IS 13630 (Part 14):2006	Manufacturer to State	0.55, Min		0.7-0.85
Chemical Properties					
Resistance to Staining of Glazed Tiles	IS 13630 (Part 8):2006	Min, Class 3	Class I, Min		Conforms
Resistance to Household Chemicals		Min, GA	Class AA, Min		Conforms
Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compounds)		Test Method Available	Required, if agreed		Conforms

TECHNICAL SPECIFICATIONS

Porcelain/ Vitreous Tiles (Rectified)



Packing Details			
Size (In mm.)	No. of Tiles Per Carton	Covered Area Per Carton	
		(In Sq. Mtr.)	(In Sq. ft.)
600X600 (Dora)	4	1.44	15.5

Group B Ia as per ISO 13006:2012 and Group B Ib as per IS 15622:2017				
Characteristics	Test Methods	Requirement as per IS 15622:2017 0.08<E ≤ 3% Group B Ib		OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2006	Unrectified	Rectified	
Deviation in Length & Width		± 0.4%	± 0.1 %	± 0.1 %
Deviation in Thickness		± 5.0 %		± 4 %
Straightness of Sides		± 0.3 %	± 0.1 %	± 0.1 %
Rectangularity		± 0.3 %	± 0.1 %	± 0.1 %
Surface Flatness		± 0.5 %		± 0.2 % ☺☺
Surface Quality		Min. 95 % tiles should be free from visible defects		Conforms
Physical Properties				
Water Absorption	IS 13630 (Part 2):2006	Avg 0.08<E ≤ 3, Individual 3.3, Max		Conforms ☺
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Avg 30, Individual 27, Min		Conforms
Breaking Strength in N	IS 13630 (Part 6):2006	< 7.5 mm thickness: 700, Min ≥ 7.5 mm thickness: 1100, Min		1200, Min ☺☺
Moisture Expansion in mm/m	IS 13630 (Part 3):2006	0.02, Max		< 0.02
Scratch Hardness of Surface (Moh's Scale)	IS 13630 (Part 13):2006	5, Min		5 to 8 Depending on Design/Surface
Resistance to Surface Abrasion of Glazed Tiles (Class I to V)	IS 13630 (Part 11):2006	Class II, Min		Class-III to Class-V Depending as per Design / Surface
Co-efficient of Linear Thermal Expansion from Ambient Temperature to 100°C	IS 13630 (Part 4):2006	7x10 ⁻⁶ K ⁻¹ , Max		Conforms
Thermal Shock Resistance	IS 13630 (Part 5):2006	10 cycles, Min		Passed
Crazing Resistance	IS 13630 (Part 9):2006	4 Cycles@7.5 bar, Min		4 Cycle @ 7.5 Bar Min ☺☺
Frost Resistance	IS 13630 (Part 10):2006	Required		Resistance
Bulk Density, in (g/cc)	IS 13630 (Part 12):2006	2.0, Min		> 2.1
Impact Resistance- Coefficient of Restitution	IS 13630 (Part 14):2006	0.55, Min		0.7-0.85
Chemical Properties				
Resistance to Staining of Glazed Tiles	IS 13630 (Part 8):2006	Class I, Min		Conforms
Resistance to Household Chemicals		Class AA, Min		Conforms
Resistance to Acids and Alkalies (with exception of hydrofluoric acid and its compounds)		Required, if agreed		Conforms

TECHNICAL SPECIFICATIONS

Technical Specifications of Double Charge | Nano Tech
Polished Vitrified Tiles | Printed Double Charge

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. ft.)
600X600 (West Zone)		1.44	15.50

As per Indian Standard (IS 15622:2017) Group B Ia			
Characteristics	Standard Test Method	IS 15622 Requirements	OBL Norms
Dimension & Surface Quality	IS 13630 (Part 1):2006		
Deviation in Length & Width		±0.1%	± 0.1 %
Deviation in Thickness		±5.0%	± 3.0 %
Straightness of Sides		±0.1%	± 0.1 %
Squareness		±0.1%	± 0.1 %
Surface Flatness		±0.50%	± 0.2 % ☺☺
Surface Quality		Min. 95 % tiles should be free from visible defects	Conforms
Physical Properties			
Water Absorption %	IS 13630 (Part 2):2006	E ≤ 0.08	E ≤ 0.05 ☺
Modulus of Rupture in [N/mm ²]	IS 13630 (Part 6):2006	Avg≥35 N/mm ²	>35 N/mm ² ☺
Breaking Strength in N	IS 13630 (Part 6):2006	Min 1300	>1300 ☺
Scratching Resistance	IS 13630 (Part 13):2006	Min 5	≥ 5
Deep Abrasion	IS 13630 (Part 12):2006	140 Max	100 Max ☺
Chemical Properties			
Resistance to Staining	IS 13630 (Part 8):2006	Min, Class 2	Conforms
Resistance to Household Chemicals		Min, Class AA	Conforms
Thermal Specifications			
Thermal Shock Resistance	IS 13630 (Part 5):2006	Min 10 Cycles	Conforms
Thermal Expansion	IS 13630 (Part 4):2006	Max 6X10 ⁻⁶ at 100° c (K ⁻¹)	Conforms
Frost Resistance	IS 13630 (Part 10):2006	10 Cycles pass	Conforms
Impact Resistance	IS 13630 (Part 14):2006	0.55 minimum	Conforms
Bulk Density (gm/cc)	IS 13630 (Part 2):2006	Min 2.2	Conforms

TECHNICAL SPECIFICATIONS


Full Body Vitrified Tiles

Packing Details			
Size	No. of Tiles Per Carton	Covered Area Per Carton	
(In mm.)		(In Sq. Mtr.)	(In Sq. ft.)
600X600 mm (SKD)	4	1.44	15.50

As per Indian Standard (IS 15622:2017) Group B Ia			
Characteristics	Standard Test Method	IS 15622 Requirements	OBL Norms
Dimension & Surface Quality			
Deviation in Size (length & Width)	IS 13630 (Part 1):2006	± 0.1 %	± 0.1 % (Max)
Deviation in thickness		± 5.0 %	± 3.0 % (Max)
Straightness of sides		± 0.1 %	± 0.1 % (Max)
Rectangularity		± 0.1 %	± 0.1 % (Max)
Surface Flatness		± 0.5 %	± 0.2 % (Max) ☹️☹️
Surface Quality		Min 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of the tile	Conform
Physical Properties			
Water absorption %	IS 13630 Part 2	Average ≤0.08%, individual 0.10% Max.	Average ≤0.08% ☹️
Modulus of rupture N/mm ²	IS 13630 Part 6	Average 35, individual 32 Min.	Min 45 N/mm2 ☹️☹️
Breaking Strength N	IS 13630 Part 6	700 Min for thickness <7.5mm, 1300 Minimum for Thickness ≥7.5 mm	Min 2000 N ☹️☹️
Moisture Expansion	IS 13630 Part 3	0.02 Max	Conforms
Scratch hardness (Moh's Scale)	IS 13630 Part 13	5 Min	7 min ☹️☹️
Resistance to surface abrasion of glaze tiles Class I to V (Applicable for floor applications only)	IS 13630 Part 11	Min II	Class- V ☹️
Linear thermal expansion Co-efficient	IS 13630 Part 4	6x10 ⁻⁶ max	6x10 ⁻⁶ max
Thermal Shock Resistance	IS 13630 Part 5	10 Cycle Min	Passed
Impact Resistance	IS 13630 Part 14	0.55, Min	0.75
Coefficient of Friction	ISO 10545 Part 17	Manufacturer to declare value where required	R-11 in pendulum test method.
Frost Resistance	IS 13630 Part 10	Required if agreed to between manufacturer and purchaser	50 cycle passed
Resistance to deep abrasion of unglazed tiles	IS 13630 Part 12	140, Max	Class AA
Bulk density g/cc	IS 13630 Part 2	2.2, Min	2.2, Min
Chemical Properties			
Resistance to Staining of Glazed Tiles	IS:13630 Part 8	Class 1 Min	Class 1
Resistance to Household Chemicals		Class AA	Class AA
Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compound)		Class AA	Class AA

A Network of
2500+
Channel Partners

-  Franchise Owned Boutiques
-  Channel Partners
-  Company Owned Boutiques
-  Plants



ORIENT BELL TILE BOUTIQUE

CHANDIGARH

SCO - 6, First Floor, Sector 7-C, Madhya Marg, Chandigarh-160 019,
Tel.: +91 172 4624 342

CHENNAI

New No: 85, Old No: 30, Maharaja Tower, 2nd Floor, 1st Avenue,
Ashok Nagar, (Above Kotak Mahindra Bank), Chennai-600 083,
Tel.: +91 44 4213 8687

COCHIN

“SURYA GAYATRI”, Building No. 32/8, B3, Puthiya Road, New Junction,
(Opposite Holiday Inn Hotel) Ernakulam By Pass Road, Cochin-682 031,
Tel.: +91 9745768058

COIMBATORE

11, 1st Floor, Venkata Samy Road (East), R.S. Puram,
Coimbatore-641 002,
Tel.: +91 8979941666

DEHRADUN

Duggal Complex (Near Kamla Palace Hotel), GMS Road,
Dehradun-248 001,
Tel.: +91 9719701064

KOLKATA

8/1, Burdwan Road, Alipore, Kolkata-700 027,
Tel.: +91 33 4068 4046/7

LUCKNOW

Raj Rani Apartment, Ground Floor, Near Beej Nigam, Badshah Nagar
Railway Station, Lucknow-226 006,
Tel.: +91 99847 86404

NEW DELHI

M-47, GK-II, M Block, New Delhi-1100 048,
Tel.: +91 11 4068 7468/69

PUNE

Shop No. 3 and 4, A Tower Vega Centre, C.T.S No. 710, Final Plot No.
401/1, Shankarasheth Road, Gultekdi, Swargate, Pune-411 037
Tel.: +91 73910 72247

VADODRA DISPLAY CENTRE

78-79, 2nd Floor, Surya Kiran Complex, Beside Banker Heart Institute,
Old Padra Road, Vadodara-390007, Gujarat
Tel.: +91 98254 14113

Make small spaces look bigger with Orientbell tiles

Big solutions for small bathrooms



orientbell
tiles

WhatsApp : 87507 11111 | Missed Call : 87507 33333

Listed on BSE (530365) for 20+ years.
And also on NSE (ORIENTBELL).

CORPORATE OFFICE:
Iris House, 16 Business Centre,
Nangal Raya, New Delhi – 110046, India
Tel: +91-11-47119100

REGISTERED OFFICE:
8 Industrial Area, Sikandrabad – 203 205 (UP), India
Tel: +91-5735-222-203 / 424, +91-8191004575 / 76



www.orientbell.com

CIN: L14101UP1977PLC021546

